



SECURITY PAPER MILL, HOSHANGABAD - 461005 (M.P), INDIA

(A Unit of Security Printing and Minting Corporation of India Limited)

(Wholly owned by Government of India)

(Miniratna Category-I CPSE & ISO 9001:2015 & ISO 14001:2015 CERTIFIED)

Website: <http://spmshoshangabad.spmcil.com>

E-Mail: gm.spm@spmCIL.com

CIN: U22213DL2006GOI144763

Ph.No:91-7574-255259,

GSTIN: 23AAJCS6111J3ZE

Fax No: 07574-255170

PR Number	PR Date	Indenter	Department
10027369	29.10.2021	E&I PM5	E&I PM5

Not Transferable

Security Classification: NON-SECURITY

TENDER DOCUMENT FOR Purchase of Different Types of Electronic Instruments.

Tender Number: 6000016895/E&I/PM5/_____,

Dated: 14.12.2021

This Tender Document Contains_____Pages.

Tender Documents is issued to:

<p>_____</p> <p>_____</p> <p>_____</p>
--

Details of Contact person in SPMCIL regarding this tender:

Name, Designation: Kishor Mane (Manager (Material))

Address: SPMH (Security Paper Mill, Hoshangabad)

Phone, Fax, email: 07574-286791

Email: Kishor.mane@spmCIL.com

Section1: Notice Inviting Tender (NIT)

6000016895 /E&IPM5

14.12.2021

(SPMCIL's Tender SI No.)

(Date)

1. Sealed tenders are invited from eligible and qualified tenderers for supply of following goods & services:

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Total Earnest Money (In Rs.)	Remarks
1	Pressure Gauge 2" 1/8"BSP SPEI001764	12.000 EA	0.00	
2	Pressure Gauge 2"1/4" SPEI001762	17.000 EA		
3	Pressure gauge 0 to 160 kg/cm sq. CMZZ006351	2.000 EA		
4	Gauge size 2.5" 0 to 2.5 Bar 1/4" bsp,ba SPEI009825	11.000 EA		
5	Pressure Gauge 0 to 6 KG/CM SPGE001606	12.000 EA		
6	Gauge size 4" 0 to 100 Bar, Back Bracket SPEI009826	5.000 EA		
7	DIAL GAUGES RANGE 0-100 MM SPEL000288	3.000 EA		
8	Gauge2.5", 0 to 1 Mpa Back Direct 1/8"Bs SPEI009827	2.000 EA		
9	Gauge 2.5", 0 to 120°C, 1/4"Bsp, Bottom SPEI009828	6.000 EA		
	Pressure Gauge Dial 4" Ra 0 to 60	5.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Total Earnest Money (In Rs.)	Remarks
10	Lbs SPGE001625			
11	Gauge 4", 0 to 10 Bar, Back Direct 1/2"B SPEI009829	3.000 EA		
12	Gauge 2.5" 0 to 2.5 Bar, Back Direct 1/4 SPEI009830	3.000 EA		
13	Gauge 2.5" -1 to 0 Bar, Back Direct 1/ SPEI009841	8.000 EA		
14	pressure gauge 0-10 bar 1/4" BSP SPME039673	2.000 EA		
15	Gauge 4", -1 to 0 Bar, Back Direct 1/2"B SPEI009842	3.000 EA		
16	Gauge 2.5" 0 to 1, Back Bracket , 1/4"Bs SPEI009843	3.000 EA		
17	Gauge 2.5" 0 to 2.5 Bar, Back Bracket 1 SPEI009844	5.000 EA		
18	Gauge 4", -0.25 to 0 Br, Back Direct , SPEI009845	2.000 EA		
19	Gauge, pressure, 0-100 bar,63mm SPME032177	2.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Total Earnest Money (In Rs.)	Remarks
20	PressureGauge0 To100psi 1/4"BSP SPEI001754	2.000 EA		
21	Gauge 2.5", 0 to 1 Bar, Back Direct , 1/ SPEI009846	2.000 EA		
22	Pressure Gauge 0 to 4 Kg/cm SPEI000172	2.000 EA		
23	Gauge 4", 0 to 160 Bar, Back Bracket 1/ SPEI009847	2.000 EA		
24	Gauge 2.5", 0 to 10 Bar Bottom Direct SPEI009848	15.000 EA		
25	Gauge4", 0 to 60 Bar, Back Direct, 1/2"B SPEI009849	2.000 EA		
26	pressure gauge 0-25 bar 1/4" BSP SPME039674	3.000 EA		
27	Gauge 2.5",0 to 10 Bar, Back Direct , 1/ SPEI009850	2.000 EA		
28	Gauge 4", 0 to 6 Bar, Bottom Direct 1/2 SPEI009851	2.000 EA		
	Gauge 2", 0 to 16 Bar, Back Direct	5.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Total Earnest Money (In Rs.)	Remarks
29	1/8"B SPEI009852			
30	Pressure gauge (0 - 2.1 Kg/cm sq.) SPME050297	2.000 EA		
31	Gauge 4" 0 to 25 MBar, Back Panel Mount, SPEI009853	2.000 EA		
32	Gauge 4" -100 to 0 MBar, Back Direct , 1 SPEI009854	2.000 EA		
33	Gauge 2", 0 to 1 Mpa, Back Direct , 1/8" SPEI009855	2.000 EA		
34	Gague 2", 0 to 2.5 Bar, Bottom Bracket M SPEI009856	4.000 EA		
35	Gauge 2", 0 to 6 Bar, Bottom Direct 1/8 SPEI009857	10.000 EA		
36	Gauge 2", 0 to 2.5 Bar, Back Bracket 1/ SPEI009858	3.000 EA		
37	Gauge 2", 0 to 12 Bar, Back Direct Mount SPEI009859	2.000 EA		
38	Gauge 4" 0 to 15 Bar, Bottom Direct, 1/2 SPEI009860	2.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Total Earnest Money (In Rs.)	Remarks
39	Gauge 4", -100 to 0 KPA(1 Bar), Back Dir SPEI009861	2.000 EA		
40	Pressure Gauge 0to4 Bar SPEI001757	2.000 EA		
41	Gauge 4", 0 to 6 Bar, Back Direct 1/2"B SPEI009862	2.000 EA		
42	Gauge 4" 0 to 600kpaBack Direct 1/2"Bsp SPEI009863	2.000 EA		
43	Gauge 4", 0 to 160 Bar, Bottom Direct 1 SPEI009864	2.000 EA		
44	Pressure Gauge 100mm, 0 To16 Kg SPGE001610	2.000 EA		
45	Gauge4", 0 to 16 Bar, Bottom Direct 1/ SPEI009865	2.000 EA		
46	Gauge 2.5", 0 to 10 Bar, Bottom Direct 1 SPEI009866	2.000 EA		
47	Oil Pressure Gauge 0 to 42 Kg Di.50mm Bo SPGE001462	2.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Total Earnest Money (In Rs.)	Remarks
48	Gauge 2.5" 0 to 210 Bar, Back Bracket, 1/ SPEI009867	3.000 EA		
49	PRESSURE GAUGE DIAL-4", 0 TO 50 PSI 1/2" SPGE003118	2.000 EA		
50	Gauge 2.5", 0 to 10 Bar, Bottom Direct SPEI009868	2.000 EA		
51	PRESSURE GAUGE 0 TO 1.6 BAR SPEI001756	2.000 EA		
52	Gauge 4", 0 to 120°C, Bottom Direct 1/2 SPEI009869	2.000 EA		
53	Temperature gauge with stem, Range 0-200°C CMZZ003253	2.000 EA		
54	PRESSURE GAUGE (0 TO 500PSI) SPME045765	2.000 EA		
55	Gauge 2.5", Range 0 to 10 Bar, Back Dir SPEI009870	15.000 EA		
56	Pressure Gauge 63mm ,0 to 16 Kg/cm2 SPGE001635	17.000 EA		
	Gauge 2.5", 0 to 400 Bar, Bottom	2.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Total Earnest Money (In Rs.)	Remarks
57	Direct SPEI009871			
58	Gauge 10", 0 to 7 Bar, Bottom Surface 1 SPEI009872	2.000 EA		
59	Gauge 2.5", 0 to 10 Bar, Back Direct Mo SPEI009873	2.000 EA		
60	Gauge 4", 0 to 10 Bar, Bottom Direct 1 SPEI009874	2.000 EA		
61	Gauge 4", 0 to 100°C, Bottom Surface Mo SPEI009875	2.000 EA		
62	PU PIPE OD 8 MM SPME038151	1000.000 M		
63	PU PIPE OD 10 MM SPME038152	1000.000 M		
64	Battery cells AAA SPEL022381	60.000 nos		
65	Pvc Insulation Tape greep make SPEL002431	150.000 ROL		
66	pH tx.,0-14 pH, 230 V, upto 120°C SPEI008421	1.000 EA		
67	Ind.flat tip pH sensor, PTFE jn, Pt100	4.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Total Earnest Money (In Rs.)	Remarks
	SPEI008422			
68	6ES7 971-0BA00 S7-400 BATTERY CMZZ006080	30.000 EA		
69	Process clamp meter SPEI009877	2.000 EA		
70	ALLEN KEY SET MM SPTL003674	12.000 nos		
71	Multimeter with 0 to 20 ma measure SPEI009879	3.000 EA		
72	HYD Press.Control Valve, NG6 0-175 BAR SPEI006522	2.000 EA		
73	Proxi S/W magnetic FESTOSME8KLED24 SPEI005833	10.000 EA		
74	Safety interlock S/W EUCHNER SPEI005836	7.000 EA		
75	USB to PS2 convertor SPEI009880	10.000 EA		
76	PS2 to usb convertor SPEI009881	10.000 EA		
77	FESTO, Fltr, MS6-LF-1/2-C-R-V, 529609 SPEI007041	4.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Total Earnest Money (In Rs.)	Remarks
78	AirFilter regulator 1/4" with Gauge SPEI009882	6.000 EA		
79	AirFilter regulator 3/8" with Gauge SPEI009883	5.000 EA		
80	6ES7 972-0BA12-0XA0 Profibus Connector CMZZ006078	25.000 EA		
81	M12 5 pin male connector 24VDC SPEI009803	30.000 EA		
82	Female connector M12, 5-pin SPEI008565	50.000 EA		
83	illuminated Push button metal white 24V SPEI009804	100.000 EA		
84	illuminated Push button metal Green 24V SPEI009805	60.000 EA		
85	illuminated Push button metal Blue 24V SPEI009806	60.000 EA		
86	illuminated Push button metal Yellow 24V SPEI009807	60.000 EA		
87	illuminated Push button metal Red24V SPEI009808	60.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Total Earnest Money (In Rs.)	Remarks
88	3SB3 500-0AA61 WHITE PUSH-BUTTON CMZZ006087	50.000 EA		
89	3SB3 500-0AA41 GREEN PUSH-BUTTON CMZZ006089	50.000 EA		
90	Push button mettalic Blue 24V SPEI009809	50.000 EA		
91	Push button mettalic Yellow 24V SPEI009810	50.000 EA		
92	3SB3 500-0AA21 RED PUSH-BUTTON CMZZ006088	50.000 EA		
93	3SB3 500-0AA11 BLACK PUSH-BUTTON CMZZ006086	50.000 EA		
94	Selector switch 3 pos spring return 22.5 SPSW000422	100.000 EA		
95	Selector switch 3 pos. ZB4BD5 SPEI007996	100.000 EA		
96	3SB35 00-1HA20 Mushroom PB CMZZ006123	50.000 EA		
97	Rope emergency module SPEI009811	10.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Total Earnest Money (In Rs.)	Remarks
98	Door Safety lock bolt type FE SPEI009812	10.000 EA		
99	pressure sen 0-400BAR Hydraulic Belpres SPEI009813	3.000 EA		
100	E TYPE 12 pole connector with 25 m cable SPEI008339	10.000 EA		
101	E- Chain 14.2.048.0 embos. MC Proxi tie SPEI009814	1.000 EA		
102	E- Chain 280.18.200.0 Laser MC X-Axis SPEI009815	1.000 EA		
103	E- Chain 280.20.200.0 Laser MC Y chain1 SPEI009816	1.000 EA		
104	E- Chain 280.07.200.0 Laser MC Y chain2 SPEI009817	1.000 EA		
105	E- Chain 2400.010.100.0 Layboy FE SPEL026252	1.000 EA		
106	E- Chain 2400.005.125.0 Layboy FE SPEL026254	1.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Total Earnest Money (In Rs.)	Remarks
107	E- Chain 2400.003.150.0 Layboy FE SPEI009818	1.000 EA		
108	E- Chain 1400.068.038.0 Layboy FE SPEI009819	1.000 EA		
109	E- Chain 1400.020.038.0 Deliveries FE SPEL026347	1.000 EA		
110	E- Chain E4.42.10.150.0 Reel stand FE SPEL026348	2.000 EA		
111	E- Chain 1400.038.038.0 Reel stand FE SPEL026349	4.000 EA		
112	E- Chain 1400.038.048.0 Rewider FE SPEL026350	1.000 EA		
113	E- Chain E4.42.18.150.0 Rewinder FE SPEL026351	2.000 EA		
114	E- Chain 2400.03.75.0 Rewinder FE SPEL026352	1.000 EA		
115	2 core signal cable 0.5 sqmm CS SPEI009960	500.000 M		
116	3 core signal cable 0.5 sqmmCS SPEI009973	500.000 M		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Total Earnest Money (In Rs.)	Remarks
117	4 Core signal cable 0.5 sqmm CS SPEI009974	1000.000 M		
118	Profibus cable Multi stand SPEI009975	1500.000 M		
119	Proxibus cable flexible high bend resist SPEI009976	500.000 M		
120	PU PIPE OD 6 MM SPME038150	1000.000 M		
121	QCS CLEANING KIT CMZZ005426	1000.000 EA		
122	PU PIPE OD 12 MM SPME038154	500.000 M		
Type of Tender (Two Bid/ PQB/ EOI/ RC/ Development/ Indigenization/ Disposal of Scrap/ Security Item etc.)			TWO-BID National Competetive Bid	
Dates of sale of tender documents:			From 14.12.2021 to 17.01.2022 during office hours.	
Place of sale of tender documents			ADMIN OFFICE SPM HOSHANGABAD	
Closing date and time for receipt of tenders			18.01.2022 till 11:00:00	
Place of receipt of tenders			ADMIN OFFICE SPM HOSHANGABAD	
Time and date of opening of tenders			18.01.2022 at 15:00:00	
Place of opening of tenders			Admin Office, SPM Hoshangabad	
Nominated Person/ Designation to Receive Bulky Tenders (Clause 21.21.1 of GIT)			Kishor Mane, M(M)	

2. Eligibility to participate as per Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/ revised) and Ministry of Finance, Department of Expenditure, Public Procurement Division's Orders (Public Procurement 1, 2 and 3) F.No.6/18/2019-PPD dated 23rd/ 24th July 2020 (or any further amendments thereof) regarding eligibility of bidders from neighboring countries shall apply to this tender.

3. Please note that SPMCIL reserves its right to grant Purchase preferences in accordance with Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/ revised) and Public Procurement Policy for Micro and Small Enterprises (MSEs) Amendment Order, 2018 (as amended/ revised).

4. Interested tenderers may obtain further information about this requirement from the above office selling the

documents. They may also visit our website mentioned above for further details.

5. Tenderer may also download the tender documents from the web site mentioned above and submit its tender by utilizing the downloaded document; the bidder must not make any changes to the contents of the documents, except for filling the required information. A certificate to this effect must be submitted by the bidder in the Tender Form (Section X).

6. Tenderers shall ensure that their tenders, duly sealed and signed, complete in all respects as per instructions contained in the Tender Documents, are dropped on or before the closing date and time indicated in the Para 1 above in the tender box located at the address given below , failing which the tenders will be treated as late and rejected. Tenders may also be sent through post at the address as above. However, Purchaser will not be responsible for any postal lapses or delays in receipt of the documents. In case NIT/ SIT provide for uploading of bids to nominated eProcurement portal, bidders must upload their bids along with scanned copies as required enclosures (including proofs of cost of Tender Documents and EMD as applicable - unless an online payment gateway is provided in the instruction) as per instructions given in this regard. Original copies of such scanned uploaded required enclosures must reach in physical form within the date and place as provided in such instructions, otherwise their uploaded bid, would be declared as unresponsive.

7. In the event of any of the above-mentioned dates being declared as a holiday/ closed day for the purchase organization, the tenders will be sold/ received/ opened on the next working day at the appointed time.

8. The tender documents are not transferable.

9. The bidder, their affiliates, or subsidiaries # including subcontractors or suppliers for any part of the contract # should not stand declared ineligible/ blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations. A declaration to this effect shall be submitted by the bidder in the Tender Form (Section X).

10. Undersigned confirms that the required goods mentioned above are not available on GeM as per #GeM - Availability Report and Past Transaction Summary# (GeM # AR & PTS). This unique ID is GEM/GARPTS/23072021/W6VWSGQS0GD6.

11. Procurement Preference for MSE

(i) From time to time, the Government of India (GoI) lays down procurement policies to help inclusive national economic growth by providing long-term support to small and medium enterprises and disadvantaged sections of society and to address environmental concerns. The Procurement Preference Policy for Micro and Small Enterprises has been notified by GoI in exercise of the powers conferred in Section 11 of the Micro, Small and Medium Enterprises Development (MSMED) Act, 2006.

(ii) Micro and Small Enterprises (MSE) must, along with their offer, provide proof of their being registered as MSE (indicating the terminal validity date of their registration) for the item tendered, with any agency mentioned in the notification of the Ministry of Micro, Small and Medium Enterprises (MSME), indicated below:

- (a) District Industries Centres.
- (d) Khadi and Village Industries Commission.
- (e) Khadi and Village Industries Board.
- (f) Coir Board.
- (g) National Small Industries Corporation.
- (h) Directorate of Handicraft and Handloom; and
- (i) Any other body specified by the Ministry of MSME.

(iii) For ease of registration of Micro and Small Enterprises (MSEs), Ministry of MSME has started Udyog Aadhar

Memorandum which is an online registration system (free of cost) w.e.f. 18th September 2015 and all Micro & Small Enterprises (MSEs) who are having Udyog Aadhar Memorandum should also be provided all the benefits available for MSEs under the Public Procurement Policy for Micro and Small Enterprises (MSEs), Order 2012.

(iv) The MSEs are provided tender documents free of cost and are exempted from payment of earnest money, Subject to furnishing of relevant valid certificate for claiming exemption.

(v) As per MSME Act, 2006 and Government of India's stimulus package announced on 13/02/2020 MSME payments have to be released within 45 days by Government and PSUs. As per the MSME Act, delays may attract punitive interest.

(vi) Under Public Procurement Policy for MSEs, a minimum 25 per cent share out of the total procurement by Central Government Ministries/ Departments/ Public Sector Undertakings are to be made from MSEs. To meet this target, PSUs are required to conduct special Vendor Development Programmes/ Buyer-Seller Meets for SCs/STs entrepreneurs.

(vii) If a MSE bidder quotes a price within the band of the lowest (L1) +15 per cent in a situation where the L1 price is quoted by someone other than an MSE, the MSE bidders are eligible for being awarded 25 per cent of the total tendered value if they agree to match the L1 price. In case of more than one such eligible MSE, the 25 per cent quantity is to be distributed proportionately among these bidders. Within this, a purchase preference of 4 per cent is reserved for MSEs owned by Scheduled Caste (SC)/ Scheduled Tribe (ST) entrepreneurs and 3 per cent is reserved for procurement from MSEs owned by women (if they participate in the tender process and match the L1 price). Provided that, in event of failure of such SC/ ST or Women MSE to participate in tender process or meet tender requirements and L1 price, 4 percent sub-target shall be met from other MSE. MSEs would be treated as owned by SC/ ST or women entrepreneurs:

(a) In case of proprietary MSE, proprietor(s) shall be SC /ST or women

(b) In case of partnership MSE, the SC/ ST or women partners shall be holding at least 51% shares in the unit

(c) In case of Private Limited Companies, at least 51% share shall be held by SC/ ST or women promoters.

In the opinion of Ministry of MSME, in case of tender item is non-split-able or non-dividable, etc. MSE quoting price within price band L1+15% may be awarded for full/ complete supply of total tendered value to MSE, considering spirit of policy for enhancing the Govt. procurement from MSE.

This Policy is meant for procurement of only goods produced and services rendered by MSEs and not for any trading activities by them. An MSE Unit will not get any purchase preference over another MSE Unit.

12. MAKE IN INDIA (DIPP Clause):

The provisions of the revised Public Procurement (Preference to Make in India) Order 2017 - dated 04th June 2020 (and subsequent amendments, if any) by Department for Promotion of Industry and Internal Trade, GoI shall apply to this tender to the extent feasible.

13. PERFORMANCE SECURITY:

(13.1) In case of order in your favour for Rs. 250000/- or above, the supplier shall furnish performance security/Security Deposit of 3% of the order value within 21 days, after issue of NAC by SPM, in favour of SPM Hoshangabad payable at Hoshangabad. The Performance Security will be returned back without any interest to successful tenderer after the date of completion of all contractual obligations by the supplier, including the warranty obligations.

(13.2) The performance security shall be denominated in Indian Rupees or in the currency of the contract and shall be in one of the following forms:

(a) Account payee Demand Draft or Fixed Deposit Receipt drawn on any commercial bank in India, in favour of Security Paper Mill, Hoshangabad as indicate in the clause 3 of NIT.



Tender Number:6000016895

(b) Bank Guarantee issued by a commercial bank in India, in the prescribed form as provided in Section XV of this document.

(13.3) In the event of any loss due to supplier's failure to fulfill its obligations in terms of the contract, the amount of the performance security shall be payable to SPM to compensate SPM for the same.

(13.4) In the event of any amendment issued to the contract, the supplier shall, within twenty-one days of issue of the amendment, furnish the corresponding amendment to the Performance Security (as necessary), rendering the same valid in all respects in terms of the contract as amended.

Enclosed: ANNEXURE- I, II, III & IV

(Kishor Mane)
Manager (Material)
For Chief General Manager

CORRESPONDING ADDRESS

THE CHIEF GENERAL MANAGER SECURITY PAPER MILL HOSHANGABAD-461 005 (M.P.)

Website: <http://spmshoshangabad.spmcil.co m>

E-MAIL:- kishor.mane @spmCIL.com

PHONE :- 07574 - 286847, 286776, FAX :- 07574)-255170

.....

.....
(Name Designation, Address telephone number etc
of the officer signing the document)

For and on behalf of

.....

Section II: General Instructions to Tenderers (GIT)

Part 1: General Instructions Applicable to all type of Tenderers

Kindly refer <https://spmCIL.com/uploaddocument/GIT/new.pdf> for further details (GIT contains 61 pages)

SIGNATURE OF BIDDER WITH NAME,
DESIGNATION & SEAL



Tender Number:6000016895

Section II: General Instructions to Tenderers (GIT)

Part II: Additional General Instructions Applicable to Specific type of Tenderers

Kindly refer <https://spmciil.com/uploaddocument/GIT/new.pdf> for further details (GIT contains 61 pages)

SIGNATURE OF BIDDER WITH NAME,
DESIGNATION & SEAL

Section III: Specific Instructions to Tenderers (SIT)

The following Special Instructions to Tenderers will apply for this purchase. These special instructions will modify/ substitute/ supplement the corresponding General Instructions to Tenderers (GIT) incorporated in Section II. The corresponding GIT clause numbers have also been indicated in the text below:

In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail.

(Clauses of GIT listed below include a possibility for variation in their provisions through SIT. There could be other clauses in SIT as deemed fit.)

Sr No	GIT Clause No.	Topic	SIT Provision
01	3	Eligible Tenderers	Applicable
02	3.4	Eligible Goods and Services (Origin of Goods)	Applicable
03	6.1	The tender documents includes:	Applicable
04	8	Pre-bid Conference	Not Applicable
05	9	Time Limit for receiving request for clarification of Tender Documents	A Tenderer requiring any clarification or elucidation on any issue of the tender documents may take up the same with SPMH in writing or by fax/e-mail/telex. SPMH will respond in writing to such request provided the same is received than fourteen days (unless otherwise specified in the SIT) prior to the prescribed date of submission of tender. Copies of the query and clarification shall be sent to all prospective bidders who have received the bidding document.
06	10.1	The Technical bid to be submitted by Tenderer shall contain the	following documents, duly filled in, as required: Applicable
07	11.2	Tender Currency	Supplier is requested to quote price within 2 Decimal place. Quotation with price quote beyond 2 decimal place is ignored.
08	12.1	Tender Prices	Applicable
09	12.2,33,36.1	Schedule wise evaluation	Applicable
10	12.6	GST details	Applicable
11	14	PVC Clause & Formula	Not Applicable
12	14.4 to 14.7	Exchange Rate Variation (ERV)	Not applicable
13	16.2 a) to c)	Documents Establishing Tenderer's Eligibility and Qualifications	Not applicable
14	18.4, 18.5	Earnest Money Deposit (EMD)	Nil and firm shall submit following undertaking on letter Head duly seal & Signed: #If we withdraw or modify our bids during period of validity of tender etc. than we will be suspended for the period of 03 years from the date of opening of tender.#
15	19	Tender Validity	120 days from opening date of quotation.
16	20.4	Number of Copies of Tenders to be submitted	One copy in original
17	20.8	Two Bid System	Applicable

Sr No	GIT Clause No.	Topic	SIT Provision
18	20.9	E-Procurement	Not applicable
19	34. and 35.1	Comparison on CIF Destination Basis	Not applicable
20	35.2 to 35.6	Additional Factors for Evaluation of Offers and Preferential schemes	Not applicable
21	43	Parallel Contracts	Not applicable
22	44.1	Serious Misdemeanors	Applicable
23	44.3	Integrity Pact	Not applicable
24	45.1	Notification of Award	Applicable
25	50	Applicability of additional GIT for rate Contracts	Not applicable
26	51	Applicability of additional GIT for PQB Tenders	Not applicable
27	52	Applicability of additional GIT for Tenders involving Samples	Not applicable
28	53	Applicability of additional GIT for EOI Tenders	Not applicable
29	54	Applicability of additional GIT for Tenders for Disposal of Scrap	Not applicable
30	55	Applicability of additional GIT for Development/Indigenization Tenders	Not applicable
31	28.1,28.2,28.3	Discrepancy in Prices	Applicable
32	Special Condition	GST Returns	Supplier Should file the GST returns for outward supplies in time. In case of any Input Credit Loss to SPM by way of their failure to files GST Returns in time, SPM reserves the right to withhold the payment of further supplies till production of evidence of filling of Returns.
33	Special Condition	TCS u/s 206C (1H) read with TDS u/s 194Q	Applicable.
34	Special Condition	Sec. 206AB of IT Act	Vendor has to submit declaration in specified format for the compliance of section 206AB of Income tax Act, 1961. In case of non-submission of declaration; TDS will be deducted at higher rates (as applicable) as per section 206AB.

Section IV: General Conditions of Contract (GCC)

Part I: General Conditions of Contract applicable to all types of Tenders

Kindly refer <https://spmcl.com/uploaddocument/GCC/new.pdf> for further details (GIT contains 36 pages).

SIGNATURE OF BIDDER WITH NAME,
DESIGNATION & SEAL

Section V: Special Conditions of Contract (SCC)

The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below. These Special Conditions will modify/ substitute/ supplement the corresponding (GCC) clauses.

Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.

(Clauses of GCC listed below include a possibility for variation in their provisions through SCC. There could be other clauses in SCC as deemed fit)

Sl.No	GCC Clause No.	Topic	SCC Provision
01	8.2	Packing and Marking	The quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall strictly comply with requirements as provided in Technical Specifications and Quality Control Requirements under Section VII and VIII and in SCC under Section V. In case the packing requirements are amended due to issue of any amendment to the contract, the same shall also be taken care of by the supplier accordingly.
02	11.2	Transportation of Domestic Goods	Supplied material only through Registered Common Carriers.
03	12.2	Insurance	The supplier shall make arrangements for insuring the goods against loss or damage incidental to manufacture or acquisition, transportation, storage and deliver as per clause no. 12.3, 12.4, 12.5 Bear by firm
04	14.1	Incidental Services	Applicable
05	15	Distribution of Dispatch Documents for clearance/ Receipt of Goods	Applicable
06	16.1	Warrantee Clause	The supplier warrants that the goods supplied under the contract is new, unused and incorporate all recent improvements in design and materials unless prescribed otherwise by SPM in the contract. The supplier further warrants that the goods supplied under contract shall have no defect arising from design, material or workmanship or from any act or omission of the supplier, that may develop under normal use of the supplied goods.
07	16.2	Warrantee Clause	Warrantee shall remain valid for 01(One) Year after the goods have been delivered to the final destination and accepted by SPM in terms of the contract.
08	16.4	Warrantee Clause	If claim arising out of this warranty, supplier shall repair or replace the defective goods or parts thereof, free of cost, at the ultimate destination. The supplier shall take over the replaced parts/goods after providing their replacement and no claim, whatsoever shall lie on SPM for such

Sl.No	GCC Clause No.	Topic	SCC Provision
			replaced parts/goods thereafter.
09	16.6	Warrantee Clause	If the supplier, having been notified, fails to rectify/replace the defects within a reasonable period, SPM may proceed to take such remedial action as deemed fit by SPM, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which SPM may have against the supplier.
10	19.3	Option Clause	Applicable
11	21.2	Taxes and Duties	Applicable (Henceforth, every supplier has to indicate the break-up of Tax (GST.) in price schedule/bills. In case Tax is not applicable on supplier, they must enclose relevant Tax Exemption certificate. It is must for availing input tax rebate.
12	22, 22.1, 22.2, 22.4, 22.3, 22.6	Terms and Mode of payments	100% payment after receipt and acceptance of goods by the SPM at destination and on production of all required documents by the supplier. Payments to supplier are made through RTGS/NEFT.
13	24.1	Quantum of LD	If the contractor fails to deliver the goods and/or services or any installment thereof within the Delivery Period, SPM Hoshangabad shall, without prejudice to other rights and remedies available to SPM, Hoshangabad under the contract, deduct from the contractor price, as Liquidated damages, a sum equivalent to the rate of 0.5 % of the delivered price of the delayed goods and/or services along with applicable GST of 18% on the LD amount, for each week of delay or part thereof until actual delivery or....
14	24.1 (Continue)	Quantum of LD performance, subject to a maximum deduction of the 10% (plus GST on the LD amount) of the delayed goods or services#
15	33.1	Resolution of Disputes	If dispute or difference of any kind shall arise between SPMH and the supplier in connection with or relating the contract, the parties shall make every effort to resolve the same amicably by mutual consultations. If the parties fail to resolve the dispute or difference by such mutual consultation within 21 days of its occurrence, then, unless otherwise provided in the SCC, either SPMH or the supplier may seek recourse to settlement of disputes through arbitration act 33.2.
16	25.1	Bank Guarantee and Insurance for Material Loaned to Contractor	Not applicable
17	33.1	Resolution of Disputes	If dispute or difference of any kind shall arise

Sl.No	GCC Clause No.	Topic	SCC Provision
			between SPMH and the supplier in connection with or relating the contract, the parties shall make every effort to resolve the same amicably by mutual consultations. If the parties fail to resolve their dispute or difference by such mutual consultation withing 21 days of its occurrence, then,unless otherwise provided in the SCC, either SPMH or the supplier may seek recourse to settlement of disputes through arbitration act 33.2.

Section VI: List of Requirements

Schedule No.	Breif Description of goods and services (Related Specifications etc.are in Section-VII)	Accounting Unit	Quantity	Amount of Earnest Money	Remark
1	SPEI001764 Pressure Gauge 2" 1/8"BSP	EA	12.000	0.00	
2	SPEI001762 Pressure Gauge 2"1/4"	EA	17.000		
3	CMZZ006351 Pressure gauge 0 to 160 kg/cm sq.	EA	2.000		
4	SPEI009825 Gauge size 2.5" 0 to 2.5 Bar 1/4" bsp,ba	EA	11.000		
5	SPGE001606 Pressure Gauge 0 to 6 KG/CM	EA	12.000		
6	SPEI009826 Gauge size 4" 0 to 100 Bar, Back Bracket	EA	5.000		
7	SPEL000288 DIAL GAUGES RANGE 0-100 MM	EA	3.000		
8	SPEI009827 Gauge 2.5", 0 to 1 Mpa Back Direct 1/8"Bs	EA	2.000		
9	SPEI009828 Gauge 2.5", 0 to 120°C, 1/4"Bsp, Bottom	EA	6.000		
10	SPGE001625 Pressure Gauge Dial 4" Ra 0 to 60 Lbs	EA	5.000		
11	SPEI009829 Gauge 4", 0 to 10 Bar, Back Direct 1/2"B	EA	3.000		
12	SPEI009830 Gauge 2.5" 0 to 2.5 Bar, Back Direct 1/4	EA	3.000		
13	SPEI009841 Gauge 2.5" -1 to 0 Bar, Back Direct 1/	EA	8.000		
14	SPME039673 pressure gauge 0-10 bar 1/4" BSP	EA	2.000		
15	SPEI009842 Gauge 4", -1 to 0 Bar, Back Direct 1/2"B	EA	3.000		
16	SPEI009843 Gauge 2.5" 0 to 1, Back Bracket , 1/4"Bs	EA	3.000		
17	SPEI009844 Gauge 2.5" 0 to 2.5 Bar, Back Bracket 1	EA	5.000		
18	SPEI009845 Gauge 4", -0.25 to 0 Br, Back Direct ,	EA	2.000		
19	SPME032177 Gauge, pressure, 0-100 bar,63mm	EA	2.000		
20	SPEI001754	EA	2.000		

Schedule No.	Breif Description of goods and services (Related Specifications etc.are in Section-VII)	Accounting Unit	Quantity	Amount of Earnest Money	Remark
	PressureGauge0 To100psi 1/4"BSP				
21	SPEI009846 Gauge 2.5", 0 to 1 Bar, Back Direct , 1/	EA	2.000		
22	SPEI000172 Pressure Gauge 0 to 4 Kg/cm	EA	2.000		
23	SPEI009847 Gauge 4", 0 to 160 Bar, Back Bracket 1/	EA	2.000		
24	SPEI009848 Gauge 2.5", 0 to 10 Bar Bottom Direct	EA	15.000		
25	SPEI009849 Gauge4", 0 to 60 Bar, Back Direct, 1/2"B	EA	2.000		
26	SPME039674 pressure gauge 0-25 bar 1/4" BSP	EA	3.000		
27	SPEI009850 Gauge 2.5",0 to 10 Bar, Back Direct , 1/	EA	2.000		
28	SPEI009851 Gauge 4", 0 to 6 Bar, Bottom Direct 1/2	EA	2.000		
29	SPEI009852 Gauge 2", 0 to 16 Bar, Back Direct 1/8"B	EA	5.000		
30	SPME050297 Pressure gauge (0 - 2.1 Kg/cm sq.)	EA	2.000		
31	SPEI009853 Gauge 4" 0 to 25 MBar, Back Panel Mount,	EA	2.000		
32	SPEI009854 Gauge 4" -100 to 0 MBar, Back Direct , 1	EA	2.000		
33	SPEI009855 Gauge 2", 0 to 1 Mpa, Back Direct , 1/8"	EA	2.000		
34	SPEI009856 Gague 2", 0 to 2.5 Bar, Bottom Bracket M	EA	4.000		
35	SPEI009857 Gauge 2", 0 to 6 Bar, Bottom Direct 1/8	EA	10.000		
36	SPEI009858 Gauge 2", 0 to 2.5 Bar, Back Bracket 1/	EA	3.000		
37	SPEI009859 Gauge 2", 0 to 12 Bar, Back Direct Mount	EA	2.000		
38	SPEI009860 Gauge 4" 0 to 15 Bar, Bottom Direct, 1/2	EA	2.000		
39	SPEI009861 Gauge 4", -100 to 0 KPA(1 Bar), Back Dir	EA	2.000		
40	SPEI001757 Pressure Gauge 0to4 Bar	EA	2.000		
41	SPEI009862 Gauge 4", 0 to	EA	2.000		

Schedule No.	Breif Description of goods and services (Related Specifications etc.are in Section-VII)	Accounting Unit	Quantity	Amount of Earnest Money	Remark
	6 Bar, Back Direct 1/2"B				
42	SPEI009863 Gauge 4" 0 to 600kpaBack Direct 1/2"Bsp	EA	2.000		
43	SPEI009864 Gauge 4", 0 to 160 Bar, Bottom Direct 1	EA	2.000		
44	SPGE001610 Pressure Gauge 100mm, 0 To16 Kg	EA	2.000		
45	SPEI009865 Gauge4", 0 to 16 Bar, Bottom Direct 1/	EA	2.000		
46	SPEI009866 Gauge 2.5", 0 to 10 Bar, Bottom Direct 1	EA	2.000		
47	SPGE001462 Oil Pressure Gauge 0 to 42 Kg Di.50mm Bo	EA	2.000		
48	SPEI009867 Gauge2.5" 0 to 210 Bar, Back Bracket, 1/	EA	3.000		
49	SPGE003118 PRESSURE GAUGE DIAL-4", 0 TO 50 PSI 1/2"	EA	2.000		
50	SPEI009868 Gauge 2.5", 0 to 10 Bar, Bottom Direct	EA	2.000		
51	SPEI001756 PRESSURE GAUGE 0 TO 1.6 BAR	EA	2.000		
52	SPEI009869 Gauge 4", 0 to 120°C, Bottom Direct 1/2	EA	2.000		
53	CMZZ003253 Temperature gauge with stem,Range0-200oC	EA	2.000		
54	SPME045765 PRESSURE GAUGE (0 TO 500PSI)	EA	2.000		
55	SPEI009870 Gauge 2.5", Range 0 to 10 Bar, Back Dir	EA	15.000		
56	SPGE001635 Pressure Gauge 63mm ,0 to 16 Kg/cm2	EA	17.000		
57	SPEI009871 Gauge 2.5", 0 to 400 Bar, Bottom Direct	EA	2.000		
58	SPEI009872 Gauge 10", 0 to 7 Bar, Bottom Surface 1	EA	2.000		
59	SPEI009873 Gauge 2.5", 0 to 10 Bar, Back Direct Mo	EA	2.000		
60	SPEI009874 Gauge 4", 0 to 10 Bar, Bottom Direct 1	EA	2.000		

Schedule No.	Breif Description of goods and services (Related Specifications etc.are in Section-VII)	Accounting Unit	Quantity	Amount of Earnest Money	Remark
61	SPEI009875 Gauge 4", 0 to 100°C, Bottom Surface Mo	EA	2.000		
62	SPME038151 PU PIPE OD 8 MM	M	1000.000		
63	SPME038152 PU PIPE OD 10 MM	M	1000.000		
64	SPEL022381 Battery cells AAA	nos	60.000		
65	SPEL002431 Pvc Insulation Tape greep make	ROL	150.000		
66	SPEI008421 pH tx.,0-14 pH, 230 V, upto 120°C	EA	1.000		
67	SPEI008422 Ind.flat tip pH sensor, PTFE jn, Pt100	EA	4.000		
68	CMZZ006080 6ES7 971-0BA00 S7-400 BATTERY	EA	30.000		
69	SPEI009877 Process clamp meter	EA	2.000		
70	SPTL003674 ALLEN KEY SET MM	nos	12.000		
71	SPEI009879 Multimeter with 0 to 20 ma measure	EA	3.000		
72	SPEI006522 HYD Press.Control Valve, NG6 0-175 BAR	EA	2.000		
73	SPEI005833 Proxi S/W magnetic FESTOSME8KLED24	EA	10.000		
74	SPEI005836 Safety interlock S/W EUCHNER	EA	7.000		
75	SPEI009880 USB to PS2 convertor	EA	10.000		
76	SPEI009881 PS2 to usb convertor	EA	10.000		
77	SPEI007041 FESTO, Fltr, MS6-LF-1/2-C-R-V, 529609	EA	4.000		
78	SPEI009882 AirFilter regulator 1/4" with Gauge	EA	6.000		
79	SPEI009883 AirFilter regulator 3/8" with Gauge	EA	5.000		
80	CMZZ006078 6ES7 972-0BA12-0XA0 Profibus	EA	25.000		

Schedule No.	Breif Description of goods and services (Related Specifications etc.are in Section-VII)	Accounting Unit	Quantity	Amount of Earnest Money	Remark
	Connector				
81	SPEI009803 M12 5 pin male connector 24VDC	EA	30.000		
82	SPEI008565 Female connector M12, 5-pin	EA	50.000		
83	SPEI009804 illuminated Push button metal white 24V	EA	100.000		
84	SPEI009805 illuminated Push button metal Green 24V	EA	60.000		
85	SPEI009806 illuminated Push button metal Blue 24V	EA	60.000		
86	SPEI009807 illuminated Push button metal Yellow 24V	EA	60.000		
87	SPEI009808 illuminated Push button metal Red24V	EA	60.000		
88	CMZZ006087 3SB3 500-0AA61 WHITE PUSH-BUTTON	EA	50.000		
89	CMZZ006089 3SB3 500-0AA41 GREEN PUSH-BUTTON	EA	50.000		
90	SPEI009809 Push button mettalic Blue 24V	EA	50.000		
91	SPEI009810 Push button mettalic Yellow 24V	EA	50.000		
92	CMZZ006088 3SB3 500-0AA21 RED PUSH-BUTTON	EA	50.000		
93	CMZZ006086 3SB3 500-0AA11 BLACK PUSH-BUTTON	EA	50.000		
94	SPSW000422 Selector switch 3 pos spring return 22.5	EA	100.000		
95	SPEI007996 Selector switch 3 pos. ZB4BD5	EA	100.000		
96	CMZZ006123 3SB35 00-1HA20 Mushroom PB	EA	50.000		
97	SPEI009811 Rope emergency module	EA	10.000		
98	SPEI009812 Door Safety	EA	10.000		

Schedule No.	Breif Description of goods and services (Related Specifications etc.are in Section-VII)	Accounting Unit	Quantity	Amount of Earnest Money	Remark
	lock bolt type FE				
99	SPEI009813 pressure sen 0-400BAR Hydraulic Belpres	EA	3.000		
100	SPEI008339 E TYPE 12 pole connector with 25 m cable	EA	10.000		
101	SPEI009814 E- Chain 14.2.048.0 embos. MC Proxi tie	EA	1.000		
102	SPEI009815 E- Chain 280.18.200.0 Laser MC X-Axis	EA	1.000		
103	SPEI009816 E- Chain 280.20.200.0 Laser MC Y chain1	EA	1.000		
104	SPEI009817 E- Chain 280.07.200.0 Laser MC Y chain2	EA	1.000		
105	SPEL026252 E- Chain 2400.010.100.0 Layboy FE	EA	1.000		
106	SPEL026254 E- Chain 2400.005.125.0 Layboy FE	EA	1.000		
107	SPEI009818 E- Chain 2400.003.150.0 Layboy FE	EA	1.000		
108	SPEI009819 E- Chain 1400.068.038.0 Layboy FE	EA	1.000		
109	SPEL026347 E- Chain 1400.020.038.0 Deliveries FE	EA	1.000		
110	SPEL026348 E- Chain E4.42.10.150.0 Reel stand FE	EA	2.000		
111	SPEL026349 E- Chain 1400.038.038.0 Reel stand FE	EA	4.000		
112	SPEL026350 E- Chain 1400.038.048.0 Rewider FE	EA	1.000		
113	SPEL026351 E- Chain E4.42.18.150.0 Rewinder FE	EA	2.000		
114	SPEL026352 E- Chain 2400.03.75.0 Rewinder FE	EA	1.000		
115	SPEI009960 2 core signal	M	500.000		

Schedule No.	Breif Description of goods and services (Related Specifications etc.are in Section-VII)	Accounting Unit	Quantity	Amount of Earnest Money	Remark
	cable 0.5 sqmm CS				
116	SPEI009973 3 core signal cable 0.5 sqmmCS	M	500.000		
117	SPEI009974 4 Core signal cable 0.5 sqmm CS	M	1000.000		
118	SPEI009975 Profibus cable Multi stand	M	1500.000		
119	SPEI009976 Proxibus cable flexible high bend resist	M	500.000		
120	SPME038150 PU PIPE OD 6 MM	M	1000.000		
121	CMZZ005426 QCS CLEANING KIT	EA	1000.000		
122	SPME038154 PU PIPE OD 12 MM	M	500.000		

1. SUBMISSION OF TENDER: Two Bid System

Bids shall be submitted in two separate sealed envelopes duly super scribed as Techno-Commercial Bid and Price Bid respectively with our tender enquiry reference no. and Date. The above said two envelopes should be put in a common outer envelope should scribed with words #TECHNO-COMMERCIAL BID AND PRICE BID AGAINST TENDER ENQUIRY NO. & date with due on date# and be addressed to CHIEF GENERAL MANAGER, SECURITY PAPER MILL, HOSHANGABAD -461005 (M.P). The tender duly prepared as above and should reach this office by Registered Post/Courier Services Only, on or before the due date prescribed.

Late tenders shall not be accepted. Tenderers shall submit their offers only on prescribed forms. Tender by Telegram/Fax/E-mail shall not be accepted. Tender by Post/Hand/courier received on or before the due date and time shall be accepted. Postal delay/ delay by courier service etc. shall not be condoned.

Tenders shall be submitted in parts as below:-

PART-I: TECHNO-COMMERCIAL BID

Confirm the following terms and conditions and documents are to be submitted with in this Techno-Commercial Bid:-

- Firm shall submit valid MSME Certificate.
- One original Tender document shall be submitted. It should not have any price aspects.
- Tender document fee is NIL.
- Earnest Money Deposit : The EMD of the tender is Nil and firm shall submit following undertaking on your letter Head duly seal & Signature:

"If we withdraw or modify our bids during period of validity of tender etc. than we will be suspended for the period of 03 years for the date of opening of tender".

- v. Duly filled tender form as per Section-X is to be submitted. No price detail is to be given in this bid. In case if any price detail is given, then the bids are liable to be rejected.
- vi. FOR: SPM, Hoshangabad, door delivery duly unloading.
- vii. Delivery Schedule: Within Sixteen (16) weeks from the date of issue of Notification of Award of Contract (NAC)/Purchase Order (PO) (Whichever is earlier).
- viii. Validity: The tenders shall remain valid for acceptance for a period of 120 days from the opening date of quotations. Any tender valid for a shorter period shall be treated as unresponsive & rejected.
- ix. Payment Terms:
(A) 100% Payment shall be done on after receipt and suitability of material at SPM, Hoshangabad by the purchaser and on production of all required documents by the firm by RTGS/NEFT.
(B) Payments to supplier are made through RTGS/NEFT. Please give details of your bank Account No., IFC Code, Bank Name, Branch code, Location of Bank etc. and GSTIN No., SAC Code of Services, Billing address, Shipping address, Place of Supply, GST% & Amount in your bill for the same, without which your payment will not be release.
(C) Bill/Invoice should be in triplicate.
- x. The Tenderer shall submit detailed technical offer as per Technical Specifications (Section-VII) of this tender document. Tenderer can also submit supporting documents/leaflet/ catalogue etc.
- xi. The Tenderer shall submit one format of blank Price bid to be furnished without price to know whether the firm furnished clearly all charges as required in our Price Schedule shown at Section-XI of this tender document.
- xii. Firm shall submit the declaration (Annexure-II) as per GIT Clause no. 3.5, as per Ministry of Finance, Department of Expenditure OM no. 06/18/2019- PPD dated 23.07.2020.
- xiii. The tenderer has to submit Annexure-III as attached along with tender document with seal and signed.
- xiv. Firm shall submit the declaration on letter head duly seal & signed by competent authority stating #We have not been blacklisted/debarred by BNPMIPL/BRBNMPL/SPMCIL or any Govt. Departments for participation in tenders. The information provided above is correct and true to the best of my knowledge and belief#.
- Note: No price details to be given in pre-qualification Bid otherwise offer shall be rejected.

PART-II: PRICE-BID

The bidders shall quote the price and other elements of price as per the format given as Section XI of this tender document. Insertion, post script, addition and alteration shall not be entertained. If any will not be considered to calculate the price.

#BIDDER TO FURNISH STIPULATED DOCUMENTS ALONG WITH TENDER IN SUPPORT OF FULFILLMENT OF TENDER CRITERIA. FURTHER CORRESPONDENCE IN THIS REGARD WILL NOT BE ENTERTAINED FOR ANY REASON. NON-SUBMISSION OR INCOMPLETE SUBMISSION OF DOCUMENTS MAY LEAD TO REJECTION OF OFFER.#

SIGNATURE OF BIDDER WITH NAME,
DESIGNATION & SEAL

Section VII: Technical Specifications

Item no. 01

Dial size 2",Range 0 to 6 Bar, Back Bracket Mounting , 1/8"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 02

Dial size 2",Range 0 to 6 Bar, Back Direct Mounting , 1/8"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 03

Dial size 2.5",Range 0 to 160 Bar, Bottom Direct Mounting , 1/4"Bsp, Glycerin Filled Make : WIKA / KAINS /FESTO/
WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 04

Dial size 2.5",Range 0 to 6 Bar, Back Direct Mounting , 1/4"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 05

Dial size 2.5",Range 0 to 2.5 Bar, Back Direct Mounting , 1/4"Bsp, Dry,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 06

Dial size 4",Range 0 to 100 Bar, Back Bracket Mounting , 1/2"Bsp, Glycerin Filled ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 07

Dial size 2.5",Range 0 to 10 Mpa(100 Bar), Back Direct Mounting , 1/8"Bsp, Glycerin Filled ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 08

Dial size 2.5",Range 0 to 1 Mpa(10 Bar), Back Direct Mounting , 1/8"Bsp, Glycerin Filled ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 09

Dial size 2.5", Range 0 to 120°C, 1/4"Bsp, Bottom Direct mounting, Stem 50x8mm ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 10

Dial size 4",Range 0 to 60 Bar, Back Direct Mounting , 1/2"Bsp, Glycerin Filled
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 11

Dial size 4",Range 0 to 10 Bar, Back Direct Mounting , 1/2"Bsp, Glycerin Filled
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 12

Dial size 2.5",Range 0 to 2.5 Bar, Back Direct Mounting , 1/4"Bsp, Glycerin Filled ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 13

Dial size 2.5",Range -1 to 0 Bar, Back Direct Mounting , 1/4"Bsp, Glycerin Filled
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 14

Dial size 2.5",Range 0 to 10 Bar, Back Direct Mounting , 1/4"Bsp, Glycerin Filled
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 15

Dial size 4",Range -1 to 0 Bar, Back Direct Mounting , 1/2"Bsp, Glycerin Filled ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 16

Dial size 2.5",Range 0 to 1 Bar, Back Bracket Mounting , 1/4"Bsp, Glycerin Filled
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 17

Dial size 2.5",Range 0 to 2.5 Bar, Back Bracket Mounting , 1/4"Bsp, Glycerin Filled
MAKE: WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 18

Dial size 4",Range -0.25 to 0 Bar, Back Direct Mounting , 1/2"Bsp, Glycerin Filled
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 19

Dial size 4",Range -100 to 0 KPA, Back Direct Mounting , 1/2"Bsp, Glycerin Filled ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 20

Dial size 2.5",Range 0 to 100 Bar, Bottom Direct Mounting , 1/4"Bsp, Glycerin Filled ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 21

Dial size 2.5",Range 0 to 1 Bar, Back Direct Mounting , 1/4"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 22

Dial size 2.5",Range 0 to 4 Bar, Back Direct Mounting , 1/4"Bsp, Dry
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 23

Dial size 4",Range 0 to 160 Bar, Back Bracket Mounting , 1/2"Bsp, Glycerin Filled ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 24

Dial size 2.5",Range 0 to 10 Bar with MRP, Bottom Direct Mounting , 1/4"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 25

Dial size 4",Range 0 to 60 Bar, Back Direct Mounting , 1/2"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 26

Dial size 2.5",Range 0 to 25 Bar, Bottom Direct Mounting , 1/4"Bsp, Glycerin ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 27

Dial size 2.5",Range 0 to 10 Bar, Back Direct Mounting , 1/4"Bsp, Dry
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 28

Dial size 4",Range 0 to 6 Bar, Bottom Direct Mounting , 1/2"Bsp, Dry
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 29

Dial size 2",Range 0 to 16 Bar, Back Direct Mounting , 1/8"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO,ASHCROFT/AFRISO EURO-INDEX

Item no. 30

Dial size 2.5",Range 0 to 2 Bar, Back Direct Mounting , 1/4"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX
Item no. 31

Dial size 4",Range 0 to 25 MBar, Back Panel Mounting , 1/2"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 32

Dial size 4",Range -100 to 0 MBar, Back Direct Mounting , 1/4"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 33

Dial size 2",Range 0 to 1 Mpa(10Bar), Back Direct Mounting , 1/8"Bsp, Dry
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 34

Dial size 2",Range 0 to 2.5 Bar, Bottom Bracket Mounting , 1/8"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 35

Dial size 2",Range 0 to 6 Bar, Bottom Direct Mounting , 1/8"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 36

Dial size 2",Range 0 to 2.5 Bar, Back Bracket Mounting , 1/8"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 37

Dial size 2",Range 0 to 12 Bar, Back Direct Mounting , 1/8"Bsp, Dry
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 38

Dial size 4", Range 0 to 15 Bar, Bottom Direct Mounting, 1/2"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 39

Dial size 4", Range -100 to 0 KPA(1 Bar), Back Direct Mounting, 1/2"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 40

Dial size 4", Range 0 to 4 Bar, Bottom Direct Mounting, 1/2"Bsp, Glycerin Filled ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 41

Dial size 4", Range 0 to 6 Bar, Back Direct Mounting, 1/2"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 42

Dial size 4", Range 0 to 600 KPA(6 Bar), Back Direct Mounting, 1/2"Bsp, Dry
,Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 43

Dial size 4", Range 0 to 160 Bar, Bottom Direct Mounting, 1/2"Bsp, Glycerin Filled
, Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 44

Dial size 4", Range 0 to 16 Bar, Back Direct Mounting, 1/2"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 45

Dial size 4", Range 0 to 16 Bar, Bottom Direct Mounting, 1/2"Bsp, Dry
, Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX
Item no. 46

Dial size 2.5",Range 0 to 10 Bar, Bottom Direct Mounting , 1/4"Bsp, Dry
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 47

Dial size 2.5",Range 0 to 42 Bar, Back Bracket Mounting , 1/4"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 48

Dial size 2.5",Range 0 to 210 Bar, Back Bracket Mounting , 1/4"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 49

Dial size 4", Range 0 to 5 Bar, Bottom Direct Mounting, 1/2"Bsp,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 50

Dial size 2.5", Range 0 to 10 Bar, Bottom Direct Mounting, 1/4"Bsp, Glycerin Filled ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 51

Dial size 4", Range 0 to 1.6 Bar, Bottom Direct Mounting, 1/2"Bsp, Glycerin Filled ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 52

Dial size 4", Range 0 to 120°C, Bottom Direct Mounting, 1/2"Bsp, Stem 75x8mm Filled System ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 53

Dial size 4", Range 0 to 200°C, Back Direct Mounting, 1/2"Bsp, Stem 100x8mm Filled System ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 54

Dial size 4", Range 0 to 500KPA(5 Bar), Bottom Direct Mounting, 1/2"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 55

Dial size 2.5", Range 0 to 10 Bar, Back Direct Mounting, 1/4"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 56

Dial size 2.5", Range 0 to 16 Bar, Back Direct Mounting, 1/4"Bsp, Dry ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 57

Dial size 2.5", Range 0 to 400 Bar, Bottom Direct Mounting, 1/4"Bsp, Glycerin Filled ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 58

Dial size 10", Range 0 to 7 Bar, Bottom Surface Mounting, 1/2"Bsp, Dry
, Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 59

Dial size 2.5", Range 0 to 10 Bar, Back Direct Mounting, 1/4"Bsp, Glycerin Filled ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 60

Dial size 4", Range 0 to 10 Bar, Bottom Direct Mounting, 1/2"Bsp, Glycerin Filled ,
Make : WIKA / KAINS /FESTO/ WALTER PILOT/TECNO/ASHCROFT/AFRISO EURO-INDEX

Item no. 61

Dial size 4", Range 0 to 100°C, Bottom Surface Mounting, 1/2"Bsp, Stem 300x8mm with Thermowell
Make : WIKA / KAINS /FESTO

Item no. 62

Pu pneumatic pipe OD 8mm make Make : Festo/SMC/Rexroth/ Asco pneumatics

Item no. 63

Pu pneumatic pipe OD 10mm Make : Festo/SMC/Rexroth/ Asco pneumatics

Item no. 64

Battery AAA size (1.5 volt) extra heavy duty

Item no. 65

PVC Insulation Tape greep

Item no. 66

pH Digital Panel Mount Controller, single setpoint, on/off control, analog output, range: 0.00 to 14.00 pH;
Temperature -9.9 to 120C, 230V

pH500111-2 or equivalent

Item no. 67

Industrial Flat Tip pH Electrode, PTFE junction, High Temperature glass bulb, BNC connector, Pt100, 5 m cable thread 3/4" NPT
Compatible with item no. 690

Item no. 68

6ES7 971-0BA00 S7-400 Battery

Item no. 69

0 to 100 mA measurement process clamp meter with accessories
Measure the miliamp without breaking the loop.

Resolution/Range: 0 to 20.99 mA
Accuracy: 0.2% + 2counts

Resolution/range: 21 mA to 100 mA
Accuracy: 1% * 5 count

operating temperture : -10 to 50 degree celcius
operating alitude: 0 to 2000m

IP rating : IP 40
Vibration: Random 2 G, 5 to 500HZ
shock: 1 m(except the jaw)

EMI/RFI: Meets EN61326-1
for current measurement w/ jaw ,add 1 mA to specificaltion for EMC field strenth of 1 V/M up to 3 V/M

process clamp meter make fluke 771

or equivalent

Item no. 70

box include minimum 9 nos and range starting from 1.5mm
Key feature:

Item no. 71

1000 V AC/DC ; 10 A AC/DC (current leads and current jacks ; resistance to 50 Mohm, capacitance to 10000 microfarad, fequency to 100 khz, tempereture -40 degree to 400 degree cel.
Robust fast and accurate with manual and accurate ranging, display hold , Min-max average recording.
Backlight digital display, analog bar graph and build in temperture measurements with included thermocouples.

Voltage DC:
Accuracy +-(0.09%+2)
max resolution : 0.1 mV
Maximum : 1000V

Voltage AC:

Accuracy: $\pm(1.0\% +3)$
max resolution: 0.1mV
Maximum 1000V

Current DC:

Accuracy : $\pm (1.0\%+3)$
max resolution: 0.01mA
Maximum : 10 A

Current AC:

Accuracy : $\pm (1.5\%+3)$
max resolution: 0.01mA
Maximum : 10 A

Resistance:

Accuracy" $\pm(0.9\%+1)$
max resolution: 0.1 ohm
maximum :50 Mohm

storage temperature: -30degree to +60degree cel

Humidity without condensate: 0 to 90% (0 to 35 degree cel)
0 to 70 %(35 to 50 degree cel)

overvoltage category: EN 61010 - 1 to 1000 V cat III
EN 61010-1 to 600 V Cat IV

Make : Fluke model no. 179
or equivalent

Item no. 72

HYD Press.Control Valve, NG6 0-175 BAR , DRE6X10/175MG24-8NZ4M Make rexroth or equivalent in all respect

Item no. 73

Proxi S/W magnetic FESTOSME8KLED24
electric, with reed contact, for drives with T-slot with cable

make : Festo/SMC or equivalent in respect

Item no. 74

safety switch
MGB-L1-ARA-AK1A1-M-R-120990
safety switch unicode ID Nr. 12090
Make EUCHNER or equivalent in all respect

Item no. 75

USB to PS2 Converter

Item no. 76

PS2 to USB Converter

Item no. 77

5 micro filter, plastic bowl with bowl guard, fully automatic condensate drain, flow direction from left to right

Item no. 78

LFR-1/4-D-MINI with metal bowl guard and pressure gauge, with manual condensate drain.
make : Festo/SMC or equivalent

Item no. 79

LFR-3/8-D-MIDI
with metal bowl guard and pressure gauge. with manual condensate drain.
Make:Festo/SMC or equivalent in all respect

Item no. 80

DP Bus connector for profibus , upto 12 mbits/sec. 35 degree cable or straight outlet,ipcd tech fast connect , with
PG sochet 15.5x54x39.5 mm(wxhxd),Make : Siemens or equivalent

Item no. 81

M12 5 pin male straight connector ,IP64/IP67

Item no. 82

M12 5 pin female straight connector,IP64/IP67

Item no. 83

illuminated Push button ,ss body, white with 1 NO 1 NC, Size:22.5mm

Item no. 84

illuminated Push button ,ss body, Green with 1 NO 1 NC,Size:22.5mm

Item no. 85

illuminated Push button ,ss body, Blue with 1 NO 1 NC, Size:22.5mm

Item no. 86

illuminated Push button ,ss body, yellow with 1 NO 1 NC,Size:22.5mm

Item no. 87

illuminated Push button ,ss body, Red with 1 NO 1 NC, Size:22.5mm

Item no. 88

Push button ,ss body, white with 2 NO 1 NC, Size:22.5mm

Item no. 89

Push button ,ss body, Green with 2 NO 1 NC,Size:22.5mm

Item no. 90

Push button ,ss body, Blue with 2 NO 1 NC, Size:22.5mm

Item no. 91

Push button ,ss body, Yellow with 2 NO 1 NC,Size:22.5mm

Item no. 92

Push button ,ss body, Red with 2 NO 1 NC,Size:22.5mm

Item no. 93

Push button ,ss body, Black with 2 NO 1 NC, Size:22.5mm

Item no. 94

Selector switch 3 position spring return with contact element 2 NO (RIGHT #CENTER-LEFT),Metallic body,Size:22.5mm

Item no. 95

Selector switch 3 position no return with contact element 2 NO, Metallic body,Size:22.5mm

Item no. 96

3SB35 00-1HA20 Mushroom PB

Item no. 97

Straight mounting,NO/NC , 10A, 240V,Schinder or equivalent

Item no. 98

Door Safety lock bolt type FE

Item no. 99

Pressure sen 0-400 BAR Hydraulic Belpress

P 0-400 BAR

QA 0-10V

DC 14-30 VOLT

Hydraulic line,

Model : SICK 6038659 or equivalent

Item no. 100

1. Outer Jacket - PVC
2. 12 Core Cable Harnesses with 12 Pole E-Type Connector
3. Connector details as below:
 - Material: Zinc die-casting/brass, nickel-plated
 - Pollution degree: 3
 - Protection class: IP 66/67 [plugged]
 - Over-voltage category: III
 - Temperature range: -20 °C to +130 °C
 - Union nut/screw: Brass, nickel-plated
 - Clamping ring material: Brass, nickel-plated
 - Contacts: Brass, gold-plated
 - Seal: FPM/HNBR
 - Insulation body: PA 6.6/PBT, UL 94/V0
 - Contact type: Female crimp
 - Plug design: Signal connector
 - make: Igus or equivalent

Item no. 101

- Chain Inner Height - 20 mm
- Chain Outer Height - 25 mm
- Pitch of Chain - 30.5 mm
- Fill Weight - 0.3 kg/mtr
- Inside can be opened with integral hinge
- Mounting bracket with integrated strain relief
- Chain Material: igumid G # Self lubricating polymer, heavy Polymer compound with reinforced fibres and bearing Materials #less wear and long service life.
- Bending Radius - 48 mm
- Inner Width - 25 mm
- Outer Width - 36 mm

Item no. 102

1. Chain Inner Height - 32 mm
2. Chain Outer Height - 54 mm
3. Pitch of Chain - 56 mm
4. Fill Weight - 10 kg/mtr
5. Straight running due to inner/outer link design
6. Low-noise due to built-in brake in the stop-dogs
7. very high rigidity and load capacity
8. opening crossbar available for faster installation/removal
9. Crossbars can be removed on both sides
10. Cable-friendly wide plastic crossbars
11. Smooth outer contours, less dirt adhesion
12. Strain relief separator can be fitted in the mounting bracket
13. -Chain Material: igumid G # Self lubricating polymer, heavy Polymer compound with reinforced fibres and bearing Materials #less wear and long service life.
14. -Bending Radius - 200 mm
15. - Inner Width - 175 mm
16. Outer Width - 198 mm

Item no. 103

1. Chain Inner Height - 32 mm
2. Chain Outer Height - 54 mm
3. Pitch of Chain - 56 mm
4. Fill Weight - 10 kg/mtr
5. Straight running due to inner/outer link design
6. Low-noise due to built-in brake in the stop-dogs
7. very high rigidity and load capacity
8. opening crossbar available for faster installation/removal
9. Crossbars can be removed on both sides
10. Cable-friendly wide plastic crossbars
11. Smooth outer contours, less dirt adhesion
12. Strain relief separator can be fitted in the mounting bracket
13. -Chain Material: igumid G # Self lubricating polymer, heavy Polymer compound with reinforced fibres and bearing Materials #less wear and long service life.
14. -Bending Radius - 200 mm
15. - Inner Width - 200 mm
16. Outer Width - 223 mm

Item no. 104

1. Chain Inner Height - 32 mm
2. Chain Outer Height - 54 mm
3. Pitch of Chain - 56 mm
4. Fill Weight - 10 kg/mtr
5. Straight running due to inner/outer link design
6. Low-noise due to built-in brake in the stop-dogs
7. very high rigidity and load capacity
8. opening crossbar available for faster installation/removal
9. Crossbars can be removed on both sides
10. Cable-friendly wide plastic crossbars
11. Smooth outer contours, less dirt adhesion
12. Strain relief separator can be fitted in the mounting bracket
13. -Chain Material: igumid G # Self lubricating polymer, heavy Polymer compound with reinforced fibres and bearing Materials #less wear and long service life.
14. -Bending Radius - 200 mm
15. - Inner Width - 75 mm
16. Outer Width - 98 mm

Item no. 105

1. Chain Inner Height - 25 mm
2. Chain Outer Height - 35 mm
3. Pitch of Chain - 46 mm
4. Fill Weight - 5 kg/mtr
5. Optimised opening system for the quick opening of crossbars, either from the left or right
6. Double stop system for large unsupported lengths
7. High holding force of the crossbars
8. Versatile modular interior separation system
9. Easy assembly due to Pin & Bore Design
10. Strain relief can be integrated in mounting bracket
11. -Chain Material: igumid G # Self lubricating polymer, heavy Polymer compound with reinforced fibres and bearing Materials #less wear and long service life.
12. -Bending Radius - 100 mm

- 13. - Inner Width - 103 mm
- 14. Outer Width - 119 mm

Item no. 106

- 1. Chain Inner Height - 25 mm
- 2. Chain Outer Height - 35 mm
- 3. Pitch of Chain - 46 mm
- 4. Fill Weight - 5 kg/mtr
- 5. Optimised opening system for the quick opening of crossbars, either from the left or right
- 6. Double stop system for large unsupported lengths
- 7. High holding force of the crossbars
- 8. Versatile modular interior separation system
- 9. Easy assembly due to Pin & Bore Design
- 10. Strain relief can be integrated in mounting bracket
- 11. -Chain Material: igumid G # Self lubricating polymer, heavy Polymer compound with reinforced fibres and bearing Materials #less wear and long service life.
- 12. -Bending Radius - 125 mm
- 13. - Inner Width - 57 mm
- 14. Outer Width - 73 mm

Item no. 107

- 1. Chain Inner Height - 25 mm
- 2. Chain Outer Height - 35 mm
- 3. Pitch of Chain - 46 mm
- 4. Fill Weight - 5 kg/mtr
- 5. Optimised opening system for the quick opening of crossbars, either from the left or right
- 6. Double stop system for large unsupported lengths
- 7. High holding force of the crossbars
- 8. Versatile modular interior separation system
- 9. Easy assembly due to Pin & Bore Design
- 10. Strain relief can be integrated in mounting bracket
- 11. -Chain Material: igumid G # Self lubricating polymer, heavy Polymer compound with reinforced fibres and bearing Materials #less wear and long service life.
- 12. -Bending Radius - 55 mm
- 13. - Inner Width - 38 mm
- 14. Outer Width - 54 mm

Item no. 108

- 1. Chain Inner Height - 21 mm
- 2. Chain Outer Height - 28 mm
- 3. Pitch of Chain - 33.3 mm
- 4. Fill Weight - 2 kg/mtr
- 5. Optimised opening system for the quick opening of crossbars, either from the left or right
- 6. Double stop system for large unsupported lengths
- 7. High holding force of the crossbars
- 8. Versatile modular interior separation system
- 9. Easy assembly due to Pin & Bore Design
- 10. Strain relief can be integrated in mounting bracket
- 11. -Chain Material: igumid G # Self lubricating polymer, heavy Polymer compound

with reinforced fibres and bearing Materials #less wear and long service life.

12. -Bending Radius - 38 mm
13. - Inner Width - 68 mm
14. Outer Width - 81.5 mm

Item no. 109

1. Chain Inner Height - 21 mm
2. Chain Outer Height - 28 mm
3. Pitch of Chain - 33.3 mm
4. Fill Weight - 2 kg/mtr
5. Optimised opening system for the quick opening of crossbars, either from the left or right
6. Double stop system for large unsupported lengths
7. High holding force of the crossbars
8. Versatile modular interior separation system
9. Easy assembly due to Pin & Bore Design
10. Strain relief can be integrated in mounting bracket
11. -Chain Material: igumid G # Self lubricating polymer, heavy Polymer compound with reinforced fibres and bearing Materials #less wear and long service life.
12. -Bending Radius - 38 mm
13. - Inner Width - 20 mm
14. Outer Width - 33.5 mm

Item no. 110

1. Chain Inner Height - 42 mm
2. Chain Outer Height - 64 mm
3. Pitch of Chain - 67 mm
4. Fill Weight - 30 kg/mtr
5. Straight running due to inner/outer link design
6. Low-noise due to built-in brake in the stop-dogs
7. very high rigidity and load capacity
8. opening crossbar available for faster installation/removal
9. Crossbars can be removed on both sides
10. Cable-friendly wide plastic crossbars
11. Smooth outer contours, less dirt adhesion
12. Strain relief separator can be fitted in the mounting bracket
13. -Chain Material: igumid G # Self lubricating polymer, heavy Polymer compound with reinforced fibres and bearing Materials #less wear and long service life.
14. -Bending Radius - 150 mm
15. - Inner Width - 100 mm
16. Outer Width - 126 mm

Item no. 111

E-Chain 1400.038.038.0 REEL Stand FE

1. Chain Inner Height - 21 mm
2. Chain Outer Height - 28 mm
3. Pitch of Chain - 33.3 mm
4. Fill Weight - 2 kg/mtr
5. Optimised opening system for the quick opening of crossbars, either from the left or right
6. Double stop system for large unsupported lengths
7. High holding force of the crossbars
8. Versatile modular interior separation system

9. Easy assembly due to Pin & Bore Design
10. Strain relief can be integrated in mounting bracket
11. -Chain Material: igumid G # Self lubricating polymer, heavy Polymer compound with reinforced fibres and bearing Materials #less wear and long service life.
12. -Bending Radius - 38 mm
13. - Inner Width - 38 mm
14. Outer Width - 51.5 mm
15. length 1000mm with minimum 30link with mounting bracket set

Item no. 112

1. Chain Inner Height - 21 mm
2. Chain Outer Height - 28 mm
3. Pitch of Chain - 33.3 mm
4. Fill Weight - 2 kg/mtr
5. Optimised opening system for the quick opening of crossbars, either from the left or right
6. Double stop system for large unsupported lengths
7. High holding force of the crossbars
8. Versatile modular interior separation system
9. Easy assembly due to Pin & Bore Design
10. Strain relief can be integrated in mounting bracket
11. -Chain Material: igumid G # Self lubricating polymer, heavy Polymer compound with reinforced fibres and bearing Materials #less wear and long service life.
12. -Bending Radius - 48 mm
13. - Inner Width - 38 mm
14. Outer Width - 51.5 mm

Item no. 113

1. Chain Inner Height - 42 mm
2. Chain Outer Height - 64 mm
3. Pitch of Chain - 67 mm
4. Fill Weight - 30 kg/mtr
5. Straight running due to inner/outer link design
6. Low-noise due to built-in brake in the stop-dogs
7. very high rigidity and load capacity
8. opening crossbar available for faster installation/removal
9. Crossbars can be removed on both sides
10. Cable-friendly wide plastic crossbars
11. Smooth outer contours, less dirt adhesion
12. Strain relief separator can be fitted in the mounting bracket
13. -Chain Material: igumid G # Self lubricating polymer, heavy Polymer compound with reinforced fibres and bearing Materials #less wear and long service life.
14. -Bending Radius - 150 mm
15. - Inner Width - 175 mm
16. Outer Width - 201 mm

Item no. 114

1. Chain Inner Height - 25 mm
2. Chain Outer Height - 35 mm
3. Pitch of Chain - 46 mm
4. Fill Weight - 5 kg/mtr
5. Optimised opening system for the quick opening of crossbars, either from the left or right

6. Double stop system for large unsupported lengths
7. High holding force of the crossbars
8. Versatile modular interior separation system
9. Easy assembly due to Pin & Bore Design
10. Strain relief can be integrated in mounting bracket
11. -Chain Material: igumid G # Self lubricating polymer, heavy Polymer compound with reinforced fibres and bearing Materials #less wear and long service life.
12. -Bending Radius - 75 mm
13. - Inner Width - 38 mm
14. Outer Width - 54 mm

Item no. 115

1. Conductor : Finely stranded cores of high-flex design made of copper wires,
2. Cross section : 0.5 mm² TPE mixture insulation
3. 2 core, core colour as per DIN 47100,
4. Intermediate Layer: Foil taping over the external layer,
5. Cover shield of high bending resistance ,
6. Outer Jacket : Low adhesion, oil resistant, PVC make, 70°C Temp resistant, Silver Grey
7. Electrical Parameters: Nominal voltage: 300V, Testing voltage: 1500V
8. Application : 0 - 20mA & 24 V Signal
9. Make : Igus, LS cable or equivalent
10. Firm should supply cable in the form of Rolls and 1 roll= 100mtrs

Item no. 116

1. Conductor : Finely stranded cores of high-flex design made of copper wires,
2. Cross section : 0.5 mm² TPE mixture insulation
3. 4 core, core colour as per DIN 47100,
4. Intermediate Layer: Foil taping over the external layer
5. Cover shield of high bending resistance ,
6. Outer Jacket : Low adhesion, oil resistant, PVC make, 70°C Temp resistant, Silver Grey
7. Electrical Parameters: Nominal voltage: 300V, Testing voltage: 1500V
8. Application : 0 - 20mA & 24 V Signal
9. Make : Igus, LS cable or equivalent
10. Firm should supply cable in the form of Rolls and 1 roll= 100mtrs

Item no. 117

1. Conductor : Finely stranded cores of high-flex design made of copper wires,
2. Cross section : 0.5 mm² TPE mixture insulation
3. 3 core, core colour as per DIN 47100,
4. Intermediate Layer: Foil taping over the external layer
5. Cover shield of high bending resistance ,
6. Outer Jacket : Low adhesion, oil resistant, PVC make, 70°C Temp resistance, Silver Grey
7. Electrical Parameters: Nominal voltage: 300V, Testing voltage: 1500V
8. Application : 0 - 20mA & 24 V Signal
9. Make : Igus, LS cable or equivalent
10. Firm should supply cable in the form of Rolls and 1 roll= 100mtrs

Item no. 118

1. For extremely heavy duty applications
2. Outer jacket: PVC

3. Overall shield
4. UV-resistant
5. Core Color Code - Red, Green
6. Copper Index - 25 kg/km
7. Classification : Class 4
8. Make : Igus, Siemens cable or equivalent
9. Drag Chain Duty Cable
10. Electrical parameters: Wave Impedance : 150 Ω , Nominal Voltage : 50V, Testing Voltage : 500V, Max Current Rating at 30°C : 5A
11. Conductor Cross section : 0.25 mm², Max Resistance at 20°C 68 Ω /KM,
12. Firm should supply cable in the form of Rolls and 1 roll= 250mtrs
13. Make : Igus, Siemens cable or equivalent

Item no. 119

1. For extremely heavy duty applications
2. Outer jacket: TPE
3. Overall shield
4. Flame retardant
5. Hydrolysis and microbe-resistant
6. UV-resistant
7. Core Color Code - Red, Green
8. Copper Index - 33 kg/km
9. Classification : Class 6
10. Make : Igus, Siemens cable or equivalent
11. Drag Chain Duty Cable
12. Electrical parameters: Wave Impedance : 150 Ω , Nominal Voltage : 50V, Testing Voltage : 500V, Operating capacity : 30pF/m
13. Firm should supply cable in the form of Rolls and 1 roll= 250mtrs
14. Make : Igus, Siemens cable or equivalent

Item no. 120

Pu pneumatic pipe OD 10mm
Make : Festo/SMC/Rexroth/ Asco pneumatics or equivalent

Item no. 121

Micro fiber cloth , dust free
Minimum size 18*14cm

Item no. 122
polyurethane fittings
pu pneumatic pipe OD 12mm
Make : festo/rexroth/SMC/Asco pneumatics Or equivalent

Section VIII: Quality Control Requirements

Not Applicable.

Section IX: Qualification/Eligibility Criteria

Not Applicable.

Section X: Tender Form

Date.....

To,

.....

.....

.....

(Complete address of SPMCIL)

Ref: Your Tender document No..... dated

We, the undersigned have examined the above-mentioned tender enquiry document, including amendment No....., dated..... (If any), the receipt of which is hereby confirmed. We now offer to supply and deliver..... (description of goods and services) in conformity with your above referred document for the sum shown in the price schedule(s), attached herewith and made part of this tender.

If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.

We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC clause 6, read with modification, if any, in Section V – “Special Conditions of Contract”, for due performance of the contract.

We agree to keep our tender valid for acceptance for a period upto....., as required in the GIT clause19, read with modification, if any in Section-III - “Special Instructions to Tenderers” or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender upto the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We confirm that in case of downloaded Tender Document, we have not changed/ edited its contents. We realise that in case any such change is noticed at any stage including after the award of contract, we would be liable to action under clause 44 of the GIT.

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

We also solemnly declare as under:

1. MSMEs Status:

Having read and understood the Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 (as amended and revised till date), and solemnly declare the following:

- (a) Company/Partnership Firm/Proprietary Concern/Society/Trust /NGO/Others (Please Specify):
- (b) Micro/ Small / Medium Enterprise/ SSI/ Govt. Dep't. / PSU/ Others:
- (c) Name of MSME Registering Body (NSIC/ DIC/ KVIC/KVIB etc.):
- (d) MSME Registration no. (with copy of registration):.....
- (e) Udyog Aadhar Memorandum no.....
- (f) Whether Proprietor/ Partner belongs to SC/ ST or Women category (Please specify names and percentage of shares held by SC/ST Partners):

2. Make in India Status:

Having read and understood the Public Procurement (Preference to Make in India PPP_MII) Order, 2017 (as amended and revised till date) and related notifications from the relevant Nodal Ministry/ Department, and solemnly declare the following:

- (a) Self-Certification for category of supplier:
 - ☐ Class-I Local Supplier/
 - ☐ Class-II Local Supplier/
 - ☐ Non-Local Supplier.
- (b) We also declare that
 - ☐ There is no country whose bidders have been notified as ineligible on reciprocal basis under this order for offered product, or
 - ☐ We do not belong to any Country whose bidders are notified as ineligible on reciprocal basis under this order

3. Restrictions on procurement from bidders from a country or countries, or a class of countries under Rule 144 (xi) of the General Financial Rules 2017

Having read and understood the Order (Public Procurement No. 1) issued vide F.No.6/18/2019-PPD dated 23rd July 2020 (and its amendments if any) by Department of Expenditure, Ministry of Finance under the above provision and solemnly declare the following:

- ☐ We do not belong to any Country whose bidders are notified as ineligible under this order

4. Debarment Status: Please state whether business dealings with you currently stand suspended/ banned by any Ministry/ Depts. of Government of India or by any State Govt:

- ☐ Yes (with period of Ban)
- ☐ No, We, solemnly declare that neither we nor any of our affiliates or subsidiaries – including

subcontractors or suppliers for any part of the contract—do not stand declared ineligible/blacklisted/banned/debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations.

- 5. Penalties for false or misleading declarations:** I/we hereby confirm that the particulars given above are correct and complete and also undertake to advise any future changes to the above details. We understood that any wrong or misleading self-declaration by us would be violation of code of Ethics and would attract penalties as mentioned in this tender document, including debarment.

.....
.....

(Signature with date)

.....
.....

Name and designation

Duly authorized to sign tender for and on behalf of

.....
.....



Section XI: Price Schedule

OFFER FORM for Tender No Date of opening.....
Time.....HoursWe..... hereby certify that we are established firm of
 manufacturers / authorised agents of M/s.....with factories at..... which are fitted with modern
 equipment and where the production methods, quality control and testing of all materials and parts manufactured or used by
 us are open to inspection by the representative of.....(Name of Purchaser). We hereby offer to supply the following
 items at the prices indicated below:

The Price bid should clearly indicate the break-up of the price as under:-

SN	Material Description	Schd. No. 1	Schd. No. 2	Schd. No. 3	Schd. No. 4	Schd. No. 5	Schd. No. 6	Schd. No. 7
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	12	17	2	11	12	5	3
	Unit	EA	EA	EA	EA	EA	EA	EA
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							

SN	Material Description	Schd. No. 8	Schd. No. 9	Schd. No. 10	Schd. No. 11	Schd. No. 12	Schd. No. 13	Schd. No. 14
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	2	6	5	3	3	8	2
	Unit	EA	EA	EA	EA	EA	EA	EA
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							



Section XI: Price Schedule

Tender Number 6000016895

The Price bid should clearly indicate the break-up of the price as under:-

SN	Material Description	Schd. No. 15	Schd. No. 16	Schd. No. 17	Schd. No. 18	Schd. No. 19	Schd. No. 20	Schd. No. 21
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	3	3	5	2	2	2	2
	Unit	EA	EA	EA	EA	EA	EA	EA
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							

SN	Material Description	Schd. No. 22	Schd. No. 23	Schd. No. 24	Schd. No. 25	Schd. No. 26	Schd. No. 27	Schd. No. 28
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	2	2	15	2	3	2	2
	Unit	EA	EA	EA	EA	EA	EA	EA
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							

Section XI: Price Schedule



Tender Number 6000016895

The Price bid should clearly indicate the break-up of the price as under:-

SN	Material Description	Schd. No. 29	Schd. No. 30	Schd. No. 31	Schd. No. 32	Schd. No. 33	Schd. No. 34	Schd. No. 35
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	5	2	2	2	2	4	10
	Unit	EA	EA	EA	EA	EA	EA	EA
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							

SN	Material Description	Schd. No. 36	Schd. No. 37	Schd. No. 38	Schd. No. 39	Schd. No. 40	Schd. No. 41	Schd. No. 42
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	3	2	2	2	2	2	2
	Unit	EA	EA	EA	EA	EA	EA	EA
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							



Section XI: Price Schedule

Tender Number 6000016895

The Price bid should clearly indicate the break-up of the price as under:-

SN	Material Description	Schd. No. 43	Schd. No. 44	Schd. No. 45	Schd. No. 46	Schd. No. 47	Schd. No. 48	Schd. No. 49
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	2	2	2	2	2	3	2
	Unit	EA	EA	EA	EA	EA	EA	EA
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							

SN	Material Description	Schd. No. 50	Schd. No. 51	Schd. No. 52	Schd. No. 53	Schd. No. 54	Schd. No. 55	Schd. No. 56
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	2	2	2	2	2	15	17
	Unit	EA	EA	EA	EA	EA	EA	EA
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							



Section XI: Price Schedule

Tender Number 6000016895

The Price bid should clearly indicate the break-up of the price as under:-

SN	Material Description	Schd. No. 57	Schd. No. 58	Schd. No. 59	Schd. No. 60	Schd. No. 61	Schd. No. 62	Schd. No. 63
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	2	2	2	2	2	1000	1000
	Unit	EA	EA	EA	EA	EA	Mtr.	Mtr.
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							

SN	Material Description	Schd. No. 64	Schd. No. 65	Schd. No. 66	Schd. No. 67	Schd. No. 68	Schd. No. 69	Schd. No. 70
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	1000	1000	60	500	150	1	4
	Unit	Mtr.	Mtr.	EA	EA	EA	EA	EA
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							




Section XI: Price Schedule

Tender Number 6000016895

The Price bid should clearly indicate the break-up of the price as under:-

SN	Material Description	Schd. No. 71	Schd. No. 72	Schd. No. 73	Schd. No. 74	Schd. No. 75	Schd. No. 76	Schd. No. 77
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	30	2	12	3	2	10	7
	Unit	EA	EA	EA	EA	EA	EA	EA
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							

SN	Material Description	Schd. No. 78	Schd. No. 79	Schd. No. 80	Schd. No. 81	Schd. No. 82	Schd. No. 83	Schd. No. 84
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	10	10	4	6	5	500	500
	Unit	EA	EA	EA	EA	EA	Mtr.	Mtr.
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							



Section XI: Price Schedule

Tender Number 6000016895

The Price bid should clearly indicate the break-up of the price as under:-

SN	Material Description	Schd. No. 85	Schd. No. 86	Schd. No. 87	Schd. No. 88	Schd. No. 89	Schd. No. 90	Schd. No. 91
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	1000	1500	500	25	30	50	100
	Unit	Mtr.	Mtr.	Mtr.	EA	EA	EA	EA
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							

SN	Material Description	Schd. No. 92	Schd. No. 93	Schd. No. 94	Schd. No. 95	Schd. No. 96	Schd. No. 97	Schd. No. 98
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	60	60	60	60	50	50	50
	Unit	EA	EA	EA	EA	EA	EA	EA
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							



Section XI: Price Schedule

Tender Number 6000016895

The Price bid should clearly indicate the break-up of the price as under:-

SN	Material Description	Schd. No. 99	Schd. No. 100	Schd. No. 101	Schd. No. 102	Schd. No. 103	Schd. No. 104	Schd. No. 105
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	50	50	50	100	100	50	10
	Unit	EA	EA	EA	EA	EA	EA	EA
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							

SN	Material Description	Schd. No. 106	Schd. No. 107	Schd. No. 108	Schd. No. 109	Schd. No. 110	Schd. No. 111	Schd. No. 112
	GSTIN No.							
	HSN CODE IN 8 DIGITS							
1	Basic Price per unit (as per Section VII)							
2	Item wise required Quantity	10	3	10	1	1	1	1
	Unit	EA	EA	EA	EA	EA	EA	EA
3	TOTAL (1 X 2)							
4	GST in % only on 3							
5	Other taxes/charges (if any) Please specify							
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.							
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.							



Section XI: Price Schedule

Tender Number 6000016895

The Price bid should clearly indicate the break-up of the price as under:-

SN	Material Description	Schd. No. 113	Schd. No. 114	Schd. No. 115	Schd. No. 116	Schd. No. 117	Schd. No. 118	Schd. No. 119	Schd. No. 120	Schd. No. 121	Schd. No. 122
	GSTIN No.										
	HSN CODE IN 8 DIGITS										
1	Basic Price per unit (as per Section VII)										
2	Item wise required Quantity	1	1	1	1	1	2	4	1	2	1
	Unit	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA
3	TOTAL (1 X 2)										
4	GST in % only on 3										
5	Other taxes/charges (if any) Please specify										
6	Total price FOR SPM, Hoshangabad (in figures only) (3+4+5) Rs.										
7	Total Price (F.O.R, SPM, HOSHANGABAD) (in words only) Rupees.										

NOTE:

The method of evaluation of L1 bidder for awarding the Contract shall be decided taking into consideration the schedule wise/itemwise total landed price upto SPM Hoshangabad.

1. Scope of Supply: (Cost break-up of the quoted cost, showing inter-alia costs of all the concomitant Installation/ Commissioning/ Training/ Technical Support/ incidental services/ software/ accessories, considered necessary to make the proposal self-contained and complete must be indicated here.)

2. Taxation Details:

a) PAN number.....

b) Type of GST Registration (Registered, Unregistered, Composition, SEZ, RCM etc.)

c) GSTIN number.....

d) Registered Address as per GST registration and Place of Delivery for GST

e) Contact Names, Nos. & email IDs for GST matters (Please mention

.....

3. It is hereby certified that we have understood the General and Special Instructions to Tenderers (GIT and SIT), and also the General and Special Conditions of Contract (GCC and SCC) attached to the tender and have thoroughly examined specifications/ Quality Control Requirements and other stipulations in Section VII & VIII– Technical Specifications and Quality Control Requirements; and are thoroughly aware of the nature of stores required and our offer is to supply stores strictly in accordance with the requirements and according to the terms of the tender. We agree to abide solely by the General and Special Conditions of Contract and other conditions of the tender in accordance with the tender documents if the contract is awarded to us.

4. We hereby offer to supply the stores detailed above or such portion thereof, as you may specify in the acceptance of tender at the price quoted and agree to hold this offer open for acceptance for a period of ---- days from the date of opening of tender (i.e., upto -----), We shall be bound by the communication of acceptance dispatched within the prescribe time.

5. Earnests Money/Bid Guarantee for an amount equal to is enclosed in form of -----(form and reference number, date) as per the Tender Documents.

Dated.....

Signature and seal of Manufacturer/Bidder

Note: (i) The Bidder may prepare their own offer forms as per this proforma.(ii) No change in the proforma is permissible.(iii) No erasures or alternations in the text of the offer are permitted. Any correction made in the offer shall be initialed by the bidder.(iv) This Section should not bring in any new Technical Parameter that has not been mentioned in the Technical Bid.

NOTE : 'BIDDER TO FURNISH STIPULATED DOCUMENTS ALONG WITH TENDER IN SUPPORT OF FULFILLMENT OF TENDER CRITERIA. FURTHER CORRESPONDENCE IN THIS REGARD WILL NOT BE ENTERTAINED FOR ANY REASON. NON-SUBMISSION OR INCOMPLETE SUBMISSION OF DOCUMENTS MAY LEAD TO REJECTION OF OFFER.

SIGNATURE OF BIDDER
(WITH NAME, DESIGNATION AND SEAL)

Section XII Vendor Details

The tenderer should furnish specific details mentioned below. In case a question/issue does not apply to a tenderer, the same should be answered with the remark “not applicable”.

Wherever necessary and applicable, the tenderer shall enclose certified copy as documentary proof/ evidence to substantiate the corresponding statement.

In case a tenderer furnishes a wrong or misleading answer against any of the under mentioned question/ issues, its tender will be liable to be ignored.

1. Vendor/ Contractor particulars:

- (a) Name of the Company:
- (b) Corporate Identity No. (CIN):
- (c) Registration if any with SPMCIL:
- (d) Complete Postal Address:
- (e) Pin code/ ZIP code:
- (f) Telephone nos. (with country/area codes):.....
- (g) Fax No.: (with country/area codes):
- (h) Cell phone Nos.: (with country/area codes):
- (i) Contact persons /Designation:
- (j) Email IDs:

2. Taxation Details:

- (a) PAN Number:
- (b) Type of GST Registration (Registered, Unregistered, Composition, SEZ, RCM etc.):
.....
- (c) GSTIN number:
- (d) Registered Address as per GST registration and Place of Delivery for GST Purpose:
- (e) Contact Names, Nos. & email IDs for GST matters (Please mention primary and secondary contacts):



Tender Number: 6000016895

- ☐ We solemnly declare that our GST rating on the GST portal / Govt. official website is NOT negative / blacklisted during the last three financial years.

.....

(Signature with date)

.....

.....

(Full name, designation & address of the person duly authorized sign on behalf of the tenderer)

For and on behalf of

.....

.....

(Name, address, and stamp of the tendering firm)

Section XIV: Manufacturer's Authorization Form

To

.....

.....

(Name and address of SPMCIL)

Dear Sirs,

Ref. Your Tender document No, dated

We,.....who are proven and reputable manufacturers of
..... *(name and description of the goods offered in the tender)* having
factories at, hereby authorize Messrs.
..... *(name and address of the agent)* to submit a tender, process the same further
and enter into a contract with you against your requirement as contained in the above referred tender
enquiry documents for the above goods manufactured by us.

We further confirm that no supplier or firm or individual other than Messrs.....
..... *(name and address of the above agent)* is authorized to
submit a tender, process the same further and enter into a contract with you against your requirement
as contained in the above referred tender enquiry documents for the above goods manufactured by us.

We also hereby extend our full warranty, as applicable as per clause 16 of the General Conditions of
Contract read with modification, if any, in the Special Conditions of Contract for the goods and services
offered for supply by the above firm against this tender document.

Yours faithfully,

.....

.....

[Signature with date, name, and designation]

for and on behalf of Messrs.....

Name & address of the manufacturers

*Note: This letter of authorization should be on the letter head of the manufacturing firm and should be
signed by a person competent and having the power of attorney to legally bind the manufacturer.*

Section XV: Bank Guarantee Form for Performance Security

**PROFORMA OF BANK GUARANTEE FOR CONTRACT PERFORMANCE
GUARANTEE BOND**

(ON BANK'S LETTERHEAD WITH ADHESIVE STAMP)

Ref

Date.....

Bank Guarantee No.....

To,

(Insert Name & Address of the Purchaser)

Dear Sir,

1. Against contract vide Notification for Award of the Tender No..... dated covering supply of (herein after called the 'contract') entered into between the (insert name of Purchaser) (herein after called as the Purchaser) and M/s (herein after called the 'Contractor'), this is to certify that, at the request of the Contractor, we (name of the bank), are holding in trust in favour of the Purchaser, the amount of (write the sum here in words), to indemnify and keep indemnified the Purchaser, against any loss or damage that may be caused to, or suffered by the Purchaser, by reason of any breach by the Contractor of any of the terms and conditions of the said contract and/or in the performance thereof. We agree that the decision of the Purchaser, whether any breach of any of the terms and conditions of the said contract and/or in the performance thereof has been committed by the Contractor; and the amount of loss or damage that has been caused or suffered by the Purchaser, shall be final and binding on us, and the amount of the said loss or damage shall be paid by us,
2. We (name of the bank), further agree that, the guarantee herein contained, shall remain in full force and effect, for sixty days after the complete conclusion of the contractual obligations to the complete satisfaction of both the BIDDER and the BUYER, including warranty period whichever is later, i.e. till....., (hereinafter called the 'said date') and that if any claim accrues or arises against us.....(name of the bank), by virtue of this guarantee before the said date, the same shall be enforceable against us..... (name of the bank), notwithstanding the fact that the same is enforced within six months after the said date, provided that notice of any such claim has been given to us, ... (name of the bank), by the Purchaser, before the said date. Payment under this bond of guarantee shall be made promptly, upon our receipt of notice to that effect, from the Purchaser.
3. It is fully understood that this guarantee is effective from the date of the said contract and that we..... (name of the bank), undertake not to revoke this guarantee during its currency, without the consent in writing of the Purchaser.

4. We undertake to pay to the Purchaser, any money so demanded, notwithstanding any dispute or disputes raised by the Contractor, in any suit or proceeding pending before any Court or Tribunal, relating thereto, our liability under this present, being absolute and unequivocal. The payments so made by us under this bond, shall be a valid discharge of our liability for payment thereunder, and the Contractor shall have no claim against us, for making such payments.
5. We..... (name of the bank), further agree that the Purchaser shall have the fullest liberty, without affecting in any manner our obligations hereunder, to vary any of the terms and conditions of the said contract, or to extend time of performance by the Contractor, from time to time, or to postpone for any time or form, time to time, any of the powers exercisable by the Purchaser, against the said Contractor and to for bear or enforce any of the terms and conditions relating to the said contracts and we
(name of the bank), shall not be released from our liability under **(name of the bank)**, shall not be released from our liability under this guarantee, by reason of any such variation or extension being granted to the said Contractor, or for any forbearance and/or omission on the part of the Purchaser, or any indulgence by the Purchaser towards the said Contractor, or by any other matter or thing whatsoever, which under the law relating to sureties, would, but for this provision, have the effect of so releasing us from our liability under this guarantee.
6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor.

Date:

Place:

Signature.....

(Printed Name).....

(Designation).....

Witnesses

(Bank's Common Seal)

Section XVI: Contract Form

(Address of SPMCIL's office issuing the contract)

Contract No..... dated.....

This is in continuation to this office' Notification of Award No dated

1. Name & address of the Supplier
2. SPMCIL's Tender document No datedand subsequent Amendment No, dated.....(If any), issued by SPMCIL.
3. Supplier's Tender No..... dated..... and subsequent communication(s) No.....dated (If any), exchanged between the supplier and SPMCIL in connection with this tender.
4. In addition to this Contract Form, the following documents etc, which are included in the documents mentioned under paragraphs 2 and 3 above, shall also be deemed to form and be read and construed as part of this contract:
 - (i) General Conditions of Contract;
 - (ii) Special Conditions of Contract;
 - (iii) List of Requirements;
 - (iv) Technical Specifications;
 - (v) Quality Control Requirements;
 - (vi) Tender Form furnished by the supplier;
 - (vii) Price Schedule(s) furnished by the supplier in its tender;
 - (viii) Manufacturers' Authorization Form (if applicable for this tender);
 - (ix) SPMCIL's Notification of Award

Note: The words and expressions used in this contract shall have the same meanings as are respectively assigned to them in the conditions of contract referred to above. Further, the definitions and abbreviations incorporated under Section – V - 'General Conditions of Contract' of SPMCIL's Tender document shall also apply to this contract.

5. Some terms, conditions, stipulations etc. out of the above-referred documents are reproduced below for ready reference:
 - (i) Brief particulars of the goods and services which shall be supplied/ provided by the supplier are as under:

Schedule No.	Brief description of goods/ services	Accounting unit	Quantity to be supplied	Unit Price (in Rs.)	Total price

Any other additional services (if applicable) and cost there of:

Total value (in figure) _____ (In words) _____

- (ii) Delivery schedule
- (iii) Details of Performance Security
- (iv) Quality Control
 - (a) Mode(s), stage(s), and place(s) of conducting inspections and tests.
 - (b) Designation and address of SPMCIL's inspecting officer
- (v) Destination and dispatch instructions
- (vi) Consignee, including port consignee, if any
- (vii) Warranty clause
- (viii) Payment terms
- (ix) Paying authority

(Signature, name, and address of SPMCIL's authorized official)

For and on behalf of

Received and accepted this contract

(Signature, name, and address of the supplier's executive duly authorized to sign on behalf of the supplier)

For and on behalf of

(Name and address of the supplier)

.....

(Seal of the supplier)

Date:

Place:

**Section XVII: Letter of Authority for attending a Pre-bid Conference/ Bid
Opening**

(Refer to clause 24.2 of GIT)

The General Manager

Unit Address

Subject: Authorization for attending bid opening on _____ (date) in
the Tender of _____.

Following persons are hereby authorized to attend the bid opening for the tender mentioned above
on behalf of (Bidder) in order of preference given below.

Order of Preference	Name	Specimen Signatures
I.		
II.		
Alternate Representative		
Signatures of bidder or Officer authorized to sign the bid Documents on behalf of the bidder		

NOTE

1. Maximum of two representatives will be permitted to attend pre-bid conference/ bid opening. In cases where it is restricted to one, first named representative will be allowed to attend. Alternate representative will be permitted when regular representatives are not able to attend.
2. In case of pre-bid conference, self-attested copy of proof of purchase of Bid documents, in the name of the bidder must be enclosed with this authorization, without which entry would be refused. Bid documents would be available for sale at the site also.
3. Permission for entry to the hall where even is held may be refused in case authorization as prescribed above is not produced.

Section XVIII: Proforma of Bills for Payments

(Refer Clause 22.6 of GCC)

Name and Address of the Firm

Bill No Dated

Purchase order No Dated

Name and address of the consignee

S. No	Authority for purchase	Description of Stores	Number or quantity	Rate Rs. P.	Price per Rs. P.	Amount
Total						

1. GST/ CGST/ SGST/ UTGST/ IGST Amount
2. Freight (if applicable)
3. Excise Duty (if applicable)
4. Packing and Forwarding charges (if applicable)
5. Others (Please specify)
6. PVC Amount (with calculation sheet enclosed)
7. (-) deduction/Discount
8. Net amount payable (in words Rs.)
9. TCS (u/s 206C (1 H) of IT Act in not applicable, as SPM will deduct TDS U/s 194Q.

Dispatch detail RR No. other proof of dispatch

Dated (enclosed)

Inspection Certificate No dated (enclosed)

Place and Date

Received Rs

Rupees)

We solemnly certify that:

- a. Goods and Services Tax (GST) charged on this Bill is not more than what is payable under the provision of the relevant Act or the Rules made there under.
- b. Goods on which GST has been charged have not been exempted under the GST Act or the rules made there under and the charges on account of GST on these goods are correct under the provisions of that Act or the Rules made there under.
- c. We are registered with above indicated GSTIN as dealer in the State where in their Billing address is located for the purpose of GST.
- d. This bill form / invoice is not a replacement for the GST invoice. The proper GST invoice as per requirements of GST rules has been sent to the Purchaser as and when deliveries are made to the consignee.
- e. That the payment being claimed is strictly in terms of the contract and all the obligations on the part of the supplier for claiming that payment has been fulfilled as required under the contract.

Revenue stamp

Signature and of Stamp Supplier

Section XIX: NEFT Mandate

(Refer clause 22.2 of GCC)

From: M/s.

Date:

To:

(Insert Name and Address of Purchaser's Paying Authority as per NIT Clause 1)

Sub: NEFT payments

We refer to RBI's NEFT scheme. Our mandate SPMCIL for making payments to us through the above scheme to our under noted account.

NATIONAL ELECTRONIC FUNDS TRANSFER MANDATE FORM

1.	Name of City	
2.	Bank Code No.	
3.	Branch Code No.	
4.	Bank's Name	
5.	Branch Address	
6.	Branch Telephone / Fax No.	
7.	Supplier's Account No.	
8.	Type of Account	
9.	IFSC code for NEFT	
10.	IFSC code for RTGS	
11.	Supplier's name as per Account	
12.	MICR Code No.	

In Lieu of Bank Certificate to be obtained as under, please attach a bank cancelled cheque or photocopy of a cheque or front page of your bank passbook issued by your bank for verification of the above particulars.



Tender Number: 6000016895

I hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not effected at all for reasons of incomplete or incorrect information, I would not hold the user institution responsible. I have read the option intimation letter and agree to discharge responsibility expected of me as a participant under the scheme.

Date

Signature of the Customer

Certified that the above particulars are correct as per our record.

Stamp and
Signature of authorized
Official of the bank

ANNEXURE – I

TWO BID, SINGLE STAGE (TWO PACKET) TENDER

BIDDER'S CHECK LIST BEFORE TENDER SUBMISSION

Part I: - TECHNO-COMMERCIAL BID (Refer as per Section VI-List of Requirement, PART-A)

S.No.	Tender Submission Check Points	Check before submission Tick (<input checked="" type="checkbox"/>)
1	Tender Fee	Not applicable
2	Earnest Money Deposited	Not applicable
3	Tender Document duly Seal & Signed	
4	F.O.R. /Place of work:- SPM Hoshangabad duly unloaded	
5	Blank Price Bid as per Section XI (Without Price)	
6	Tender Validity 120 days as per the tender	
7	Technical specification/ Scope of work as per Section VII	
8	Payment Terms as per Section V	
9	Submit Manufacturer's Authorization form (if applicable)	
10	Accept the Warranty clause as per tender (if applicable)	
11	Submit Eligibility Criteria - Section IX Duly seal & sign	
12	Fill Tender Form- Section X Duly seal & sign (without mentioning price)	
13	Period of Work/Delivery Terms : As per Section VI of our tender	
14	Submit declaration as per Annexure III & IV	

Part II: - PRICE BID

S.No.	Tender Submission Check Points	Check before submission Tick (<input checked="" type="checkbox"/>)
1	Price Bid as per Section XI (Price including all taxes & other charges)	

.....
(Bidder's Seal & Sign)

Note:

1. Copy of this completed checklist to be necessarily enclosed alongwith bid.
2. "Bidder to furnish stipulated documents along with tender in support of fulfillment of tender criteria. Further correspondence in this regard will not be entertained for any reason. Non-submission or incomplete submission of documents may lead to rejection of offer."



(To be submitted on the letter head)

DECLARATION

We do hereby declare that,

1. We have not been blacklisted /debarred by BNPMIPL /BRBNMPL /SPMCIL or any Govt. Departments for participation in tenders. The information provided above is correct and true to the best of my knowledge and belief.
2. We do hereby declare that we have read and understood all terms and conditions of tender document including GIT, SIT, GCC, SCC, Technical Specification, Quality Control Criteria and confirm to abide to those conditions without any counter conditions.
3. "We are accepting all the terms and conditions of the tender document without any deviation and withdraw all deviations if any"
4. "We Declare that If we withdraw or modify our bids during period of validity of tender etc. than we will be suspended for the period of 03 years from the date of opening of tender."

Signature.....

Name.....

Designation.....

Date.....

Stamp of the Organization.....



Tender Number: 6000016895

ANNEXURE – III

(To be submitted on the letter head)

DECLARATION

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India. I certify that M/s.....**(firm's name)** is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that M/s **(firm's name)** fulfills all requirements in this regard and is eligible to be considered." (where applicable, evidence of valid registration by the competent Authority shall be attached)"

I, the undersigned, declare that the item.....originate in.....(Name of the country).

Signature.....

Name.....

Designation.....

Date.....

Stamp of the Organization.....



Tender Number: 6000016895

ANNEXURE – IV

(To be submitted on the letter head)

Declaration for Section 206AB of TDS under Income Tax Act, 1961

Vendor Code: _____

M/s _____

PAN _____

GSTIN _____

I/We (Legal Name and Complete Address) _____ PAN: (PAN No.)

_____, TAN: (TAN No.) _____, referring to the provisions of

206AB of the IT Act, 1961, hereby declare the following:-

Financial Year	Aggregate TDS & TCS credit in our name was Rs. 50,000 or more ("Yes/No")	Income Tax Return ("ITR") Filed ("Yes/No")	E-filing Acknowledgement Number (15 digit – number) (Attach copy of acknowledgements)	Date of Filing of Return of income u/s 139/1 (DD/MM/YYYY)	Linked PAN with Aadhaar number or will link it before 30 June 2021 (or any further date as may be notified by CBDT ("Yes/No"))
2018-19					
2019-20					

We do hereby declare that to the best of my/our knowledge and belief what is stated above is correct, complete and is truly stated. In case there is a tax liability, interest or penal consequences which are levied on SPM on account of the false representation/declaration, I/we undertake to fully indemnify SPM for the same.

FOR _____

Authorized Signatory

Date:

Note: In case the vendor failed to comply with the above provisions, TDS shall be deducted at the higher of the following rates, namely:-

- (i) at twice the rate specified in the relevant provision of the Act; or*
- (ii) at twice the rate or rates in force; or*
- (iii) at the rate of five per cent (5%).*