

बैंक नोट मुद्रणालय, देवास (म.प्र.)
BANK NOTE PRESS, DEWAS (M.P.)

(आईएसओ : 9001, आईएसओ : 14001 एवं आईएसओ : 2015 प्रमाणित इकाई)

(ISO : 9001, ISO : 14001 & ISO : 2015 Certified Unit)

भारत प्रतिभूति मुद्रण तथा मुद्रा निर्माण निगम लिमिटेड की इकाई

A Unit of Security Printing & Minting Corporation of India Limited

मिनिरत्न श्रेणी-I, सीपीएसई

(भारत सरकार के पूर्ण स्वामित्वाधीन)

CIN: U22213DL2006G0I144763

Miniratna Category - I CPSE

E-mail: bnppurchase@spmcl.com

(Wholly owned by Government of India)

Website: www.bnppdewas.spmcl.com



Pin : 455001 (MP)

Ph. : 07272-255222

Fax : 07272-255111


No:6000016991/BNP/P/IT/281 CCTV & ANPR /2021/OT


Dt:03.03.2022

CORRIGENDUM - V

Sub: Corrigendum to the tender document no. 6000016991/BNP/P/IT/281 CCTV & ANPR /2021/OT, DATED:25.11.2021 for SUPPLY, INSTALLATION, TESTING, COMMISSIONING AND SUPPORT (SITCS) OF 281 NOS. IP BASED CCTV SYSTEM & 06 NOS. ANPR CAMERA ON TURNKEY BASIS WITH 3YEAR WARRANTY AND 5 YEAR CAMC.

With reference to above Tender document, it is informed that the following amendment is hereby authorized in the tender document: -

S. No.	Reference in Tender Document	Existing Entries	Read As (Amendment)
1	SECTION I: NIT (Pg. No.-4 of Tender Document) & SECTION III: SIT SIT-9, Part-III (Note) Pg. No.-11 of Tender Document Closing date for receipt of tenders & Due Date of opening of tenders	08.03.2022	25.03.2022 
2	Annex -I, Page 13-14 PTZ Camera Tech Specs	a) 4.5-125 mm or more motorized auto focus & zoom or better. Remotely it can be done.	a) 5mm-125 mm or better motorized auto focus & Zoom or better. Remotely it can be done.



बैंक नोट मुद्रणालय, देवास (म.प्र.)
BANK NOTE PRESS, DEWAS (M.P.)

(आईएसओ : 9001, आईएसओ : 14001 एवं आईएसओ : 2015 प्रमाणित इकाई)

(ISO : 9001, ISO : 14001 & ISO : 2015 Certified Unit)

भारत प्रतिभूति मुद्रण तथा मुद्रा निर्माण निगम लिमिटेड की इकाई

A Unit of Security Printing & Minting Corporation of India Limited

मिनिरत्न श्रेणी - I, सीपीएसई

(भारत सरकार के पूर्ण स्वामित्वाधीन)

CIN: U22213DL2006G01144763

Miniratna Category - I CPSE

E-mail: bnppurchase@spmcl.com

(Wholly owned by Government of India)

Website: www.bnppdewas.spmcl.com





Pin : 455001 (MP)

Ph. : 07272-255222

Fax: 07272-255111

		b) Min illumination: Color – 0.1 lux & B/W – 0 lux	b) Min illumination: Color – 0.1 lux & B/W – 0 lux. IR distance – 150 meter or more
		c) Audio support & Compression: Yes. G.711/G.726/AAC. Full Duplex.	c) Audio support & compression: Para stands dropped.
3	Annex – I, Page 13,15 Page 2MP Bullet, PTZ Camera Tech Specs	Intelligent Video: The camera should have built in Video Motion Detection, Active Tampering Alarm and ability to port third party applications on the edge.	Intelligent Video: The camera should have built in Video Motion Detection, Active Tampering Alarm and ability to port OEM authorized third party applications on the edge.
4	Annex – I, Camera Tech Specs of 2MP Bullet, 2MP PTZ, 4K and ANPR Camera Pg – 11 to 16 New Point mentioned at f) & g) added.	a) Cyber Security: The camera should have password protection, IP Address filtering, HTTPS encryption, IEEE 802.1x network access control, Digest authentication and User Access log b) Vandal Rating: IK08 c) On-board storage: Micro SD/ SD Card 128 GB d) Protocols: TCP/UDP/DHCP/HTTP/HTTPS/NFS/FTP/UPnP/DDNS/NTP/SNMP/SMTP/QoS/RTP e) Power Supply: POE	a) Cyber Security: The camera should have password protection, IP Address filtering, HTTPS encryption, IEEE 802.1x network access control, Digest authentication and User Access log. Disabling unused protocols. Certification document confirming to Cyber Security requirement shall be submitted along with. b) Vandal Rating: IK10 c) On-board storage: Class 10 Micro SD/ SD Card 128 GB or more d) Protocols: TCP/UDP/DHCP/HTTP/HTTPS/NFS/FTP/UPnP/DDNS/NTP/SNMP/SMTP/QoS/ RTP/ Any other standard IEEE protocol for secured encrypted network stream. e) Power Supply: POE & AC/DC Supply adapter to be supplied along with. Cameras will have dual power supply i.e. from POE switch as well as AC/DC supply.





बैंक नोट मुद्रणालय, देवास (म.प्र.)
BANK NOTE PRESS, DEWAS (M. P.)

(आईएसओ : 9001, आईएसओ : 14001 एवं आईएसओ : 2015 प्रमाणित इकाई)

(ISO : 9001, ISO : 14001 & ISO : 2015 Certified Unit)

भारत प्रतिभूति मुद्रण तथा मुद्रा निर्माण निगम लिमिटेड की इकाई

A Unit of Security Printing & Minting Corporation of India Limited

मिनिरत्न श्रेणी-I, सीपीएसई

(भारत सरकार के पूर्ण स्वामित्वाधीन)

CIN: U22213DL2006G0I144763

Miniratna Category - I CPSE

E-mail: bnppurchase@spmcl.com

(Wholly owned by Government of India)


Website: www.bnppdewas.spmcl.com




Pin : 455001 (MP)

Ph. : 07272-255222

Fax : 07272-255111

			<p>f) No. of Video Stream – Multiple Stream. Suitable no. of Streams to meet system functional and operation requirement including integration requirement.</p> <p>g) Feature: Defogging</p>
5	<p>Annex – I, Certification parameter of Cameras 4K, 2MP PTZ, 2MP BULLET, ANPR</p> <p>Pg – 11 to 16</p>	Certification: UL/EN, CE, BIS	<p>Certification: UL/EN, CE, BIS. Compliance: NDAA Compliant device.</p>
6	<p>Annex – I, Specification of VMS, Page 21, New Point Added</p>		<p>Cyber Security:</p> <p>a) To prevent unauthorized access to the streamed video, the VMS shall have certificate-based HTTPS encrypted data and stream communication between the camera and the Recording Server. This feature is to be enabled during deployment.</p> <p>b) To prevent unauthorized access to the streamed video and other communication data between servers and clients, the VMS shall have certificate-based HTTPS encrypted communication (AES256/128) and required feature is to be enabled during deployment.</p> <p>c) To prevent unauthorized access directly to the recordings, the VMS</p>



बैंक नोट मुद्रणालय, देवास (म.प्र.)
BANK NOTE PRESS, DEWAS (M. P.)

(आईएसओ : 9001, आईएसओ : 14001 एवं आईएसओ : 2015 प्रमाणित इकाई)

(ISO : 9001, ISO : 14001 & ISO : 2015 Certified Unit)

भारत प्रतिभूति मुद्रण तथा मुद्रा निर्माण निगम लिमिटेड की इकाई

A Unit of Security Printing & Minting Corporation of India Limited

मिनिरत्न श्रेणी-I, सीपीएसई

(भारत सरकार के पूर्ण स्वामित्वाधीन)

CIN: U22213DL2006G01144763

Miniratna Category - I CPSE

E-mail: bnppurchase@spmcl.com

(Wholly owned by Government of India)

Website: www.bnppdewas.spmcl.com





Pin : 455001 (MP)

Ph. : 07272-255222

Fax: 07272-255111

			should support media database encryption (AES256/128). Features must be enabled during deployment. d) Providing SSL/TLS Certificate and any other requirement/environment to use encrypted communication is under scope of supplier.
7	Annex-I, Page 34, UPS Specs	Battery Backup: 4 hours at full load	Battery Backup: 2 hours at full load
8	Annex - I, VMS Specs, Page 21, Point added. (3)	1) Integration: PIDS integration shall be possible list of supported makes to be provided. 2) OPC interface (e.g. Fire Alarm System or any System that support OPC.)	(1) Integration: PIDS integration shall be possible list of supported makes to be provided. BNP already in process of installation of power Fence Based PIDS wherein both way integration is to be done as per below - a) As per alarm condition in PIDS, video stream has to be provided of relevant camera by VMS system to PIDS system so that PIDS system can show pop-up with video stream in its software window. b) As per alarm condition (defined in PIDS, for example repetitive intrusion, single intrusion) send by PIDS system, VMS system shall enlarge pop-up screen of concerned camera feed in video wall. (2) OPC interface (e.g. Fire Alarm System or any System that support OPC).





बैंक नोट मुद्रणालय, देवास (म.प्र.)
BANK NOTE PRESS, DEWAS (M. P.)

(आईएसओ : 9001, आईएसओ : 14001 एवं आईएसओ : 2015 प्रमाणित इकाई)

(ISO : 9001, ISO : 14001 & ISO : 2015 Certified Unit)

भारत प्रतिभूति मुद्रण तथा मुद्रा निर्माण निगम लिमिटेड की इकाई

A Unit of Security Printing & Minting Corporation of India Limited

मिनिरत्न श्रेणी- I, सीपीएसई

(भारत सरकार के पूर्ण स्वामित्वाधीन)

CIN: U22213DL2006G01144763

Miniratna Category - I CPSE

E-mail: bnppurchase@spmcl.com

(Wholly owned by Government of India)

Website: www.bnppdewas.spmcl.com






Pin : 455001 (MP)

Ph. : 07272-255222

Fax : 07272-255111

			(3) ACS (Access Control System) Integration: VMS shall provide concerned camera feed to ACS system upon getting custom alarm condition such as but not limited to access granted, access denied, repetitive access denial in short duration etc. Make & Model of ACS System, PIDS will be provided as per mail request individually. Due to security reasons it is not mentioned herein this document.
9	Sec VI, 2. Period of Contract Pg no.17	Schedule of supply and commissioning shall be 120days from date of award of Purchase order.	Schedule of supply and commissioning shall be 150 days from date of award of Purchase order.
10	Page 14, Tender Document, SCC-4 (i)	100% Payment shall be released after receipt of entire materials, inspection & acceptance at BNP Dewas store, successfully SUPPLY, INSTALLATION, TESTING, COMMISSIONING AND SUPPORT (SITCS) OF 281 NOS. IP BASED CCTV SYSTEM & 06 NO.S ANPR CAMERA ON TURNKEY BASIS WITH 3YEAR WARRANTY AND 5YEAR CAMC in satisfactory condition & Final acceptance certificate at BNP submission of bill and certification of the bill by the Officer Incharge /User Department within 30 days	100% payment shall be released after successful supply, installation, testing, commissioning, and acceptance of the project at BNP Dewas
11	Section IX Point 1(b) of Tender pg no.22	The bidder firm must have an annual Capacity to Design, supply, installed and commissioned	The bidder firm must have an annual Capacity to Design, supply, install and commission.





बैंक नोट मुद्रणालय, देवास (म.प्र.)

BANK NOTE PRESS, DEWAS (M. P.)

(आईएसओ : 9001, आईएसओ : 14001 एवं आईएसओ : 2015 प्रमाणित इकाई)

(ISO : 9001, ISO : 14001 & ISO : 2015 Certified Unit)

भारत प्रतिभूति मुद्रण तथा मुद्रा निर्माण निगम लिमिटेड की इकाई

A Unit of Security Printing & Minting Corporation of India Limited

मिनिरत्न श्रेणी-I, सीपीएसई

(भारत सरकार के पूर्ण स्वामित्वाधीन)

CIN: U22213DL2006G01144763

Miniratna Category - I CPSE

E-mail: bnppurchase@spmcl.com

(Wholly owned by Government of India)

Website: www.bnpdewas.spmcil.com




Pin : 455001 (MP)

Ph. : 07272-255222

Fax: 07272-255111

12	Annex I, Page 1, Point 2.10	Supplier & offered system must adhere to the Company IT Policy.	Supplier & offered system must adhere to the Company IT Policy i.e., ISMS (Information Security Management System). IT Policy is based on requirement of ISO 27001: 2013 standard or latest, Latest NCIPC control guidelines including ICS (Industrial Control System) / SCADA (Supervisory Control and Data Acquisition) systems and NISPG (National Information Security Policy Guidelines) of MHA.
13	Annex I, Page 26, Video Wall Specs	<p>a) Video Wall Controller H/W along with 20 LED Panel</p> <p>b) Screen Qty: 20 screens of size 40inch-43inch" LED in 2x10 Matrix</p> <p>c) Intel Xeon i7 64-bit processor with 16GB RAM or better; 1 TB HDD or more</p> <p>d) Very narrow & bezel (<1mm) CCTV Monitor suitable for continuous (24x7x365) use with MTBF of more than 80,000 Hrs;</p>	<p>a) Video Wall Controller H/W along with 14 LED Panel</p> <p>b) Screen Qty: 14 screens of size 55" LED in 2x7 Matrix</p> <p>c) Suitable processor with RAM, HDD to meet functional and operational requirement.</p> <p>d) Very narrow & bezel to bezel (<=2.5mm) all side CCTV Monitor suitable for continuous (24x7x365). 500 nits or more brightness. Anti-glare.</p>
14	Page 10, Annex-I, Point 6.35	<p>a) 16. Video wall hardware & software along with 40"- 43" LED Panel (20 nos.) with all accessories for erection and mount and associated cables and hardware</p> <p>b) 19. L2 Access Switch 24 Port POE+ with SFP</p>	<p>a) 16. Video wall hardware & software along with 55" LED Panel (14 nos.) with all accessories for erection and mount and associated cables and hardware</p> <p>b) 19. L2 Access/Distribution Switch 24 Port</p>
15	Price Schedule, Page 27 Tender Doc	a) Video wall hardware & software along with 40"- 43" LED Panel (20 nos.) with all accessories for erection	a) Video wall hardware & software along with 55" LED Panel (14 nos.) with all accessories for erection and



बैंक नोट मुद्रणालय, देवास (म.प्र.)
BANK NOTE PRESS, DEWAS (M. P.)

(आईएसओ : 9001, आईएसओ : 14001 एवं आईएसओ : 2015 प्रमाणित इकाई)

(ISO : 9001, ISO : 14001 & ISO : 2015 Certified Unit)

भारत प्रतिभूति मुद्रण तथा मुद्रा निर्माण निगम लिमिटेड की इकाई

A Unit of Security Printing & Minting Corporation of India Limited

मिनिरत्न श्रेणी-I, सीपीएसई

(भारत सरकार के पूर्ण स्वामित्वाधीन)

CIN: U22213DL2006G01144763

Miniratna Category - I CPSE

E-mail: bnppurchase@spmcl.com

(Wholly owned by Government of India)

Website: www.bnppdewas.spmcl.com



Pin : 455001 (MP)


Ph. : 07272-255222

Fax: 07272-255111

		and mount and associated cables and hardware b) L2 Access Switch 24 Port POE+ with SFP	mount and associated cables and hardware b) L2 Access/Distribution Switch 24 Port
16	Section XIV, Tender Doc Manufacturer's Authorization Form Pg no.32	Para: "We further confirm that no supplier or firm or individual other than..... Manufactured by us."	Para stands dropped.
17	Annex-I, Page 20, VMS Specs	Live Video Storage – 171 cameras for 7 nos. of days under RAID 6	Live Video Storage – 287 cameras for 7 nos. of days under RAID 6
18	Annex-I, Page 28, Network video recording server & redundant Network video recording server	a) Internal Storage: Live Video Storage – 45 cameras for 7 nos. of days under RAID 6. SAS (7.2K or better RPM) b) RAID Controller: Dual for Redundance c) Processor: Intel Xeon Processor 2.8 GHz – 2 nos. or better d) Network Interface – 4nos. of 1 Gbps or better	a) Internal Storage: Live Video Storage – 45 cameras for 7 nos. of days under RAID 6 per NVR. SAS (7.2K or better RPM) b) RAID Controller: Dedicated performance class RAID controller (no software-based RAID controller). c) Processor: Dual Intel Xeon Sliver 2 nd /3 rd Gen or better, 10 or more cores per processor, Freq-2.8Ghz or more to meet the complete system performance and functional requirement. CPU utilization shall not be more than 75%. d) Network Interface – 2 nos. of 10GbE or better to meet system performance
19	Annex-I, Page 27,	a) Processor: Intel Xeon Processor 2.8 GHz – 2 nos. or better	a) Processor: Dual Intel Xeon Sliver 2 nd /3 rd Gen or better, 10 or more cores per

Regd. Office : 16th Floor, Jawahar Vyapar Bhawan, Janpath, New Delhi 110 001.

Tel. No. 00-91-11-23701225-26 & 23701141-42, Fax : 011-23701223, e-mail : info@spmcl.com



बैंक नोट मुद्रणालय, देवास (म.प्र.)

BANK NOTE PRESS, DEWAS (M. P.)

(आईएसओ : 9001, आईएसओ : 14001 एवं आईएसओ : 2015 प्रमाणित इकाई)

(ISO : 9001, ISO : 14001 & ISO : 2015 Certified Unit)

भारत प्रतिभूति मुद्रण तथा मुद्रा निर्माण निगम लिमिटेड की इकाई

A Unit of Security Printing & Minting Corporation of India Limited

मिनिरत्न श्रेणी-I, सीपीएसई

(भारत सरकार के पूर्ण स्वामित्वाधीन)

CIN: U22213DL2006G01144763

Miniratna Category - I CPSE

E-mail: bnppurchase@spmcl.com

(Wholly owned by Government of India)

Website: www.bnpdewas.spmcl.com




Pin : 455001 (MP)

Ph. : 07272-255222

Fax: 07272-255111

	Management application server & Hot standby Management application server	<p>b) RAID Controller: Dual for Redundancy</p> <p>c) Network Interface – 4nos. of 1 Gbps or better</p> <p>d) Software: Server – client-based antivirus. Server antivirus software 1license with 20 client licenses for entire duration of contact. (i.e. Endpoint Protection Software)</p> <p>e) NVR Support: Support up to 20 NVR.</p>	<p>processor, Freq-2.8Ghz or more to meet the complete system performance and functional requirement.</p> <p>CPU utilization shall not be more than 75%.</p> <p>b) RAID Controller: Dedicated performance class RAID controller (no software-based RAID controller).</p> <p>c) Network Interface – 2 nos. of 10GbE or better to meet system performance</p> <p>d) Software: Server – Endpoint Protection Software</p> <p>e) NVR Support: Support 20 NVR or more</p>
20	Annex-I, Page 27, Analytics Server Specs	<p>a) Processor: Intel Xeon Processor 2.8 GHz - 2 or more</p> <p>b) Network Interface – 4nos. of 1 Gbps or better</p>	<p>a) Processor: Dual Intel Xeon Sliver 2nd /3rd Gen or better, 10 or more cores per processor, Freq-2.8Ghz or more to meet the complete system performance and functional requirement.</p> <p>CPU utilization shall not be more than 75%.</p> <p>b) Network Interface – 2 nos. of 10GbE or better to meet system performance.</p>
21	Page 7, Annex -1, Point 6.9	The proposed solution should allow BNP Official to locally & centrally monitor facilities from a remote location, over LAN on a portable/Fixed Personal Computer.	<p>The proposed solution should allow BNP Official to locally & centrally monitor facilities from a remote location over LAN on a portable/Fixed Personal Computer.</p> <p>It should have functionality software/application for Role base</p>





बैंक नोट मुद्रणालय, देवास (म.प्र.)

BANK NOTE PRESS, DEWAS (M. P.)

(आईएसओ : 9001, आईएसओ : 14001 एवं आईएसओ : 2015 प्रमाणित इकाई)

(ISO : 9001, ISO : 14001 & ISO : 2015 Certified Unit)

भारत प्रतिभूति मुद्रण तथा मुद्रा निर्माण निगम लिमिटेड की इकाई

A Unit of Security Printing & Minting Corporation of India Limited

मिनिरत्न श्रेणी- I, सीपीएसई

(भारत सरकार के पूर्ण स्वामित्वाधीन)

CIN: U22213DL2006G0I144763

Miniratna Category - I CPSE

E-mail: bnppurchase@spmcl.com

(Wholly owned by Government of India)

Website: www.bnppdewas.spmcl.com




Pin : 455001 (MP)

Ph. : 07272-255222


Fax : 07272-255111

			access of CCTV viewing/playback to Senior Management at CHO, New Delhi. Providing required speed VPN link is under scope of BNP.
22	Page 32, Annex I, Tech specs L3 Core Switch	Physical Port:24 nos. 10/100/1000 copper ports	Physical Port: 24 nos. or more. Port combination of SFP/10G/1G/SFP+ ports as per system network design. Including SFP module of same make as of Switch.
23	Page 33, Annex I, Tech Specs L2 Switch	Physical Port:24 nos. 10/100/1000 copper ports	Physical Port: 24 nos. or more. Port combination of SFP/10G/1G/SFP+ ports as per system network design. Including SFP module of same make as of Switch.
24	Annex I, Tech Specs, New Point 6.36 added, Page 36	New Point	6.36 All Windows OS shall be provided with retail/volume license valid key. OEM/Embedded key are not Acceptable
25	Annex I, Tech Specs, New Point 6.37 added, Page 36	New Point	Detailed Solution Design document to be provided as part of technical bid covering following features – 1)System Design 2)Network Topology 3) Bandwidth Management 4)Servers Architecture and Placement 5) Storage Schema and Connectivity 6)Archival Procedure and Policy 7)Integration solution with ACS and PIDS. 8)Domain Server, AV server Placement and architecture 9) Passive Components to be reused 10) Testing & Review Process 11) Migration Plan



Regd. Office : 16th Floor, Jawahar Vyapar Bhawan, Janpath, New Delhi 110 001.

Tel. No. 00-91-11-23701225-26 & 23701141-42, Fax : 011-23701223, e-mail : info@spmcl.com



बैंक नोट मुद्रणालय, देवास (म.प्र.)
BANK NOTE PRESS, DEWAS (M. P.)

(आईएसओ : 9001, आईएसओ : 14001 एवं आईएसओ : 2015 प्रमाणित इकाई)

(ISO : 9001, ISO : 14001 & ISO : 2015 Certified Unit)

भारत प्रतिभूति मुद्रण तथा मुद्रा निर्माण निगम लिमिटेड की इकाई
A Unit of Security Printing & Minting Corporation of India Limited

मिनिरत्न श्रेणी- I, सीपीएसई

(भारत सरकार के पूर्ण स्वामित्वाधीन)

CIN: U22213DL2006G01144763

Miniratna Category - I CPSE

E-mail: bnppurchase@spmcil.com

(Wholly owned by Government of India)

Website: www.bnppdewas.spmcil.com





Pin : 455001 (MP)

Ph. : 07272-255222

Fax : 07272-255111

26	Page 36, AV Item Heading	ANTIVIRUS ENDPOINT PROTECTION SOFTWARE (01 nos. management license with 35 client(endpoint) license)	ANTIVIRUS ENDPOINT PROTECTION SOFTWARE (01 nos. management license with 35 client(endpoint) license) for Windows Environment
27	Page 30, Annex-I, SAN Storage	Cache: The system should have minimum 16GB usable cache	Cache: The system should have minimum 16GB cache
28	Page 40, Annex I, Spares	15.2No. of Cameras as spares – 05 nos., 1 no. of 24 Port L2 Managed Switch, 2 Nos. of 8 port Switch, Media Converter – 05 nos., Patch Cables – 10 pcs, MCCBS -15 nos.	15.2No. of Cameras as spares – 05 nos., 1 no. of 24 Port L2 Managed Switch, 2 Nos. of 8 port Switch, Media Converter – 05 nos., Patch Cables – 10 pcs, MCCBS -15 nos., LED TV 55” – 01 no.
29	Page 5, Annex I, Point 4.30	4.30 Cable(s) shall be laid in underground trenches, ducts, channels, tunnels, on racks, trays, in HDPE PLB pipes along structure or buildings as per the site conditions. The cable shall be laid in underground trenches through GI pipe specially when laid through rail crossing, road crossing, hard standing etc.	4.30 Cable(s) (OFC, Power, CAT6) shall be laid in underground, trenches, ducts, channels, tunnels, on racks, trays, in HDPE PLB pipes along structure or buildings as per the site conditions. The cable shall be laid in underground trenches through GI pipe specially when laid through rail crossing, road crossing, hard standing etc. The underground cables should be laid in depth of at least 1 meter from the ground surface. The cable should be laid on the bed of sand. Afterwards the laid cable should be covered with conditioned bricks followed by layer of sand. Finally, the dugged trench should be filled back with soil.





बैंक नोट मुद्रणालय, देवास (म.प्र.)
BANK NOTE PRESS, DEWAS (M. P.)

(आईएसओ : 9001, आईएसओ : 14001 एवं आईएसओ : 2015 प्रमाणित इकाई)

(ISO : 9001, ISO : 14001 & ISO : 2015 Certified Unit)

भारत प्रतिभूति मुद्रण तथा मुद्रा निर्माण निगम लिमिटेड की इकाई

A Unit of Security Printing & Minting Corporation of India Limited

मिनिरत्न श्रेणी-I, सीपीएसई

(भारत सरकार के पूर्ण स्वामित्वाधीन)

CIN: U22213DL2006G01144763

Miniratna Category - I CPSE

E-mail: bnppurchase@spmcl.com

(Wholly owned by Government of India)

Website: www.bnppdewas.spmcl.com



Pin : 455001 (MP)

Ph. : 07272-255222

Fax: 07272-255111

30	Page 41, Annex I, Point 17.13	During warranty & CAMC Period, Defective HDD i.e. Hard Disk (Not in RAID Configuration) has to be changed with working one on non-replacement basis. Defective HDD (non- RAID) will be kept with BNP.	During warranty & CAMC Period, Defective HDD i.e. Hard Disk has to be changed with working one on non-replacement basis. Defective HDD will be kept with BNP.
----	-------------------------------------	---	---

All other terms & conditions will remain same & unaltered as per Tender Document 6000016991.
(This is issued with the approval of Competent Authority).

Yours faithfully,

Diganta Kumar Deka
03-03-2022

Diganta Kumar Deka
Additional General Manager (Materials),
Bank Note Press, Dewas (M.P.)

अपर महाप्रबंधक (सामग्री)
बैंक नोट मुद्रणालय, देवास, (म.प्र.)

