



CURRENCY NOTE PRESS

(A UNIT OF Security Printing and Minting Corporation of India Limited) Wholly owned by Government of India

Nashik Road # 422101 (Maharashtra)

(ISO : 9001 & ISO 14001 Certified Unit)

Tel. No 00- 91-253-2463730-39, 2461471

Fax No:00-91-2532464100 CIN: U22213DL2006GOI144763

Web: www.cnpnashik.spmcil.com E-mail: gmcnp@spmCIL.com

GSTIN : 27AAJCS6111J3Z6

PR Number	PR Date	Indenter	Department
10028163	14.02.2022	DM TO	CPCM

Not Transferable

Security Classification:

**TENDER DOCUMENT FOR PURCHASE OF: PROCUREMENT OF
VARIOUS PNEUMATIC SPARES**

Tender Number: 6000017688/, Dated:25.08.2022

This Tender Document Contains _____ Pages.

Details of Contact person in SPMCIL regarding this tender:

Name: V KIRAN KUMAR
Designation: Jt. General Manager (MM)
Address: CNPN (Currency Note Press, Nashik)
India

Section1: Notice Inviting Tender (NIT)

6000017688 /

25.08.2022

(SPMCIL's Tender SI No.)

(Date)

1. Sealed tenders are invited from eligible and qualified tenderers for supply of following goods & services:

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Earnest Money (In Rupee)	Remarks
1	Pnu. Cyl. CMK2-CC-32-50-T0H-R-Y SPME051476	2.000 EA	Duly filled and signed Bid Security Declaration (Annexure I) to be submitted. Non submission of the same will be treated as Unresponsive.	
2	Pnu. Cyl. SSD-L-50-50-T0H-D-N SPME051477	2.000 EA		
3	Pnu. Cyl. SSD-20-32-N-CB SPME051478	2.000 EA		
4	Pnu. Cyl. SSD-32-10-N-CB SPME051479	2.000 EA		
5	Pnu. Cyl. CMK2-CC-40-200-T0H-D SPME051480	2.000 EA		
6	Pnu. Cyl. CMK2-00-32-25 SPME051481	2.000 EA		
7	Pnu. Cyl. SSD-32-20-N SPME051482	2.000 EA		
8	Pnu. Cyl. STS-M-25-35-T2H-D SPME051483	2.000 EA		
9	Pnu. Cyl. SSD-25-25-N-CB SPME051484	2.000 EA		
10	Pnu. Cyl. SSD-32-5-N-CB2 SPME051485	2.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Earnest Money (In Rupee)	Remarks
11	Pnu. Cyl. CMK2-CC-40-110 SPME051486	2.000 EA		
12	Pnu. Cyl. CMK2-00-40-180 SPME051487	2.000 EA		
13	Pnu. Cyl. SSD-K-16-5 SPME051488	2.000 EA		
14	Pnu. Cyl. SSD-32-15-N-CB SPME051489	2.000 EA		
15	Pnu. Cyl. SSD-20-20 SPME051490	2.000 EA		
16	Pnu. Cyl. SCA2-CA-40B-250-T0H-R-I SPME051492	2.000 EA		
17	Pnu. Cyl. SSD-20-5-N-CB2 SPME051493	2.000 EA		
18	Pnu. Cyl. SSD-20-10 SPME051494	2.000 EA		
19	Pnu. Cyl. SSD-K-20-40 SPME051496	2.000 EA		
20	Pnu. Cyl. CMK2-CC-40-75-T0H-R-Y SPME051497	2.000 EA		
21	Pnu. Cyl. SSD-L-40-50-T0H-R-N-CB	2.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Earnest Money (In Rupee)	Remarks
	SPME051498			
22	Pnu. Cyl. SSD-40-50-N-CB-Y SPME051499	2.000 EA		
23	Pnu. Cyl. CMK2-00-25-30 SPME051500	2.000 EA		
24	Pnu. Cyl. STG-BC-16-25 SPME051501	2.000 EA		
25	Pnu. Cyl. SRL3-00-25B-400-M2H-D-A1 SPME051502	2.000 EA		
26	Pnu. Cyl. SRL3-00-20B-400-M2H-D-A2 SPME051503	2.000 EA		
27	Pnu. Cyl. STS-B-16-40-T2H-D SPME051504	2.000 EA		
28	Pnu. Cyl. SCA2-00-50B-200-T0H-D-I SPME051505	2.000 EA		
29	Pnu. Cyl. SSD-ML-50-25-T0H-D-N-CB SPME051506	2.000 EA		
30	Pnu. Cyl. CMK2-CC-40-175-T0H-D-I SPME051507	2.000 EA		
31	Pnu. Cyl. CMK2-CC-20-50-T0H-R-Y	4.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Earnest Money (In Rupee)	Remarks
	SPME051508			
32	Pnu. Cyl. SSD-25-20 SPME051509	4.000 EA		
33	Pnu. Cyl. SSD-20-30-N-CB-Y SPME051510	2.000 EA		
34	Pnu. Cyl. STS-B-16-20 SPME051511	2.000 EA		
35	Pnu. Cyl. STS-B-16-50 SPME051512	2.000 EA		
36	Pnu. Cyl. SCA2-FA-40B-200-T0H-D SPME051513	2.000 EA		
37	Pnu. Cyl. SRG3-00-20B-180-M0H-D-A2 SPME051514	2.000 EA		
38	Pnu. Cyl. CMK2-CC-25-25-Y SPME051515	2.000 EA		
39	Pnu. Cyl. SSD-25-40-N SPME051516	2.000 EA		
40	Pnu. Cyl. SSD-40-15-N SPME051517	2.000 EA		
41	Pnu. Cyl. CMK2-CC-25-75-T0H-D SPME051518	2.000 EA		
	Pnu. Cyl. SSD-25-10	2.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Earnest Money (In Rupee)	Remarks
42	SPME051519			
43	Pnu. Cyl. SSD-WT-25-10-5 SPME051520	2.000 EA		
44	Pnu. Cyl. CMK2-CC-32-75-T0H-D-I SPME051521	2.000 EA		
45	Pnu. Cyl. CMK2-M-00-20-75-T0H-H SPME051522	2.000 EA		
46	Pnu. Cyl. CMK2-00-40-250-T0H-H SPME051523	2.000 EA		
47	Pnu. Cyl. CMK2-00-20-50 SPME051524	2.000 EA		
48	Pnu. Cyl. SSD-16-20 SPME051525	2.000 EA		
49	Pnu. Cyl. CMK2-CC-40-50-T0H-D-Y SPME051526	2.000 EA		
50	Pnu. Cyl. CMK2-M-00-25-150-T0H-D SPME051527	2.000 EA		
51	Pnu. Cyl. CMK2-CC-32-75-T0H-D SPME051528	2.000 EA		
52	Pnu. Cyl. SSD2-L-50-175-T0H-D-N SPME051529	2.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Earnest Money (In Rupee)	Remarks
53	Pnu. Cyl. SSD2-20-50-N SPME051530	2.000 EA		
54	Pnu. Cyl. SSD-KL-50-80-T2H-D-N SPME051531	2.000 EA		
55	Pnu. Cyl. CMK2-00-32-150-T0H-H SPME051532	2.000 EA		
56	Pnu. Cyl. CMK2-00-32-125-T0H-H SPME051533	2.000 EA		
57	Pnu. Cyl. CMK2-00-32-150-T0H-H-V SPME051534	2.000 EA		
58	Pnu. Cyl. SSD2-20-15-N SPME051535	2.000 EA		
59	Pnu. Cyl. MRL2-WL-32-230-T2H-D-C SPME051536	2.000 EA		
60	Pnu. Cyl. STG-M-32-50-T0H-D SPME051537	2.000 EA		
61	Pnu. Cyl. STL-B-25-300-T0H-D SPME051538	2.000 EA		
62	Pnu. Cyl. CMK2-00-32-300-T0H-D SPME051539	2.000 EA		
63	Pnu. Cyl. STL-B-25-350-T0H-D SPME051540	2.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Earnest Money (In Rupee)	Remarks
64	Pnu. Cyl. CMK2-00-32-300-T0H-D-V SPME051541	2.000 EA		
65	Pnu. Cyl. STG-B-12-20-T0H-D SPME051542	2.000 EA		
66	Pnu. Cyl. STG-B-25-50-T0H-D SPME051543	2.000 EA		
67	Pnu. Cyl. STG-M-20-150-T0H-D SPME051544	2.000 EA		
68	Pnu. Cyl. CMK2-00-20--150 SPME051545	2.000 EA		
69	SSD-50-30 Pneumatic cylinder SPME043836	2.000 EA		
70	SSD-B-25-40-N-30-N,Pneumatic cylinder SPME043847	2.000 EA		
71	Cylinder Pneumatic-CMK2-CC-20-25 SPME020985	2.000 nos		
72	SSD-25-10-N,Pneumatic cylinder SPME043852	2.000 EA		
73	SSD-32-10-N,Pneumatic cylinder SPME043842	2.000 EA		
	Pn. Cylinder CMK2-00-25-25 CKD	2.000 EA		

Sch d. No.	Brief Description of Goods/services	Quantity (with unit)	Earnest Money (In Rupee)	Remarks
74	SPME031508			
75	Cylinder Pneumatic-CMK2-00-20-75 SPME021041	6.000 nos		
76	PNEU CYL-SCPD3-L-CB-16-100-T2H3-D SPME051576	8.000 EA		
77	PNEU CYL-SSD-K-80-80-N-CB2 SPME051577	6.000 EA		
78	PNEU CYL-SSD-B-80-50-N-30-N-12 SPME051578	2.000 EA		
79	PNEU CYL-SSD-DL-50-10-T3V3-D SPME051579	8.000 EA		
Type of Tender (Two Bid/ PQB/ EOI/ RC/ Development/ Indigenization/ Disposal of Scrap/ Security Item etc.)			TWO-BID National Competetive Bid	
Dates of sale of tender documents:			From 25.08.2022 to 26.09.2022 during office hours.	
Place of sale of tender documents			PURCHASE DEPARTMENT CNP NASHIK	
Closing date and time for receipt of tenders			27.09.2022 14:30:00	
Place of receipt of tenders			CNP PASS SECTION CNP NASHIK	
Time and date of opening of tenders			27.09.2022 15:00:00	
Place of opening of tenders			CNP PASS SECTION CNP NASHIK	
Nominated Person/ Designation to Receive Bulky Tenders (Clause 21.21.1 of GIT)			V KIRAN KUMAR Jt. General Manager (MM)	

2. Interested tenderers may obtain further information about this requirement from the above office. They may also visit our website mentioned above for further details.

3. Tenderer has to download the tender documents from the web site www.spmcil.com and submit its tender by utilizing the downloaded document. The bidder must not make any changes to the content of the document, except for filling the required information.

4. If requested, the tender documents will be mailed by registered post/ speed post to the domestic tenderers and by International air-mail to the foreign tenderers, for which extra expenditure per set will be Rs 236 for domestic post and Rs 354 for international air-mail. The tenderer is to add the applicable postage cost in the non-refundable fee mentioned in Para 3 above.

5. Tenderers shall ensure that their tenders, duly sealed and signed, complete in all respects as per instructions contained in the Tender Documents, are dropped in the tender box located at the address given below on or before the closing date and time indicated in the Para 1 above, failing which the tenders will be treated as late and rejected.

6. In the event of any of the above mentioned dates being declared as a holiday/ closed day for the purchase organization, the tenders will be received/ opened on the next working day at the appointed time.

7. SUBMISSION OF TENDER: The bid is to be submitted in two parts:-

(i) The bid is to be submitted in two parts i.e.

Part A: TECHNO-COMMERCIAL BID and Part-B: PRICE BID separately in 02 sealed envelopes duly super scribed as Techno-commercial and Price Bid with our NIT reference No. and date. The aforesaid two envelopes should be put inside an Outer big size envelope duly sealed and this outer envelope again should be super scribed with words Techno-Commercial Bid & Price Bid against our Tender Document / NIT No., NIT Date & Due date and be addressed to the General Manager, Currency Note Press, Nashik road-422101(Maharashtra)

(ii) Quotation will be accepted by INDIA POST/COURIER SERVICE/DROP BOX only. Quotation sent by FAX/E-Mail will not be considered.

8. In case of order material in your favour for Rs. 2,50,000/- or above, the supplier shall furnish the performance security amount/ Security Deposit(S.D) (3% of the ordered value) after issue of Purchase order by CNP, Nashik Road in favour of SPMCIL, Unit CNP, payable at Nashik. The performance security will be return back without any interest to successful tenderer after the completion of all contractual obligations.

9. Please note that SPMCIL reserves its right to grant Purchase Preferences in accordance with Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/revised) and public Procurement Policy for Micro and Small Enterprises (MSEs) Amendment Order, 2018 (as amended/revised).

10. Tenderer may also download the tender documents from the web site mentioned above and submit its tender by utilizing the downloaded document, the bidder must not make any charges to the contents of the documents, except for filling the required information. A certificate to this effect must be submitted by the bidder in the Tender Form (Section X).

11. The tender documents are not transferable.

12. The bidder, their affiliates, or subsidiaries - including subcontractors or suppliers for any part of the contract - should not stand declared ineligible / blacklisting / banned / debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations. A declaration to this effect shall be submitted by the bidder in the Tender Form (Section X).

13. EXEMPTION FOR MSME REGISTERED STARTUPS/BIDDERS AS PER CIRCULAR NO. 1(2)(1)/2016-MA DTD: 10.03.2016 OF GOVT. OF INDIA MINISTRY OF MSME, WILL BE PROVIDED FOR TENDERED PRODUCT ON THE BASIS OF MSME CERTIFICATE.

14. NO EXEMPTION WILL BE GIVEN FOR DEPOSITING OF SECURITY DEPOSIT (S.D.) TO ANY DIC/SSI/MSME/NSIC REGISTERED FIRM.

15. Bidders have to submit the duly filled Bid Security Declaration (Attached as Annexure I) in the tender document on their letter head. Non Submission of the same may lead to rejection of bid.

16. If the bidder or any representative of the bidder wants to attend the Bid opening then that person should carry with him /her letter of Authority (Section XVII of SBD) in the same format to be produced at the time of Bid opening and before the bids are opened.

17. Any dispute in the matter will be under Nashik (Maharashtra) Jurisdiction only.



Tender Number:6000017688

18. Right of acceptance: - The Chief General Manager, Currency Note Press reserves the right to reject any or all tenders without assigning any reason thereof.

19. Clarification of Tender Documents: A Tenderer requiring any clarification or elucidation on any issue of the tender documents may take up the same with SPMCIL in writing or by fax / e-mail/ telex not later than twenty one days (unless otherwise specified in the SIT) prior to the prescribed date of submission of tender.

20. Important instructions: The bidders are advised to visit the site before submission of the tender. CNP will not be responsible for any misquoting without site visiting.

21. For any queries regarding the tender, you may please contact at 0253-2454493 and 2461318. E-mail purchase.cnpnashik@spmcil.com.

.....

.....

(Name Designation, Address telephone number etc
of the officer signing the document)

For and on behalf of

.....

Annexure-I

Bid Security Declaration Format

(To be printed on letter head of bidder)

Date:

To,
The Chief General Manager
Currency Note Press
Nashik Road

Sub: Bid Security Declaration-Reg.

Ref: 1. Tender No. _____ Dtd: _____

2. Bidder's offer no. _____ Dtd: _____

I, _____ (Name of authorized signatories),
on behalf of M/s. _____
(Bidder's name and address), duly authorized to sign the tender document and
enter into contract, if awarded, herewith accept that if the bidder withdraw (or)
modify our bid during period of validity, etc, the bidder will be
suspended/debarred/blacklisted for a period of One year from the due date of
the tender.

(Signature of Authorized Signatory)

Designation:

Name of Bidder:

Seal:



Tender Number:6000017688

Section II: General Instructions to Tenderers (GIT)

Part 1: General Instructions Applicable to all type of Tenderers

Please CLICK the link for further details

<https://spmCIL.com/uploaddocument/GIT/new.pdf>

BIDDERS ARE REQUESTED TO DOWNLOAD 61 PAGES BY CLICKING THE ABOVE SAID LINK & SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DOCUMENT. UNSIGNED/UNSTAMPED PRINTOUT OF THESE PAGES ARE NOT ACCEPTABLE.

Section III: Specific Instructions to Tenderers (SIT)

The following Special Instructions to Tenderers will apply for this purchase. These special instructions will modify/ substitute/ supplement the corresponding General Instructions to Tenderers (GIT) incorporated in Section II. The corresponding GIT clause numbers have also been indicated in the text below:

In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail.

(Clauses of GIT listed below include a possibility for variation in their provisions through SIT. There could be other clauses in SIT as deemed fit.)

Sr No	GIT Clause No.	Topic	SIT Provision
01	3.	ELIGIBLE TENDERERS	Applicable
02	3.4	ELIGIBLE GOODS AND SERVICES (ORIGIN OF GOODS)	Not Applicable
03	6.1	THE TENDER DOCUMENTS INCLUDES:	Applicable
04	8	PREBID CONFERENCE	Not Applicable
05	9	TIME LIMIT FOR RECEIVING REQUEST FOR CLARIFICATION OF TENDER DOCUMENTS	Applicable
06	10.1	THE TECHNICAL BID TO BE SUBMITTED BY TENDERER SHALL CONTAIN THE FOLLOW	No Change
07	11.2	TENDER CURRENCY	INR
08	12.1	TENDER PRICES	Applicable
09	12.2, 33, 36.1	SCHEDULE WISE EVALUATION	Not applicable
10	12.6	GST DETAILS	No Change
11	14	PVC CLAUSE & FORMULA	Applicable
12	14.4 TO 14.7	EXCHANGE RATE VARIATION (ERV)	Not Applicable
13	16.2 A) TO C)	DOCUMENTS ESTABLISHING TENDERER#S ELIGIBILITY AND QUALIFICATIONS	Applicable
14	18.4, 18.5	EARNEST MONEY DEPOSIT (EMD)	Duly filled and signed Bid Security Declaration to be submitted. Non Submission of the same will be treated as Unresponsive.
15	19	TENDER VALIDITY	120 Days from the date of tender opening
16	20.4	NUMBER OF COPIES OF TENDERS TO BE SUBMITTED	Single
17	20.8	TWO BID SYSTEM	Applicable
18	20.9	E-PROCUREMENT	Not Applicable
19	34. AND 35.1	COMPARISON ON CIF DESTINATION BASIS	FOR CNP Nashik Road Basis
20	35.2 TO 35.6	ADDITIONAL FACTORS FOR EVALUATION OF OFFERS AND PREFERENTIAL SCHEMES	Applicable
21	43	PARALLEL CONTRACTS	Not Applicable
22	44.1	SERIOUS MISDEMEANOURS	No Change

Sr No	GIT Clause No.	Topic	SIT Provision
23	44.3	INTEGRITY PACT	Not Applicable
24	45.1	NOTIFICATION OF AWARD	No Change
25	50.	APPLICABILITY OF ADDITIONAL GIT FOR RATE CONTRACTS	Not Applicable
26	51.	APPLICABILITY OF ADDITIONAL GIT FOR PQB TENDERS	Not Applicable
27	52.	APPLICABILITY OF ADDITIONAL GIT FOR TENDERS INVOLVING SAMPLES	Not Applicable
28	53.	APPLICABILITY OF ADDITIONAL GIT FOR EOI TENDERS	Not Applicable
29	54.	APPLICABILITY OF ADDITIONAL GIT FOR TENDERS FOR DISPOSAL OF SCRAP	Not Applicable
30	55.	APPLICABILITY OF ADDITIONAL GIT FOR DEVELOPMENT/ INDIGENIZATION TENDER	Not Applicable



Tender Number:6000017688

Section IV: General Conditions of Contract (GCC)

Please CLICK the link for further details

<https://spmCIL.com/uploaddocument/GCC/new.pdf>

BIDDERS ARE REQUESTED TO DOWNLOAD 36 PAGES BY CLICKING THE ABOVE SAID LINK & SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DOCUMENT. UNSIGNED/UNSTAMPED PRINTOUT OF THESE PAGES ARE NOT ACCEPTABLE.

Section V: Special Conditions of Contract (SCC)

The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below. These Special Conditions will modify/ substitute/ supplement the corresponding (GCC) clauses.

Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.

(Clauses of GCC listed below include a possibility for variation in their provisions through SCC. There could be other clauses in SCC as deemed fit)

SI.No	GCC Clause No.	Topic	SCC Provision
01	1.2	ABBREVIATIONS:	Not Applicable
02	6.1, 6.3 & 6.5	PERFORMANCE BOND/ SECURITY	3 % of the total contract price valid for 60 days beyond completion of contractual obligations including warranty period: if any.
03	8.2	PACKING AND MARKING	Not Applicable
04	9	INSPECTION AND QUALITY CONTROL	Not Applicable
05	11.2	TRANSPORTATION OF DOMESTIC GOODS	No Change
06	12.	INSURANCE	No Change
07	14.1	INCIDENTAL SERVICES	Not Applicable
08	15	DISTRIBUTION OF DESPATCH DOCUMENTS FOR CLEARANCE/ RECEIPT OF GOODS	Not Applicable
09	16.2, 16.4	WARRANTEE CLAUSE	Applicable
10	19.3	OPTION CLAUSE	Not Applicable
11	20.1	PRICE ADJUSTMENT CLAUSE	Not Applicable
12	21.	TAXES AND DUTIES	If the tenderer fails to include taxes and duties in the tender, no claim thereof will be considered by purchaser afterwards.
13	22.	TERMS AND MODE OF PAYMENTS	100% Payment will be made within 30 days after receipt of suitability and acceptance of material through NEFT/RTGS.
14	24.1	QUANTUM OF LD	Applicable (The Applicable GST if LD is levied will be collected from the firm's invoice).
15	25.1	BANK GUARANTEE AND INSURANCE FOR MATERIAL LOANED TO CONTRACTOR	Not Applicable
16	33.1	RESOLUTION OF DISPUTES	No Change
17	36.3.2,36.3.9	DISPOSAL/ SALE OF SCRAP BY TENDER	Not Applicable

Section VI: List of Requirements

Schedule No.	Breif Description of goods and services (Related Specifications etc. are in Section-VII)	Accounting Unit	Quantity	Amount of Earnest Money	Remark
1	SPME051476 Pnu. Cyl. CMK2-CC-32-50-T0H-R-Y	EA	2.000	Duly filled and signed Bid Security Declaration (Annexure I) to be submitted. Non submission of the same will be treated as Unresponsive.	
2	SPME051477 Pnu. Cyl. SSD-L-50-50-T0H-D-N	EA	2.000		
3	SPME051478 Pnu. Cyl. SSD-20-32-N-CB	EA	2.000		
4	SPME051479 Pnu. Cyl. SSD-32-10-N-CB	EA	2.000		
5	SPME051480 Pnu. Cyl. CMK2-CC-40-200-T0H-D	EA	2.000		
6	SPME051481 Pnu. Cyl. CMK2-00-32-25	EA	2.000		
7	SPME051482 Pnu. Cyl. SSD-32-20-N	EA	2.000		
8	SPME051483 Pnu. Cyl. STS-M-25-35-T2H-D	EA	2.000		
9	SPME051484 Pnu. Cyl. SSD-25-25-N-CB	EA	2.000		
10	SPME051485 Pnu. Cyl. SSD-32-5-N-CB2	EA	2.000		
11	SPME051486 Pnu. Cyl. CMK2-CC-40-110	EA	2.000		
12	SPME051487 Pnu. Cyl. CMK2-00-40-180	EA	2.000		
13	SPME051488 Pnu. Cyl. SSD-K-16-5	EA	2.000		
14	SPME051489 Pnu. Cyl. SSD-32-15-N-CB	EA	2.000		
15	SPME051490 Pnu. Cyl. SSD-20-20	EA	2.000		
16	SPME051492 Pnu. Cyl. SCA2-CA-40B-250-T0H-R-I	EA	2.000		
17	SPME051493 Pnu. Cyl. SSD-20-5-N-CB2	EA	2.000		
18	SPME051494 Pnu. Cyl. SSD-20-10	EA	2.000		
19	SPME051496 Pnu. Cyl. SSD-K-20-40	EA	2.000		
20	SPME051497 Pnu. Cyl. CMK2-CC-40-75-T0H-R-Y	EA	2.000		
21	SPME051498 Pnu. Cyl.	EA	2.000		

Schedule No.	Breif Description of goods and services (Related Specifications etc. are in Section-VII)	Accounting Unit	Quantity	Amount of Earnest Money	Remark
	SSD-L-40-50-T0H-R-N-CB				
22	SPME051499 Pnu. Cyl. SSD-40-50-N-CB-Y	EA	2.000		
23	SPME051500 Pnu. Cyl. CMK2-00-25-30	EA	2.000		
24	SPME051501 Pnu. Cyl. STG-BC-16-25	EA	2.000		
25	SPME051502 Pnu. Cyl. SRL3-00-25B-400-M2H-D-A1	EA	2.000		
26	SPME051503 Pnu. Cyl. SRL3-00-20B-400-M2H-D-A2	EA	2.000		
27	SPME051504 Pnu. Cyl. STS-B-16-40-T2H-D	EA	2.000		
28	SPME051505 Pnu. Cyl. SCA2-00-50B-200-T0H-D-I	EA	2.000		
29	SPME051506 Pnu. Cyl. SSD-ML-50-25-T0H-D-N-CB	EA	2.000		
30	SPME051507 Pnu. Cyl. CMK2-CC-40-175-T0H-D-I	EA	2.000		
31	SPME051508 Pnu. Cyl. CMK2-CC-20-50-T0H-R-Y	EA	4.000		
32	SPME051509 Pnu. Cyl. SSD-25-20	EA	4.000		
33	SPME051510 Pnu. Cyl. SSD-20-30-N-CB-Y	EA	2.000		
34	SPME051511 Pnu. Cyl. STS-B-16-20	EA	2.000		
35	SPME051512 Pnu. Cyl. STS-B-16-50	EA	2.000		
36	SPME051513 Pnu. Cyl. SCA2-FA-40B-200-T0H-D	EA	2.000		
37	SPME051514 Pnu. Cyl. SRG3-00-20B-180-M0H-D-A2	EA	2.000		
38	SPME051515 Pnu. Cyl. CMK2-CC-25-25-Y	EA	2.000		
39	SPME051516 Pnu. Cyl. SSD-25-40-N	EA	2.000		
40	SPME051517 Pnu. Cyl. SSD-40-15-N	EA	2.000		
41	SPME051518 Pnu. Cyl.	EA	2.000		

Schedule No.	Breif Description of goods and services (Related Specifications etc. are in Section-VII)	Accounting Unit	Quantity	Amount of Earnest Money	Remark
	CMK2-CC-25-75-T0H-D				
42	SPME051519 Pnu. Cyl. SSD-25-10	EA	2.000		
43	SPME051520 Pnu. Cyl. SSD-WT-25-10-5	EA	2.000		
44	SPME051521 Pnu. Cyl. CMK2-CC-32-75-T0H-D-I	EA	2.000		
45	SPME051522 Pnu. Cyl. CMK2-M-00-20-75-T0H-H	EA	2.000		
46	SPME051523 Pnu. Cyl. CMK2-00-40-250-T0H-H	EA	2.000		
47	SPME051524 Pnu. Cyl. CMK2-00-20-50	EA	2.000		
48	SPME051525 Pnu. Cyl. SSD-16-20	EA	2.000		
49	SPME051526 Pnu. Cyl. CMK2-CC-40-50-T0H-D-Y	EA	2.000		
50	SPME051527 Pnu. Cyl. CMK2-M-00-25-150-T0H-D	EA	2.000		
51	SPME051528 Pnu. Cyl. CMK2-CC-32-75-T0H-D	EA	2.000		
52	SPME051529 Pnu. Cyl. SSD2-L-50-175-T0H-D-N	EA	2.000		
53	SPME051530 Pnu. Cyl. SSD2-20-50-N	EA	2.000		
54	SPME051531 Pnu. Cyl. SSD-KL-50-80-T2H-D-N	EA	2.000		
55	SPME051532 Pnu. Cyl. CMK2-00-32-150-T0H-H	EA	2.000		
56	SPME051533 Pnu. Cyl. CMK2-00-32-125-T0H-H	EA	2.000		
57	SPME051534 Pnu. Cyl. CMK2-00-32-150-T0H-H-V	EA	2.000		
58	SPME051535 Pnu. Cyl. SSD2-20-15-N	EA	2.000		
59	SPME051536 Pnu. Cyl. MRL2-WL-32-230-T2H-D-C	EA	2.000		
60	SPME051537 Pnu. Cyl. STG-M-32-50-T0H-D	EA	2.000		
61	SPME051538 Pnu. Cyl. STL-B-25-300-T0H-D	EA	2.000		
62	SPME051539 Pnu. Cyl. CMK2-00-32-300-T0H-D	EA	2.000		

Schedule No.	Breif Description of goods and services (Related Specifications etc.are in Section-VII)	Accounting Unit	Quantity	Amount of Earnest Money	Remark
63	SPME051540 Pnu. Cyl. STL-B-25-350-T0H-D	EA	2.000		
64	SPME051541 Pnu. Cyl. CMK2-00-32-300-T0H-D-V	EA	2.000		
65	SPME051542 Pnu. Cyl. STG-B-12-20-T0H-D	EA	2.000		
66	SPME051543 Pnu. Cyl. STG-B-25-50-T0H-D	EA	2.000		
67	SPME051544 Pnu. Cyl. STG-M-20-150-T0H-D	EA	2.000		
68	SPME051545 Pnu. Cyl. CMK2-00-20--150	EA	2.000		
69	SPME043836 SSD-50-30 Pneumatic cylinder	EA	2.000		
70	SPME043847 SSD-B-25-40-N-30-N,Pneumatic cylinder	EA	2.000		
71	SPME020985 Cylinder Pneumatic-CMK2-CC-20-25	nos	2.000		
72	SPME043852 SSD-25-10-N,Pneumatic cylinder	EA	2.000		
73	SPME043842 SSD-32-10-N,Pneumatic cylinder	EA	2.000		
74	SPME031508 Pn. Cylinder CMK2-00-25-25 CKD	EA	2.000		
75	SPME021041 Cylinder Pneumatic-CMK2-00-20-75	nos	6.000		
76	SPME051576 PNEU CYL-SCPD3-L-CB-16-100-T2H3-D	EA	8.000		
77	SPME051577 PNEU CYL-SSD-K-80-80-N-CB2	EA	6.000		
78	SPME051578 PNEU CYL-SSD-B-80-50-N-30-N-12	EA	2.000		
79	SPME051579 PNEU CYL-SSD-DL-50-10-T3V3-D	EA	8.000		

1. Quantities mentioned in purchase requisition are illustrative/ indicative and not exhaustive; the actual requirement may vary (increase/ decrease) as per the need.

2. Required Delivery Schedule: All items or part thereof shall be delivered by the firm as per requirement during the currency of rate contract within 15 days or after intimation to the firm by email.



3. Purchaser reserves the right to alter the delivery schedule as per requirement.
4. Required Terms of Delivery: - FOR Currency Note Press, Nashik Road including stacking and unloading properly at site by the firm as shown by our representative.
5. Destination: - CURRENCY NOTE PRESS, JAIL ROAD, NASHIK ROAD # 422 101
6. Preferred Mode of Transportation: - BY ROAD.
7. Bid Validity: 120 days from due date of tender.
8. Bidder has to open the link provided in Section II, IV & XII onwards and take print out of all the documents available and then sign and stamp each and every paper and upload along with the technical tender.
9. All the copies of tenders shall be complete in all respects with all their attachments/enclosures duly numbered.
10. The total cost inclusive of all elements as cited above on FOR Currency Note Press, Nashik Road (Maharashtra), India, basis should be indicated clearly both in words and figures in the price bid.
11. RISK PURCHASE:
 - (a) If the supplier after submission of tender and due acceptance of the same, i.e. after placement of contract fails to abide by the terms & conditions of these tender documents, or fails to supply the deliverables as per delivery schedule given or at any time repudiates the contract, the purchaser shall have the right to Invoke the Security-cum-Performance Guarantee if deposited by the supplier & procure stores from other agencies at the risk & consequence of the supplier. The cost difference between the alternative arrangement and supplier tendered value will be recovered from the supplier along with other incidental charges, including custom duty, excise duty, taxes, insurance, freight etc.,
 - (b) For all the purpose the award of contract will be considered acceptance of tender and formal contract pending signing of agreement. Supplier has to abide by all the terms and conditions of tender.
 - (c) In case of job work through alternative sources and if job work price is lower, no benefit on this account will be passed on to the supplier.
12. Bidder has to submit Bank details i.e.
 - a] Account Number :
 - b] Bank Name:
 - c] Branch:
 - d] IFSC Code:



Section VII: Technical Specifications

Item No. 10

Material Description: Pnu. Cyl. CMK2-CC-32-50-T0H-R-Y

Medium bore size cylinder, Double acting/single rod type,CMK2 Series, CC-Mounting style-Fixed eye, Bore size-32 mm,50- Stroke length,T0H-SWITCH MODEL NO.,R-SWITCH QUANTITY -ONE ON ROD SIDE,Y-ACCESSORIES-ROD CLEVIS

Item No. 20

Material Description: Pnu. Cyl. SSD-L-50-50-T0H-D-N

Pneumatic Cylinder,SSD-L-Double acting single rod type with switch,Bore size (mm)-50,Port thread type-Rc thread,Cushion-No cushion,Stroke length (mm)-50,T0H-Switch model no,Lead wire length-1 m (standard),D-Switch quantity-2,N-Rod end male

Item No. 30

Material Description: Pnu. Cyl. SSD-20-32-N-CB

Pneumatic Cylinder,SSD-Double acting single rod type without switch,Bore size (mm)-20,Port thread type-Rc thread,Cushion-No cushion,Stroke length (mm)-32,N-Rod end male,CB-Mounting bracket-Clevis (pin and snap ring attached)

Item No. 40

Material Description: Pnu. Cyl. SSD-32-10-N-CB

Pneumatic Cylinder, SSD-Double acting single rod type without switch, Bore size (mm)-32,Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-10,N-Rod end male, CB-Mounting bracket-Clevis (pin and snap ring attached)

Item No. 50

Material Description: Pnu. Cyl. CMK2-CC-40-200-T0H-D

Medium bore size cylinder, Double acting/single rod type,CMK2 Series, CC-Mounting style-Fixed eye, Bore size-40 mm,200- Stroke length,T0H-SWITCH MODEL NO.,D-SWITCH QUANTITY -TWO

Item No. 60

Material Description: Pnu. Cyl. CMK2-00-32-25

Medium bore size cylinder, Double acting/single rod type,CMK2 Series,00-Mounting style-BASIC TYPE, Bore size-32 mm,25- Stroke length

Item No. 70

Material Description: Pnu. Cyl. SSD-32-20-N

Pneumatic Cylinder,SSD-Double acting single rod type without switch,Bore size (mm)-32,Port thread type-Rc thread,Cushion-No cushion,Stroke length (mm)-20,N-Rod end male



Item No. 80

Material Description: Pnu. Cyl. STS-M-25-35-T2H-D

Guided cylinder Double acting single rod type, STS-M Series, STS-SHORT STROKE, M-Bearing method-Metal bush bearing, 25-Bore size (mm), Port thread type-Rc thread, 35-Stroke length (mm), T2H-Switch model no., Lead wire length-1m (standard), D-Switch quantity-TWO

Item No. 90

Material Description: Pnu. Cyl. SSD-25-25-N-CB

Pneumatic Cylinder, SSD-Double acting single rod type without switch, Bore size (mm)-25, Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-25, N-Rod end male, CB-Mounting bracket-Clevis (pin and snap ring attached)

Item No. 100

Material Description: Pnu. Cyl. SSD-32-5-N-CB2

Pneumatic Cylinder, SSD-Double acting single rod type without switch, Bore size (mm)-32, Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-5, N-Rod end male, CB2-Mounting bracket-Clevis (compact type) (pin and snap ring attached)

Item No. 110

Material Description: Pnu. Cyl. CMK2-CC-40-110

Medium bore size cylinder, Double acting/single rod type, CMK2 Series, CC-Mounting style-Fixed eye, Bore size-40 mm, 110- Stroke length

Item No. 120

Material Description: Pnu. Cyl. CMK2-00-40-180

Medium bore size cylinder, Double acting/single rod type, CMK2 Series, 00-Mounting style-BASIC TYPE, Bore size-40 mm, 180- Stroke length

Item No. 130

Material Description: Pnu. Cyl. SSD-K-16-5

Compact cylinder Double acting single rod high load type, SSD-K Series, BORE SIZE-16 mm, STROKE-5 mm, Port thread type-Rc thread

Item No. 140

Material Description: Pnu. Cyl. SSD-32-15-N-CB

Pneumatic Cylinder, SSD-Double acting single rod type without switch, Bore size (mm)-32, Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-15, N-Rod end male, CB-Mounting bracket-Clevis (pin and snap ring attached)

Item No. 150

Material Description: Pnu. Cyl. SSD-20-20

Pneumatic Cylinder, SSD-Double acting single rod type without switch, Bore size (mm)-20, Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-20



Item No. 160

Material Description: Pnu. Cyl. SCA2-CA-40B-250-T0H-R-I

Pneumatic Cylinder, Medium bore size cylinder Double acting/single rod/with switch, Mounting style-CA-Eye bracket type, Bore size-40 mm, B-Cushion-Both sides cushion, 250- Stroke length, R-SWITCH QUANTITY -One on rod side, I-ACCESSORIES-ROD EYE

Item No. 170

Material Description: Pnu. Cyl. SSD-20-5-N-CB2

Pneumatic Cylinder, SSD-Double acting single rod type without switch, Bore size (mm)-20, Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-5, N-Rod end male, CB2-Mounting bracket-Clevis (compact type) (pin and snap ring attached)

Item No. 180

Material Description: Pnu. Cyl. SSD-20-10

Pneumatic Cylinder, SSD-Double acting single rod type without switch, Bore size (mm)-20, Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-10,

Item No. 190

Material Description: Pnu. Cyl. SSD-K-20-40

Compact cylinder Double acting single rod high load type, SSD-K Series, BORE SIZE-20 mm, STROKE-40 mm, Port thread type-Rc thread

Item No. 200

Material Description: Pnu. Cyl. CMK2-CC-40-75-T0H-R-Y

Medium bore size cylinder, Double acting/single rod type, CMK2 Series, CC-Mounting style-Fixed eye, Bore size-40 mm, 75- Stroke length, T0H-SWITCH MODEL NO., R-SWITCH QUANTITY -ONE ON ROD END, Y-ROD CLEVIS (PIN AND WASHER SPLIT PIN ATTACHED)

Item No. 210

Material Description: Pnu. Cyl. SSD-L-40-50-T0H-R-N-CB

Pneumatic Cylinder -SSD-L-Double acting single rod type with switch, 40-Bore size (mm), Port thread type-Rc thread, Cushion-No Cushion, 50-Stroke length (mm), T0H-Switch Model No., Lead wire length-1m standard, R-Switch quantity-One on rod side, N-Rod end male, CB-Mounting bracket-Clevis (pin and snap ring attached)

Item No. 220

Material Description: Pnu. Cyl. SSD-40-50-N-CB-Y

Pneumatic Cylinder, SSD-Double acting single rod type without switch, Bore size (mm)-40, Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-50, N-Rod end male, CB-Mounting bracket-Clevis (pin and snap ring attached), Y-Rod clevis (pin and snap ring attached)



Item No. 230

Material Description: Pnu. Cyl. CMK2-00-25-30

Medium bore size cylinder, Double acting/single rod type,CMK2 Series,00-Mounting style-BASIC TYPE, Bore size-25 mm,30- Stroke length

Item No. 240

Material Description: Pnu. Cyl. STG-BC-16-25

Guided cylinder, STG-BC Series-Double acting air-cushioned and ball-bearings,16-Bore size (mm),25-Stroke length (mm)

Item No. 250

Material Description: Pnu. Cyl. SRL3-00-25B-400-M2H-D-A1

SRL3,Rodless cylinder,00-Mounting style-Basic type,25-Bore size (mm),Port thread type-Rc thread,B-Cushion-Both sides cushioned,400-Stroke length (mm),M2H-Switch Model No.,Lead wire length-1m standard,D-Switch quantity-2,A1-Adjustable full-stroke L end only, with shock absorber

Item No. 260

Material Description: Pnu. Cyl. SRL3-00-20B-400-M2H-D-A2

SRL3,Rodless cylinder,00-Mounting style-Basic type,20-Bore size (mm),Port thread type-Rc thread,B-Cushion-Both sides cushioned,400-Stroke length (mm),M2H-Switch Model No.,Lead wire length-1m standard,D-Switch quantity-2,A2-Adjustable full-stroke bracket retrofitting

Item No. 270

Material Description: Pnu. Cyl. STS-B-16-40-T2H-D

Guided cylinder Double acting single rod type,STS-B Series,STS-SHORT STROKE,B-Ball bearing,16-Bore size (mm),Port thread type-Rc thread,40-Stroke length (mm),T2H-Switch model no.,Lead wire length-1m (standard),D-Switch quantity-TWO

Item No. 280

Material Description: Pnu. Cyl. SCA2-00-50B-200-T0H-D-I

Pneumatic Cylinder,Medium bore size cylinder Double acting/single rod/with switch,00-Mounting style-BASIC TYPE,Bore size-50 mm,B-Cushion-Both sides cushion,200- Stroke length,T0H-SWITCH MODEL NO,D-SWITCH QUANTITY TWO,I-ACCESSORIES-Rod eye

Item No. 290

Material Description: Pnu. Cyl. SSD-ML-50-25-T0H-D-N-CB

Pneumatic Cylinder -SSD-ML-Double acting non-rotating type/with switch,50-Bore size (mm),Port thread type-Rc thread,Cushion-No Cushion,25-Stroke length (mm),T0H-Switch Model No.,Lead wire length-1m standard,D-Switch quantity-TWO,N-Rod end male thread,CB-Mounting bracket-Clevis (pin and snap ring attached)



Item No. 300

Material Description: Pnu. Cyl. CMK2-CC-40-175-T0H-D-I

Medium bore size cylinder, Double acting/single rod type,CMK2 Series, CC-Mounting style-Fixed eye, Bore size-40 mm,175- Stroke length,T0H-SWITCH MODEL NO.,D-SWITCH QUANTITY -TWO,I-ROD EYE

Item No. 310

Material Description: Pnu. Cyl. CMK2-CC-20-50-T0H-R-Y

Medium bore size cylinder, Double acting/single rod type,CMK2 Series, CC-Mounting style-Fixed eye, Bore size-20 mm,50- Stroke length,T0H-SWITCH MODEL NO.,R-SWITCH QUANTITY -ONE ON ROD END,Y-ROD CLEVIS(PIN AND WASHER SPLIT PIN ATTACHED)

Item No. 320

Material Description: Pnu. Cyl. SSD-25-20

Pneumatic Cylinder,SSD-Double acting single rod type without switch,Bore size (mm)-25,Port thread type-Rc thread,Cushion-No cushion,Stroke length (mm)-20

Item No. 330

Material Description: Pnu. Cyl. SSD-20-30-N-CB-Y

Pneumatic Cylinder,SSD-Double acting single rod type without switch,Bore size (mm)-20,Port thread type-Rc thread,Cushion-No cushion,Stroke length (mm)-30,N-Rod end male,CB-Mounting bracket-Clevis (pin and snap ring attached),Y-Rod clevis (pin and snap ring attached)

Item No. 340

Material Description: Pnu. Cyl. STS-B-16-20

Guided cylinder Double acting single rod type,STS-B Series,STS-SHORT STROKE,B-Ball bearing,16-Bore size (mm),Port thread type-Rc thread,20-Stroke length (mm)

Item No. 350

Material Description: Pnu. Cyl. STS-B-16-50

Guided cylinder Double acting single rod type,STS-B Series,STS-SHORT STROKE,B-Ball bearing,16-Bore size (mm),Port thread type-Rc thread, 50-Stroke length (mm)

Item No. 360

Material Description: Pnu. Cyl. SCA2-FA-40B-200-T0H-D

Pneumatic Cylinder, Medium bore size cylinder Double acting/single rod/with switch,Mounting style-FA-Rod side flange type Bore size-40 mm,B-Cushion-Both sides cushion,200- Stroke length,T0H-SWITCH MODEL NO,D-SWITCH QUANTITY TWO



Item No. 370

Material Description: Pnu. Cyl. SRG3-00-20B-180-M0H-D-A2

SRL3,Rodless cylinder Double acting, resin guide type,00-Mounting style-Basic type,20-Bore size (mm),Port thread type-Rc thread, B-Cushion-Both sides cushioned,180-Stroke length (mm),M0H-Switch Model No., Lead wire length-1m standard, D-Switch quantity-2,A2-Adjustable full-stroke bracket retrofitting

Item No. 380

Material Description: Pnu. Cyl. CMK2-CC-25-25-Y

Medium bore size cylinder, Double acting/single rod type,CMK2 Series, CC-Mounting style-Fixed eye, Bore size-25 mm,25- Stroke length, Y-ROD CLEVIS(PIN AND WASHER SPLIT PIN ATTACHED)

Item No. 390

Material Description: Pnu. Cyl. SSD-25-40-N

Pneumatic Cylinder, SSD-Double acting single rod type without switch, Bore size (mm)-25, Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-40,N-Rod end male

Item No. 400

Material Description: Pnu. Cyl. SSD-40-15-N

Pneumatic Cylinder, SSD-Double acting single rod type without switch, Bore size (mm)-25, Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-40,N-Rod end male

Item No. 410

Material Description: Pnu. Cyl. CMK2-CC-25-75-T0H-D

Medium bore size cylinder, Double acting/single rod type,CMK2 Series, CC-Mounting style-Fixed eye,Bore size-25 mm,75- Stroke length,T0H-SWITCH MODEL NO.,D-SWITCH QUANTITY -TWO

Item No. 420

Material Description: Pnu. Cyl. SSD-25-10

Specifications: Pneumatic Cylinder,SSD-Double acting single rod type without switch,Bore size (mm)-25,Port thread type-Rc thread,Cushion-No cushion,Stroke length (mm)-10

Item No. 430

Material Description: Pnu. Cyl. SSD-WT-25-10-5

Item No. 440

Material Description: Pnu. Cyl. CMK2-CC-32-75-T0H-D-I

Specifications: Medium bore size cylinder, Double acting/single rod type,CMK2 Series, CC-Mounting style-Fixed eye, Bore size-32 mm,75- Stroke length,T0H-SWITCH MODEL NO.,D-SWITCH QUANTITY -TWO,I-ROD EYE



Item No. 450

Material Description: Pnu. Cyl. CMK2-M-00-20-75-T0H-H

Medium bore size cylinder, Double acting, non-rotating type,CMK2-M Series,00-Mounting style-BASIC TYPE, Bore size-20 mm,75- Stroke length,T0H-SWITCH MODEL NO,H-SWITCH QUANTITY-ONE ON HEAD END

Item No. 460

Material Description: Pnu. Cyl. CMK2-00-40-250-T0H-H

Medium bore size cylinder, Double acting/single rod type,CMK2 Series,00-Mounting style-BASIC TYPE, Bore size-40 mm,250- Stroke length,T0H-SWITCH MODEL NO,H-SWITCH QUANTITY-ONE ON HEAD END

Item No. 470

Material Description: Pnu. Cyl. CMK2-00-20-50

Medium bore size cylinder,Double acting/single rod type,CMK2 Series,00-Mounting style-BASIC TYPE,Bore size-20 mm,50- Stroke length

Item No. 480

Material Description: Pnu. Cyl. SSD-16-20

Pneumatic Cylinder,SSD-Double acting single rod type without switch, Bore size (mm)-16,Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-20

Item No. 490

Material Description: Pnu. Cyl. CMK2-CC-40-50-T0H-D-Y

Medium bore size cylinder,Double acting/single rod type,CMK2 Series,CC-Mounting style-Fixed eye,Bore size-40 mm,50- Stroke length,T0H-SWITCH MODEL NO.,D-SWITCH,Y-ROD CLEVIS(PIN AND WASHER SPLIT PIN ATTACHED)

Item No. 500

Material Description: Pnu. Cyl. CMK2-M-00-25-150-T0H-D

Specifications: Medium bore size cylinder,Double acting, non-rotating type,CMK2-M Series,00-Mounting style-BASIC TYPE,Bore size-25 mm,150- Stroke length,T0H-SWITCH MODEL NO,D-SWITCH

Item No. 510

Material Description: Pnu. Cyl. CMK2-CC-32-75-T0H-D

Medium bore size cylinder,Double acting/single rod type,CMK2 Series,CC-Mounting style-Fixed eye,Bore size-32 mm,75- Stroke length,T0H-SWITCH MODEL NO.,D-SWITCH



Item No. 520

Material Description: Pnu. Cyl. SSD2-L-50-175-T0H-D-N

COMPACT CYLINDER SSD2 SERIES,SSD2-L-Double acting single rod type with switch,50-Bore size (mm),Cushion- No Cushion,175-Stroke length (mm),T0H-Switch model no.,Lead wire length-1m (standard),D-Switch quantity-TWO,N-Rod end male thread

Item No. 530

Material Description: Pnu. Cyl. SSD2-20-50-N

COMPACT CYLINDER SSD2 SERIES,SSD2--Double acting single rod type without switch,20-Bore size (mm),Cushion- No Cushion,50-Stroke length (mm),N-Rod end male thread

Item No. 540

Material Description: Pnu. Cyl. SSD-KL-50-80-T2H-D-N

Compact cylinder Double acting single rod high load type, SSD-K Series, SSD-KL-With switch,50-Bore size (mm),Cushion- No Cushion,80-Stroke length (mm),T2H-Switch model no., Lead wire length-1m (standard),D-Switch quantity-TWO,N-Rod end male thread

Item No. 550

Material Description: Pnu. Cyl. CMK2-00-32-150-T0H-H

Medium bore size cylinder,Double acting/single rod type,CMK2 Series,00-Mounting style-BASIC TYPE,Bore size-32 mm,150- Stroke length,T0H-SWITCH MODEL NO,H-SWITCH QUANTITY-ONE ON HEAD END

Item No. 560

Material Description: Pnu. Cyl. CMK2-00-32-125-T0H-H

Medium bore size cylinder, Double acting/single rod type,CMK2 Series,00-Mounting style-BASIC TYPE, Bore size-32 mm,125- Stroke length,T0H-SWITCH MODEL NO,H-SWITCH QUANTITY-ONE ON HEAD END

Item No. 570

Material Description: Pnu. Cyl. CMK2-00-32-150-T0H-H-V

Medium bore size cylinder,Double acting/single rod type,CMK2 Series,00-Mounting style-BASIC TYPE,Bore size-32 mm,150- Stroke length,T0H-SWITCH MODEL NO,H-SWITCH QUANTITY-ONE ON HEAD END,V-BOSS CUT OFF

Item No. 580

Material Description: Pnu.Cyl.SSD2-20-15-N

COMPACT CYLINDER SSD2 SERIES, SSD2--Double acting single rod type without switch,20-Bore size (mm),Cushion- No Cushion,15-Stroke length (mm),N-Rod end male thread



Item No. 590

Material Description: Pnu. Cyl. MRL2-WL-32-230-T2H-D-C

SUPER RODLESS CYLINDER,MRL2 Series,MRL2-WL-With switch,32-Bore size (mm),Port thread Type-Rc Thread, Cushion- No Cushion,230-Stroke length (mm),T2H-Switch model no., Lead wire length-1m (standard),D-Switch quantity-TWO,C-With shock absorber (Basic type cannot be selected.)

Item No. 600

Material Description: Pnu. Cyl. STG-M-32-50-T0H-D

Model: Guided cylinder, double acting rubber-air cushioned,M-Bearing method-Metal bush bearing,32-Bore size (mm),Port thread type-Rc thread,50-Stroke length (mm),T0H-Switch model no.,Lead wire length-1m (standard),D-Switch

Item No. 610

Material Description: Pnu. Cyl. STL-B-25-300-T0H-D

Guided cylinder Double acting single rod type,STL Series,STL-LONG STROKE,B-Bearing method-Ball bearing,25-Bore size (mm),Port thread type-Rc thread,300-Stroke length (mm),T0H-Switch model no.,Lead wire length-1m (standard),D-Switch

Item No. 620

Material Description: Pnu. Cyl. CMK2-00-32-300-T0H-D

Medium bore size cylinder,Double acting/single rod type,CMK2 Series,00-Mounting style-BASIC TYPE,Bore size-32 mm,300- Stroke length,T0H-SWITCH MODEL NO,D-SWITCH

Item No. 630

Material Description: Pnu. Cyl. STL-B-25-350-T0H-D

Guided cylinder Double acting single rod type, STL Series, STL-LONG STROKE,B-Bearing method-Ball bearing,25-Bore size (mm),Port thread type-Rc thread,350-Stroke length (mm),T0H-Switch model no., Lead wire length-1m (standard),D-Switch quantity-TWO

Item No. 640

Material Description: Pnu. Cyl. CMK2-00-32-300-T0H-D-V

Medium bore size cylinder, Double acting/single rod type,CMK2 Series,00-Mounting style-BASIC TYPE, Bore size-32 mm,300- Stroke length,T0H-SWITCH MODEL NO,D-SWITCH QUANTITY-TWO,V-BOSS CUT OFF

Item No. 650

Material Description: Pnu. Cyl. STG-B-12-20-T0H-D

Model: Guided cylinder, double acting rubber-air cushioned, B-Bearing method-Ball bearing,12-Bore size (mm),Port thread type-Rc thread,20-Stroke length (mm),T0H-Switch model no., Lead wire length-1m (standard),D-Switch



Item No. 660

Material Description: Pnu. Cyl. STG-B-25-50-T0H-D

Model: Guided cylinder, double acting rubber-air cushioned, B-Bearing method-Ball bearing,25-Bore size (mm),Port thread type-Rc thread,50-Stroke length (mm),T0H-Switch model no., Lead wire length-1m (standard),D-Switch

Item No. 670

Material Description: Pnu. Cyl. STG-M-20-150-T0H-D

Model: Guided cylinder, double acting rubber-air cushioned, M-Bearing method-Metal bush bearing,20-Bore size (mm),Port thread type-Rc thread,150-Stroke length (mm),T0H-Switch model no., Lead wire length-1m (standard),D-Switch

Item No. 680

Material Description: Pnu. Cyl. CMK2-00-20--150

Medium bore size cylinder,Double acting/single rod type,CMK2 Series,00-Mounting style-BASIC TYPE,Bore size-20 mm,150- Stroke length

Item No. 690

Material Description: SSD-50-30 Pneumatic cylinder

Pneumatic Cylinder, SSD-Double acting single rod type without switch, Bore size (mm)-50,Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-30,

Item No. 700

Material Description: SSD-B-25-40-N-30-N, Pneumatic cylinder

Pneumatic Cylinder, SSD-B-Compact cylinder Double acting back to back type(without switch),BORE SIZE-25 MM, Port thread type-Rc thread, Stroke length (mm)-40,N-Rod end male thread

Item No. 710

Material Description: Cylinder Pneumatic-CMK2-CC-20-25

Medium bore size cylinder,Double acting/single rod type,CMK2 Series,CC-Mounting style-Fixed eye,Bore size-20 mm,25- Stroke length

Item No. 720

Material Description: SSD-25-10-N,Pneumatic cylinder

Side Pusher A/R Cylinder

Pneumatic Cylinder, SSD-Double acting single rod type without switch, Bore size (mm)-25,Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-10,N-Rod end male



Item No. 730

**Material Description: SSD-32-10-N, Pneumatic cylinder
Gripper Receiving Plate U/D Cylinder**

Pneumatic Cylinder, SSD-Double acting single rod type without switch, Bore size (mm)-32,Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-10,N-Rod end male

Item No. 740

Material Description: Pn. Cylinder CMK2-00-25-25 CKD

Medium bore size cylinder, Double acting/single rod type,CMK2 Series,00-Mounting style-BASIC TYPE, Bore size-25 mm,25- Stroke length

Item No. 750

Material Description: Cylinder Pneumatic-CMK2-00-20-75

Medium bore size cylinder, Double acting/single rod type,CMK2 Series,00-Mounting style-BASIC TYPE, Bore size-20 mm,75- Stroke length,

Item No. 760

Material Description: PNEU CYL-SCPD3-L-CB-16-100-T2H3-D

PENCIL CYLINDER,SCPD3,L-Double acting/single rod type/with switch,CB-Mounting style-Clevis bracket type (pin and snap ring attached),Bore size (mm)-16,Stroke length (mm)-100,T2H-SWOTCH MODEL NO.,3-Lead wire length-3 m (option),D-SWITCH

Item No. 770

Material Description: PNEU CYL-SSD-K-80-80-N-CB2

Compact cylinder Double acting single rod high load type Without switch, SSD-K Series, Bore size (mm)-80,Port thread type-Rc thread, Cushion-No cushion, Stroke length (mm)-80,N-Rod end male thread,CB2-Clevis (compact type) (pin and snap ring attached),

Item No. 780

Material Description: PNEU CYL-SSD-B-80-50-N-30-N-12

Compact cylinder Double acting back to back type, SSD-B Series Without switch, BORE SIZE-80 MM, Port thread type-Rc thread, Stroke length of cylinder1 (mm)-50,N-Rod end male thread,30-Stroke length of cylinder2 (mm),12-Accessory-Rod eye (compact type)

Item No. 790

Material Description: PNEU CYL-SSD-DL-50-10-T3V3-D

Compact cylinder Double acting double rod type, SSD-D Series, WITH SWITCH,BORE SIZE-50 MM, Port thread type-Rc thread, Stroke length of cylinder (mm)-10,T3V-SWOTCH MODEL NO.,3-Lead wire length-3 m (option),D-SWITCH



Special Conditions for the Rate Contract:

1. Firm has to supply the items as per our requirement and during the contract period the price shall be fixed.
2. Quantities mentioned in purchase requisition are illustrative/ indicative and not exhaustive; the actual requirement may vary (increase/ decrease) as per the need.
3. Period of Contract: One year from the date of issue of Purchase Order.
4. The items supplied shall be easily replaceable on the machine without making any modification. The items offered in the tender have to match one to one replacement of the part on the machine.
5. The firm shall provide dimensional drawing and tolerance of all the items in the tender. Bidder has to submit the documentary evidences from Engineering Catalogue, detail technical leaflet/ catalogue along with bid for the quoted items.
6. Firm should submit pre-dispatch inspection certificate issued by OEM for all the items in tender at the time of supply.
7. Warranty: One year from the date of supply.
8. Essential Conditions:
 - 8.1 In case of abnormal/ repeated failure of items while in service, bidder shall depute their service engineer free of cost to analyze the root cause & to rectify the same. Bidder shall confirm same in the technical bid.
 - 8.2 The items supplied shall be of latest/ best design manufactured all over the world.



Section VIII: Quality Control Requirements

1. The material will be accepted on manufacturer's/ sellers, guarantee/ warranty/ quality certificate, if applicable to be sent to purchaser. If any defects observed or the material found unsuitable, then the same will be returned to the supplier for free replacement up to currency Note Press, Nashik Road.



Section IX: Qualification/Eligibility Criteria

1. Experience and past performance: The Bidder firm should have supplied similar pneumatic spares of at least 40% of the total quantity of items bidder intend to quote in any one year of the last five years ending 31.03.2021.
2. Capacity and Capability:
The bidder must have an annual capacity to supply at least 40% of the total quantity of items bidder intent to quote.
3. Financial standing:
 - i. Average Annual Turnover of the bidder firm during last three year i.e., 2018-19, 2019-20 and 2020-21 should be more than Rs. 7,26,000/-.
 - ii. Bidder firm should not have suffered any financial loss for more than one year during the last three years i.e. 2018-19, 2019-20 and 2020-21.
 - iii. The net worth of the bidder should:
 - a. Not be negative as per latest audited financials i.e. FY 2020-2021
 - b. Not have eroded by more than 30% in the last three years 2018-19, 2019-20 and 2020-21.
4. The bidder shall enclose attested copy of GST Registration Certificate (in Reg-06) and PAN card.
5. The bidder should give a declaration that they have not been black-listed/ debarred for dealing by Government of India in the past.
6. The bidder has to submit an undertaking / declaration that they unconditionally accept all terms and conditions of the tender document including all section without any deviations.
7. The bidder shall be OEM or Authorized Industrial Distributors or Authorized Dealer of OEM and shall attach valid Authorization Industrial Distributor/Dealership Certificate obtained from OEM for the current year along with the bid, failing which bid will not be considered.
8. The bidder should submit Power of Attorney of the Authorized Signatory for signing the bid, entering into contract, if awarded and for any other correspondences.

Note-i. In support of above clause 1 the bidders should strictly produce the copies of purchase orders, experience certificates, Job completion certificates of customer as documentary evidence.

ii. In support of financial standings the bidder must submit CA / CMA certified financial Balance Sheets and Profit & Loss Account statements for the Financial Year 2018-19, 2019-20 and 2020-21.

iii. Bidders should furnish stipulated documents in support of fulfillment of qualifying criteria. Non submission or incomplete submission of documents may lead to rejection of offer.



Tender No.6000017688

SECTION X: TENDER FORM

To,
Currency Note Press, Nashik
A Unit of Security Printing & Minting
Corporation of India Limited
Wholly Owned by Govt. of India
Nashik
(complete address of SPMCIL)

Ref: Your Tender document No. 6000017688 dated __ /08/2022

We, the undersigned have examined the above-mentioned tender enquiry document, including amendment No. -----, dated ----- (if any), the receipt of which is hereby confirmed. We now offer to supply and deliver..... (description of goods and services) in conformity with your above referred document for the sum shown in the price schedule(s), attached herewith and made part of this tender.

If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.

We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC clause 6, read with modification, if any, in Section V - "Special Conditions of Contract", for due performance of the contract.

We agree to keep our tender valid for acceptance for a period upto -----, as required in the GIT clause 19, read with modification, if any in Section-III - "Special Instructions to Tenderers" or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender upto the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We confirm that in case of downloaded Tender Document, we have not changed/edited its contents. We realise that in case any such change is noticed at any stage including after the award of contract, we would be liable to action under clause 44 of the GIT. We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry. We also solemnly declare as under:

1. MSMEs Status:

Having read and understood the Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 (as amended and revised till date), and solemnly declare the following:

- (a) Company /Partnership Firm /Proprietary Concern / Society/Trust / NGO/Others (Please Specify):.....
- (b) Micro/ Small / Medium Enterprise/ SSI/ Govt. Deptt. / PSU/ Others:....
- (c) Name of MSME Registering Body (NSIC/ DIC/ KVIC/KVIB etc.):.....
- (d) MSME Registration no. (with copy of registration):.....



- (e) Udyog Aadhaar Memorandum no.....
- (f) Whether Proprietor/ Partner belongs to SC/ ST or Women category.
(Please specify names and percentage of shares held by SC/ST Partners):.....

2. Make in India Status:

Having read and understood the Public Procurement (Preference to Make in India PPP_MII) Order, 2017 (as amended and revised till date) and related notifications from the relevant Nodal Ministry/ Department, and solemnly declare the following:

(a) Self-Certification for category of supplier:

- Class-I Local Supplier/
- Class-II Local Supplier/
- Non-Local Supplier.

(b) We also declare that

- There is no country whose bidders have been notified as ineligible on reciprocal basis under this order for offered product, or Tender Form

SPMCIL

- We do not belong to any Country whose bidders are notified as ineligible on reciprocal basis under this order

3. Restrictions on procurement from bidders from a country or countries, or a class of countries under Rule 144 (xi) of the General Financial Rules 2017 Having read and understood the Order (Public Procurement No. 1) issued vide F.No.6/18/2019-PPD dated 23rd July 2020 (and its amendments if any) by Department of Expenditure, Ministry of Finance under the above provision and solemnly declare the following:

- We do not belong to any Country whose bidders are notified as ineligible under this order.

4. Debarment Status: Please state whether business dealings with you currently stand suspended/ banned by any Ministry/ Deptts. of Government of India or by any State Govt:

- Yes (with period of Ban)
- No, We, solemnly declare that neither we nor any of our affiliates or subsidiaries - including subcontractors or suppliers for any part of the contract - do not stand declared ineligible/ blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations.

5. Penalties for false or misleading declarations: I/we hereby confirm that the particulars given above are correct and complete and also undertake to advise any future changes to the above details. We understood that any wrong or misleading self-declaration by us would be violation of code of Ethics and would attract penalties as mentioned in this tender document, including debarment.

.....
(Signature with date)

.....
(Name and designation)

Duly authorized to sign tender for and on behalf of

.....
.....

	V										
65	Pnu. Cyl. STG-B-12-20-T0H-D	EA								2	
66	Pnu. Cyl. STG-B-25-50-T0H-D	EA								2	
67	Pnu. Cyl. STG-M-20-150-T0H-D	EA								2	
68	Pnu. Cyl. CMK2-00-20--150	EA								2	
69	SSD-50-30 Pneumatic cylinder	EA								2	
70	SSD-B-25-40-N-30-N,Pneumatic cylinder	EA								2	
71	Cylinder Pneumatic-CMK2-CC-20-25	Nos.								2	
72	SSD-25-10-N,Pneumatic cylinder	EA								2	
73	SSD-32-10-N,Pneumatic cylinder	EA								2	
74	Pn. Cylinder CMK2-00-25-25 CKD	EA								2	
75	Cylinder Pneumatic-CMK2-00-20-75	Nos.								6	
76	PNEU CYL-SCPD3-L-CB-16-100-T2H3-D	EA								8	
77	PNEU CYL-SSD-K-80-80-N-CB2	EA								6	
78	PNEU CYL-SSD-B-80-50-N-30-N-12	EA								2	
79	PNEU CYL-SSD-DL-50-10-T3V3-D	EA								8	

FOR CNP Nasik price in words.....



1. We confirm that there would not be any price escalation during the supply period.
2. We confirm that we will abide by all the tender terms and conditions and we do not have any counter conditions.
3. Dispatch Point : _____ (Bidder to indicate dispatch point where goods dispatched)
4. Bid shall remain valid for acceptance for a period of 120 days from the date of tender opening.

Note: - i. The bidder has to quote the applicable GST (i.e. IGST, CGST, and SGST) as per GST.

ii. Taxes and duties as applicable on the date of opening of price bid shall be taken into consideration for evaluation of bid.

iii. Price bids with conditions/ counter conditions are liable to be rejected.

iv. The bidder has to indicate HSN code in the field provided above.

v. Bidders have to submit their offer strictly as per the above price schedule in their sealed Commercial Bid separately.

vi. The orders shall be placed on individual item wise lowest quoted bidder subject to complying with the techno-commercial terms and conditions of the tender

.....
(Name and Signature with date)

Office Seal/Stamp



- SECTION XII: QUESTIONNAIRE
 SECTION XIII: BANK GUARANTEE FORM OF EMD
 SECTION XIV: MANUFACTURER'S AUTHORIZATION FORM
 SECTION XV: BANK GUARANTEE FORM FOR PERFORMANCE SECURITY
 SECTION XVI: CONTRACT FORM
 SECTION XVII: LETTER OF AUTHORITY FOR ATTENDING A BID OPENING
 SECTION XVIII: SHIPPING ARRANGEMENT FOR LINER CARGOES
 SECTION XIX: PROFORMA OF BILLS FOR PAYMENTS
 Please [CLICK](#) the link for further details

<http://cnpnashik.spmcil.com/SPMCIL/UploadDocument/SBDTEMPLATE1.pdf>

ANNEXURE – II

TWO BID, SINGLE STAGE (TWO PACKETS) TENDER
BIDDER'S CHECK LIST BEFORE TENDER SUBMISSION

Part I: - TECHNO-COMMERCIAL BID

Sr. No.	Tender Submission Check Points	Check before submission Tick (✓)
1	Bid Security declaration to be submitted (Annexure I)	
2	Tender Document duly Seal & Signed	
3	Term of Delivery :- FOR, CNP Nashik road, duly unloaded	
4	Tender Validity 120 days as per the tender	
5	Technical Specification –Section VII as per tender	
6	Submit Manufacturer's Authorization form (If Applicable)	
7	Accept the Warranty clause as per tender (If Applicable)	
8	Submit the documents as per Qualification / Eligibility criteria – Section IX (If Applicable)	
9	Fill Tender Form – Section X duly seal & sign (Without mentioning price)	
10	Delivery Period: Acceptance of delivery period as per tender Document	
11	Complete Section II (GIT) of Tender document Downloaded Signed & Stamped	
12	Complied Section VI (GCC) of tender document downloaded Signed & Stamped of tender document	
13	Section XII to XIX downloaded Signed & Stamped	

Part II: - PRICE BID

Sr. No.	Tender Submission Check Points	Check before submission Tick (✓)
1	Price Bid as per Section XI (Price including all taxes & other charges)	

.....
 (Bidder's Seal & Sign)