Se	elect Financial Year	: 2022-2023 •	•				
	Search Event:	22	Sea	rch			
	Select Event No.:	SPMCIL/Cu	rrency Note Press Nas	nik/Purchase	ə/4/22-23/ET/15[B	lock Board Boxes]	~
	etails	ncy Note Press Nashik/Pur	chase/4/22-23/ET/15/E	lock Board F	Boxesl		Event Status
	: Goods						Event Activated
Descr	ription of Event: Blo	ock Board Boxes					Activities
lode		Type of Tender: Open	Bid Submission: Lotwise		C	pening: ES	Published on: 2022-04- 29-10.56.18.103118 Activated on: 2022-04- 29-12.19.03.610830
ende	Not Applicable (In R er Fee: Not Applicab ated Value: 489574	le (In Rs.) Bank Details	Document Uploa		d: YES		Tender Extended on: - Tender Opened on: 2022-05-30- 15.53.46.682258 Price Opened on: - Event Cancelled on: -
01	nline Pre Bid Meeting	Bidding P	eriod		Tender Opening	Period	Price Bid Opening Date
No	ot Applicable	29.04.2022 - 12:20 PM To AM	o 30.05.2022 - 09:00	30.05.202	2 - 09:01 AM To 3 AM	30.05.2023 - 09:01	-
Of Te	nder Document						
l. D.		Document De	tails		Document Ty	/pe	Action
		T-15[Block Board Boxes] prrigendumBBB.pdf 24		-	CORRIGEND	UM	Download
				476.pdf	NIT		

SI. No.	Document Details
2	Duly Filled and Signed Bid Security Declaration
3	As Tender is Reserved for MSME; MSME Registered Bidders for the tendered product should submit the MSME registration Certificate

1

SI. No.	Document Details
4	Duly sealed and Signed 61 Pages of GIT i.e. Section II of Tender Documents
5	Duly sealed and Signed 36 Pages of GCC i.e. Section IV of Tender Documents
6	Duly Sealed and Signed Acceptance to Parallel Contract Note
7	Duly Sealed and Signed Acceptance to Section VI: List of Requirements
8	Duly Sealed and Signed Acceptance to Section VII: Technical Specfications
9	Duly Sealed and Signed Acceptance to Section VIII: Quality Control Requirement
10	Duly Sealed and Signed Acceptance to Section IX: Eligibility Criteria
11	Duly Sealed and Signed Acceptance to Section X: Tender Form
12	Duly Sealed and Signed Acceptance to Section XII to Section XIX of Tender Documents
endor Do	cument Upload Checklist For Technical COVER
SI. No.	Document Details
2	Duly Filled and Signed Bid Security Declaration
3	As Tender is Reserved for MSME; MSME Registered Bidders for the tendered product should submit the MSME registration Certificate
4	Duly sealed and Signed 61 Pages of GIT i.e. Section II of Tender Documents
5	Duly sealed and Signed 36 Pages of GCC i.e. Section IV of Tender Documents
6	Duly Sealed and Signed Acceptance to Parallel Contract Note
7	Duly Sealed and Signed Acceptance to Section VI: List of Requirements
8	Duly Sealed and Signed Acceptance to Section VII: Technical Specifications
9	Duly Sealed and Signed Acceptance to Section VIII: Quality Control Requirement
10	Duly Sealed and Signed Acceptance to Section IX: Eligibility Criteria
11	Duly Sealed and Signed Acceptance to Section X: Tender Form
12	Duly Sealed and Signed Acceptance to Section XII to Section XIX of Tender Documents
endor Do	cument Upload Checklist For Price COVER
	o. Document Details

nder Committee N	lembers					
Name	Designation	Office	Department	Email	Mobile No.	Encr publ ex d
VUPPALA KIRAN KUMAR	Jt. General Manager	Currency Note Press Nashik	Purchase,HR,Technical,Finanace,IT,Marketing,R and D,Others	V.Kirankumar@spmcil.com	9096000418	2022- 00:00
USHARKUMAR PRAKASH MAHAJAN	DGM	Currency Note Press Nashik	IT	tushar.mahajan@spmcil.com	8275022966	2022- 00:00

Duly Sealed and Signed Acceptance to Section XI Price Schedule

Lot Nar	ne Category	Lot Description	Quantity/UOM	Currency	Ceiling Price	Estimated Price
Гуре D	Packing Materials	Block Board Boxes of Type D	16000.0 BOX	INR	-	-
t No: 1	Specific Terms					
AINIMU	IM ELIGIBILITY CRITER	A				
SI.No	Terms					Component
	as The Bidder should h	erformance: The bidder manufacturer or principal ave manufactured and supplied Block Board Box For Type D: 6400 Nos. of Block Board Boxes				Agree Only
2	Board Boxes For Type Name of the machine u	y: The bidder must have an annual capacity to ma D: 6400 Nos. of Block Board Boxes The bidder h tilized to supply the quoted product. ii) The numb ne. iii) Total Annual capacity of Manufacturer. iv) :	as to submit the following detai er of machines being utilized fo	Is along with the or the production	bid: i) and the	Agree Only
3	-	erage Annual Turnover of the Bidder firm during la e value mentioned below: For Type D: Rs. 61,78,		2019-2020 & 20	020-2021	Agree Only
ļ	Bidder firm should not 2019, 2019-2020 & 202	nave suffered any financial loss for more than one 20-2021.	e year during the last three fina	ncial years i.e. 2	018-	Agree Only
5	The net worth of the fin i.e. 2018-2019, 2019-2	n should not be negative and should not have ero 020 & 2020-2021.	oded by more than 30% in the l	ast three financia	al years	Agree Only
3	The bidder should give Government of India in	a declaration on the letter head of the firm that th the past.	ey have not been black-listed/	debarred for dea	ling by	Agree Only
7	The bidder should subr and for any other corre	nit Power of Attorney of the Authorized Signatory spondences.	for signing the bid, entering in	to contract, if aw	arded	Agree Only
3	The bidders shall enclo	se attested copy of GST Registration Certificate ((in REG 06 format) & attested of	copy of PAN Car	d.	Agree Only
)	-	undertaking/declaration on the letter head of firm cuments and submitting unconditional acceptance		stood all the terr	ns &	Agree Only
FECHN	ICAL SPECIFICATIONS					
SI.No	Terms					Component
10	x 300 mm H. ii. The pa revised to 1659:2004 F block board pieces use packing the currency n well-seasoned good qu core veneers of 1.8 to 2 with minimum 14 mm C All layers should be we any gap between the b assembling the boxes. assembled view of the x. Boxes should be of s jerks rough handling du treasury. xi. The nailed	s for block board boxes of Type D i. Internal size of cking cases of size as mentioned above shall be r (A-2004 interior grade of uniform thickness 19 mm d for the assembly of the boxes should have any, otes. iv. Boxes should be supplied as per the drav ality wood shall be used consisting of top bottom 2.0 mm thick. vi. The center core battens of the block 5 mm thickness, width of 30 mm 1 mm and 300 r Il seasoned well bonded with BWRMR grade adh attens used in the block board. viii. Nails of size 6 ix. The ends of top bottom lids can be flushed drawing, so that the top bottom lids can be flushed ufficient mechanical strength shall be able to carr ring loading and unloading in Treasury van. Thes strapped box should not get opened or de-shape boxes would be tested randomly.	made out of block board confor n. iii. Box shall be made of 6 pic- joints on the surface as the box- wing enclosed in tender. v. Five face veneers of 0.5 to 0.6 mm ock board should be softwood mm length joined together in st esive conforming to IS 848:197 5 mm x 12 SWG with washers ould remain slightly elevated a: d in side to make the level rem y and withstand product weigh- se will be stacked three high on	ming to IS 1659: ecces and none of xes will be used is layered block be thick and top boi or medium densis aggered formatic '4. There should should be used s shown in the ain uniform all th t of 125 Kilogram e over the other	1990 f the six for oard of ttom ity wood on. vii. not be for e sides. n under in the	Agree Only

1	TERMS & CONDITIONS 1) The box should be delivered in complete assembled condition leaving the top lid open. 2) Each box	Agree Only
	should be stamped indicating the denomination in bold letters. 3) The supplier must enclose certificate from a Govt. approved	
	laboratory that the block board used for making the boxes is conforming to IS 1659:1990 revised to 1659:2004 (RA2004) interior	
	grade, along with pilot sample. 4) The boxes should be neat, clean & uniform in dimension & as per specification. The block	
	boards supplied shall be inspected and randomly checked and in the event of block boards found not conforming to	
	specifications and terms & conditions, the entire lot will be rejected. The rejected lot will be removed from CNP by the supplier at	
	his own cost within 30 days failing which CNP will take action to remove the material at risk & cost of supplier. 5) Inspection will	
	be carried out at Currency Note Press, Nashik. In the event of rejection of supplied lot, if the firm desires to have joint inspection	
	at CNP, then the said request should be sent within 20 days of the issue of intimation by rejection note sent. After that, no claim	
	whatsoever shall be entertained. 6) The supplier will be responsible for obtaining clearance/permission or complete formalities	
	required to be completed with the concerned state government or any other department for the supply of boxes to CNP Nashik.	
	CNP will not be responsible for any litigation in this respect. 7) Certificate from a government approved lab shall be enclosed	
	with 1st Supply clearly stating that the block boards used for manufacturing of boxes is conforming to interior grade IS:	
	1659:1990 failing which payment will not be released and if required CNP reserves the right to ask the firm to send other lots to	
	be checked from Govt. approved labs. 8) The boxes supplied must have sufficient strength and will not de-shape while dropping	
	from a height of 7 feet with a load of 125 Kg material. 9) The firm shall furnish self-certificate that the supplied block board boxes	
	have been given anti-termite treatment. 10) Boxes to be marked with company Logo and Name (To be provided to successful	
	bidder). 11) Boxes to be marked with month and year of manufacturing. 12) Rs. 500 Denomination boxes to be marked as	
	Type-F. 13) Rs. 50 Denomination boxes to be marked as Type-D.	
PARA	LLEL CONTRACT	

SI.No	Terms	Component
12	Parallel Contract Note To be printed on letter head of bidder Currency Note Press, Nashik Road reserves the right to conclude parallel Contracts with more than one bidder without any prejudice to the capacity of L1 bidder as given below: 1 The Price Offered by L1 bidder will be counter offered to L2 and L3 bidder. On acceptance of counter offer, order will be placed in the ratio of 50:30:20 among L1, L2, L3 bidders respectively. In case of non acceptance of counter offer by L2 and L3 bidder, similar offer shall be given to L4 and so on. 2 In case of only one bidder accepts L1 Price then the order will be placed in the ratio of 70:30.3 Incase only L1 bidder is available, the entire quantity will be ordered on L1 bidder subject to availability of his capacity. N.B.: Bidders are requested to clearly mention the offered quantity in their technical bid.	Agree Only

Price Parameters/ Formula

Variable Name	Name of Parameters	Sub Total Example: a+b	Type of Component	Places of decimal	Lumpsum
а	Basic Price	-	Numeric Text Only	2	No
b	Packing and forwarding charges	-	Numeric Text Only	2	No
С	freight and insurance charges	-	Numeric Text Only	2	No
Price formul	a				

(a+b+c)*(12/100) (Up to 2 Decimal Place)

Lot No : 2

Lo	ot Name	Category	Lot Description	Quantity/UOM	Currency	Ceiling Price	Estimated Price
Ту	vpe F	Packing Materials	Block Board Boxes of Type F	34000.0 BOX	INR	-	-

Lot No: 2 Specific Terms

MINIMUM ELIGIBILITY CRITERI		
SI.No	Terms	Component
1	Experience and past performance: The bidder manufacturer or principal of authorized representative hereinafter referred simply as The Bidder should have manufactured and supplied Block Board Boxes as per given below in any one of the last five years ending on 31.03.2021. For Type F: 13600 Nos. of Block Board Boxes	Agree Only

2	Capacity and Capability: The bidder must have an annual capacity to manufacture and supply at least following quantity of Block Board Boxes For Type F: 13600 Nos. of Block Board Boxes. The bidder has to submit the following details along with the bid: i) Name of the machine utilized to supply the quoted product. ii) The number of machines being utilized for the production and the capacity of each machine. iii) Total Annual capacity of Manufacturer. iv) Supply orders in hand and proportionate capacity to supply quoted amount.	Agree Only
3	Financial Standing: Average Annual Turnover of the Bidder firm during last three years i.e. 2018- 2019, 2019-2020 & 2020-2021 should be more than the value mentioned below: For Type F: 1,34,04,200/-	Agree Only
4	Bidder firm should not have suffered any financial loss for more than one year during the last three financial years i.e. 2018-2019, 2019-2020 & 2020-2021.	Agree Only
5	The net worth of the firm should not be negative and should not have eroded by more than 30% in the last three financial years i.e. 2018-2019, 2019-2020 & 2020-2021.	Agree Only
6	The bidder should give a declaration on the letter head of the firm that they have not been black-listed/ debarred for dealing by Government of India in the past.	Agree Only
7	The bidder should submit Power of Attorney of the Authorized Signatory for signing the bid, entering in to contract, if awarded and for any other correspondences.	Agree Only
В	The bidders shall enclose attested copy of GST Registration Certificate (in REG 06 format) & attested copy of PAN Card.	Agree Only
9	The bidder should give undertaking/declaration on the letter head of firm that they have read and understood all the terms & conditions of tender documents and submitting unconditional acceptance to all terms & conditions.	Agree Only
TECHN	ICAL SPECIFICATIONS	
SI.No	Terms	Component
10	Technical specifications for block board boxes of Type F i. Internal size of Type F Box Rs. 500- Denomination 700 mm L x 620 mm W x 320 mm H. ii. The packing cases of size as mentioned above shall be made out of block board conforming to IS 1659:1990 revised to 1659:2004 RA-2004 interior grade of uniform thickness 19 mm. iii. Box shall be made of 6 pieces and none of the six block board pieces used for the assembly of the boxes should have any joints on the surface as the boxes will be used for packing the currency notes. iv. Boxes should be supplied as per the drawing enclosed in tender. v. Five layered block board of well-seasoned good quality wood shall be used consisting of top bottom face veneers of 0.5 to 0.6 mm thick and top bottom core veneers of 1.8 to 2.0 mm thick. vi. The center core battens of the block board should be softwood or medium density wood with minimum 14 mm 0.5 mm thickness, width of 30 mm 1 mm and 300 mm length joined together in staggered formation. vii. All layers should be well seasoned well board wills of size 65 mm x 12 SWG with washers should be used for assembling the boxes. ix. The ends of top bottom sides of the board should remain slightly elevated as shown in the assembled view of the drawing, so that the top bottom lids can be flushed in side to make the level remain uniform all the sides. x. Boxes should be of sufficient mechanical strength shall be able to carry and withstand product weight of 125 Kilogram under jerks rough handling during loading and unloading in Treasury van. These will be stacked three high one over the other in the treasury. xi. The nailed strapped box should not get opened or de-shaped while dropping from a height 7 feet with load of 125 Kilogram. The supplied boxes would be tested randomly.	Agree Only
11	TERMS & CONDITIONS 1) The box should be delivered in complete assembled condition leaving the top lid open. 2) Each box should be stamped indicating the denomination in bold letters. 3) The supplier must enclose certificate from a Govt. approved laboratory that the block board used for making the boxes is conforming to IS 1659:1990 revised to 1659:2004 (RA2004) interior grade, along with pilot sample. 4) The boxes should be neat, clean & uniform in dimension & as per specification. The block boards supplied shall be inspected and randomly checked and in the event of block boards found not conforming to specifications and terms & conditions, the entire lot will be rejected. The rejected lot will be removed from CNP by the supplier at his own cost within 30 days failing which CNP will take action to remove the material at risk & cost of supplier. 5) Inspection will be carried out at Currency Note Press, Nashik. In the event of rejection of supplied lot, if the firm desires to have joint inspection at CNP, then the said request should be sent within 20 days of the issue of intimation by rejection note sent. After that, no claim whatsoever shall be entertained. 6) The supplier will be responsible for obtaining clearance/permission or complete formalities required to be completed with the concerned state government or any other department for the supply of boxes to CNP Nashik. CNP will not be responsible for any litigation in this respect. 7) Certificate from a government approved lab shall be enclosed with 1st Supply clearly stating that the block boards used for manufacturing of boxes is confiring to interior grade IS: 1659:1990 failing which payment will not be released and if required CNP reserves the right to ask the firm to send other lots to be checked from Govt. approved labs. 8) The boxes supplied must have sufficient strength and will not de-shape while dropping from a height of 7 feet with a load of 125 Kg material. 9) The firm shall furnish self-certificate that the supplied block board boxes have been g	Agree Only

SI.No	Terms	Componen
12	Parallel Contract Note To be printed on letter head of bidder Currency Note Press, Nashik Road reserves the right to conclude parallel Contracts with more than one bidder without any prejudice to the capacity of L1 bidder as given below: 1 The Price Offered by L1 bidder will be counter offered to L2 and L3 bidder. On acceptance of counter offer, order will be placed in the ratio of 50:30:20 among L1, L2, L3 bidders respectively. In case of non acceptance of counter offer by L2 and L3 bidder, similar offer shall be given to L4 and so on. 2 In case of only one bidder accepts L1 Price then the order will be placed in the ratio of 70:30. 3 Incase only L1 bidder is available, the entire quantity will be ordered on L1 bidder subject to availability of his capacity. N.B.: Bidders are requested to clearly mention the offered quantity in their technical bid.	Agree Only

Price Parameters/ Formula

nly 2 No
inly 2 No
nly 2 No