speed of 10000 Sheets per hour. (02 nos. for CNP, Nashik) against tender no. 01/BNP/P/INTAGLIO MACHINE/2021-22/GT dated 31.03.2022 Ref: Letter dated 20 January 2020 received from M/s. UNO Seisakusho Co., Ltd, Japan Manufacture, Testing, Supply, Installation and Commissioning of Sheet Fed 5 colour (minimum) Intaglio (Indirect Inking) machine for banknote printing at Sub.: Minutes of meeting of pre-bid conference held on 22.04.2022 at BNP Conference Hall with Representatives of Prospective bidder for Design,

M/s. Koenig & Bauer Banknote Solution SA Switzerland

,			
No.	Reference in tender document	Query of M/s. Koenig & Bauer Banknote Solution	Reply of BNP, Dewas
.1	Section V - Special Conditions	As a foreign bidder and the time required for the delegation of	As per tender
	of Contract page no. 11:	parts and personnel, we kindly request to increase the eventual	
	Warranty Clause:	downtime of the machine to " not more than 20 working days".	
		Please rest assured however that we would take every possible	
		measure to shorten this time span.	
		Please confirm your agreement.	
2.	Section V - Special Conditions	As the tender/contract can cater for up to two machines to be	As per tender
	of Contract page no. 12&13:	delivered separately, we kindly request that the indicated payment	
	Terms & Mode of Payment:	terms; reflect a payment machine by machine as the situation for	
		the stipulated installments arise.	
ω.	Section VI - List of	In order to allow for the optimum preparation and realization of the	As per tender
	Requirements page no. 15:	PDI and factory training activities for, we kindly request an interval	
	Required Delivery Period clause	of 9 weeks between each machine; i.e.: 1st machine within 32	
	no. 3 a	weeks	
		2nd machine within 41 weeks	
		Please confirm the optimized delivery schedule for pre-dispatch inspection.	
Bidder	Bidders Representatives:-	19, 12 Juday 77 4-a	The second
BNP m	BNP members:-	Int it someway regions as we want	STA (KIN)
CNP N	CNP Member	Willoun"	

?	Deference in tender designant	Occasion Nation Commission Contraction	Panly of BND Dawas
No.	אפופופורפ ווו נכוומכו מסכמווכוונ	des) or M.2. vocing or pages parigiple 2014(101)	exply of piet) pressure
4.	Section VI – List of Requirements	Can BNP/CNP please clarify which plates will be used for the	Clarified that during commissioning
	page no. 15 : Required Delivery	commissioning of the machines, the Seller's test plates or the	sellers plates and during FAT purchaser
	Period clause no. 3 c:	Purchaser's production plates?	plates shall be used.
	Commissioning	Please clarify.	
5.	Section VI - List of Requirements	Can you please specify that CNP shall be responsible for the	Up to the installation site: CNP's
	page no. 15 : Required Delivery	and	responsibility
	Period clause no. 3 c: Installation-	provide to the Seller all lifting equipment necessary for the	During installation: Supplier's
	Handling & lifting of equipment	installation of the machines (gantry forklifts, etc.).	responsibility.
		Please confirm.	
6.	Section VI — List of Requirements	Installation – auxiliary personnel	This is the part of bidder scope.
	page no. 15 : Required Delivery	In order to have a smooth progression of the installation and	However it is clarified that CNP/buyer
	Period clause no. 3 c: Installation-	commissioning process, we kindly ask CNP to put at Seller's	shall provide the required support
l lu	Handling & lifting of equipment	disposal the required local personnel.	
		Please confirm this understanding.	
7.	Section VII — Technical	In order to avoid confusion, kindly please share the existing	Shall be provided on the request of
	Specifications page no. 20 Brief	infrastructure/utilities.	prospective bidder before submission
	Description clause no. 1.3		of bid.
.8	Section VII - Technical	The intaglio printing process involves a very high pressure to be	Bidder's understanding is correct.
	Specifications page no. 20 Brief	supported by the machine, up to 80 tons of printing pressure. The	
	Description clause no. 1.6	applied pressure has also a decisive impact on the ink	
		consumption levels.	
		Please confirm that the machine frame, supports and cylinders	
		etc. should be able to support 80 tons of printing pressure.	

		//3//	
No.	Reference in tender document	Query of M/s. Koenig & Bauer Banknote Solution	Reply of BNP, Dewas
9.	Section VII – Technical Specifications	Indeed, Intaglio effectiveness is highly recognizable to the	Requirement is from 10 micron to 160 micron.
	page no. 21	public by the tactility provided by a deep engraving. May	The supplier shall demonstrate the capability of
	Essential General Specifications	we highly encourage BNP/CNP to test and validate the	160 micron by providing their plates & equipment
	clause no. 2.13 engraving depth	Intaglio Printing Machine with a 160 microns existing	either at PDI stage or at pre-FAT stage.
		design?	
		Kindly confirm.	
10.	Section VII – Technical Specifications	Considering that CNP/BNP is well acquainted with the	As per para no. 2.19 under section VII of tender
	page no. 21	intaglio printing process and its required operational	document, it is clarified that sample along with
	Essential General Specifications	consumables, we believe that this point is not required.	technical specification has to be supplied once
	clause no. 2.19 list of consumables and	Kindly delete.	within 120 days from the date of purchase
	sample dispatch		order/contract.
11.	Section VII – Technical Specifications:	To avoid misunderstandings, specifications of the Printing	It is further clarified that the offered machine
	Printing plate specifications, layout and	Plate have to be clarified.	shall be suitable for printing plate having
	punching system page no. 25, clause	Kindly please share the details.	2.10 However the punching device shall be
			provided for proper mounting of the plates along
12.	Section VII - Technical Specifications:	In the eventuality that the current device already in	Already clarified at point no. 11
	Plate cylinder – plate punching device	possession at CNP and BNP sites for plate punching is	
	page no. 26, clause no. 3.3.4 a, li9):	compatible with the newly tendered Intaglio Printing	
		Machine, we understand that, in this case, additional	
		punching devices will not be required.	
13.	Thermoregulation unit – typo (p27):	A typo seems to have found its way into this paragraph:	Typographical error, needs to be read as "Intaglio
		offset press and offset machine instead of intaglio	Machine. Clarified.
		machine.	
		Niluly duapt.	
Bidde	Bidders Representatives: Walk O. Oul	In 21 / June Durant 121 Ma And	An In
			1,5
BNP	BNP members:-	1) Superior Constitution of	price of the
		St.	

On our

CNP Member

	Sr.	Reference in tender document	Query of M/s. Koenig & Bauer Banknote Solution	Reply of BNP, Dewas
	14.	Section VII — Technical Specifications	For most Intaglio Press, only the 2 production piles are equipped	As per tender.
		page no. 27: Board feeder for third pile	with a board feeder: To be clarified if the board feeder system is	
		page no. 27, clause 3.6.2:	required for the third delivery pile.	
			Kindly confirm.	
	15.	Section VII - Technical Specifications	While the requirement in p68 says, "the trolley shall move by	It is a typographical error Needs to be
		page no. 27 clause no. 3.6.6 & page	fis	read as "The trolley itself is moved
		no. 68 PDI Checklist clause 18 i):	i	manually or hattery nowered"
				bound of source of the source
	16.	Section VII — Technical Specifications	It is indicated that the imaging system shall have a resolution	As per tender.
		page no. 28 clause no. 3.8.2 a) Online		
		Vision Inspection System – resolution	as follows " less or equal to 0.25 mm" as per previous tender.	
_			Kindly confirm.	
	17.	Section VII – Technical Specifications	The system shall have the capability to online inspect the entire	It is a typographical error, clarified
		page no. 28 clause no. 3.8.2 b) Online		that "The system shall have the
		Vision Inspection System – resolution		capability to online inspect the entire
			is not necessary to repeat this inspection in the Intaglio process.	printed sheet using suitable lights".
			We would instead recommend inspecting the infrared reflective	
			and absorbent areas. This is a standard feature currently used by Supplier should confirm the provision	Supplier should confirm the provision
			many printing works around the world.	for IR inspection as a retro fitment for
				future up-gradation.
			pection during the Intaglio process	
_			should be part of the scope.	
)	

CNP Member

BNP members:-

Bidders Representatives:- Rule 9.000 Dung Duodung

Sr.	Reference in tender document	Query of M/s. Koenig & Bauer Banknote Solution	Reply of BNP, Dewas
No.		in description to integrate third party	Details will be provided to the successful bidder.
18.	Section VII - Technical		
	Specifications page no. 29	sensors / inspection system to detect security features like paper	
	clause no. 3.8.2 u, xi) Online	taggants and ink taggants.	
	Vision Inspection System -	Kindly clarify this request providing specific details of integration	
	third party integration	+	
19.	Section VII - Technical		
	Specifications page no. 29	_	only online vision inspection system but to the
	clause no. 3.8.3: Hardware		whole machine and commercial software used for
	and Software Requirements		this machine is not part of the requirement. The
			source code pertaining to fetch MIS data from the
		cannot comply with this request.	machine is required. The successful bidder shall
		Please confirm our understanding that only PLC software and	provide software license for image processing,
		-	operating system etc.
		request to modify this paragraph accordingly:	
20.	Section VII - Technical	It is stated that the system shall be compatible for interfacing	The link of the track & trace tender is as below:
	Specifications page no. 30	with track & trace facilities.	https://bnpdewas.spmcil.com/UploadDocument/Track
	clause no 3.9.4: System for	Kindly clarify which track & trace identities are concerned by time	%20and%20Trace-Final%20tender.1e3307d9-e9f5-
	monitoring production data	request.	4030-a956-a5324bb13764.pdf
			Financial bid
			https://bnpdewas.spmcil.com/UploadDocument/Financ
			ial%20Bid-Track%20and%20trace.b3/5b2/8-4bae-4a20-
			1) is clarified that module wise means modules
21.		module-wise to enable the user to identify and analyze the	indicated at page no. 22 point no. 3
	Specifications page no co	reasons for stoppages and breakdowns.	
-	monitoring production data	Kindly explain what is meant by "module-wise".	
Г	IIIOIIIIO IIIG production data		
Bid	Bidders Representatives:	Dr. J. Johnson K. L. La	NA PI
	13/1	The state of the s	かったかつるり
BN	BNP members:-	The state of the s	9
CN	CNP Member	and loss	

9

Sr.	Reference in tender document	Query of M/s. Koenig & Bauer Banknote Solution	Reply of BNP, Dewas
22.	Section VII - Technical	software shall have suitable security	Suitable Security Protection means the machine system should have the BIOS
	Specifications page no. 30 clause no. 3.9.8: System for monitoring production data — Software	protection for start-up. Kindly provide further details about "suitable security protection".	password, Operator password, Admin password. It should also have role based access to machine system and inspection
			3
23.	Section VII - Technical	Printing time on test sheets to be controlled and displayed	Test sheets mean paper without water mark
6	Specifications page no. 31 clause	on the monitor screen.	
	no. 3.9.9 Production	Kindly clarify to which test sheets it refers.	used as test sneets.
	management system point 2		
24.	Section VII - Technical	For the recently supplied machines, Koenig & Bauer has	The tender condition shall prevail and it is
	Specifications page no. 30 clause	supplied 4 data interface methods based on the XML data	further clarified that AMIL data format
	no. 3.9.3 "Interface to external	format to allow the SPMCIL IT department to interface data	suffices our requirement for Mis. The
	Management Information	from the machines.	supplier shall mention the frequency of the
	Systems"	Please advise if this meets the current tender requirements	XML data exchange and its process
		or, if not, please supply more detailed specifications on the	documentation
		data formats required.	
25.	Section VII - Technical	For the recently supplied machines, Koenig & Bauer has	Same as point no. 24 above.
	Specifications page no. 30 clause	supplied 4 data fetch methods based on the XML data	
	no. 3.9.8 d "Fetch data from	format to allow the SPMCIL IT department to fetch data	
	machine to other customer	from the machines. Please advise if this meets the current	
	software for further ERP and	tender requirements or, if not, please supply more detailed	
	Business Decision."	specifications on the data formats required.	

CNP Member

BIDDERS REpresentatives: July Diff Dranker Digner Vis Washer, Francisco De Mar Alexanders Alexanders Compression (1977) And American Compression (1978) And American (

	ω	2	2	2	Sr. No. 26.
Bidders Repre BNP member	30.	29. Se	28. Se	27. Se pa	•
Bidders Representatives:-	Section VII – Technical Specifications page no. 34 clause no. 7: Accessories – hanger for wiping roller point no. n	Section VII – Technical Specifications page no. 34 clause no. 7: Accessories – Schablon rollers point no. j, k, l, m, n, o	Section VII – Technical Specifications page no. 32 clause no. 3.10.3: Online Micro-Perforation Module-machine height	Section VII – Technical Specifications page no. 32 clause no. 3.10.2: Online Micro-Perforation Module – machine speed	Reference in tender document Section VII – Technical Specifications page no. 31 clause no. 3.9.8 I "Open platform to adapt SCADA/Track trace platform to watch machine performance independently from remote place."
Wit Will Down	Specifications 7: Accessories Her point no. n	Specifications 7: Accessories 1t no. j, k, l, m,	Specifications 3.10.3: Online dule-machine		
Bidders Representatives: Jedun 1900 Schwart 77. Wa BNP members: Why Dist Schwart parter U.D. Vashid For CNP Member	We understand that it the integrior rations we will be proposed does not require a device to lift the wiping cylinder off the wiping tank, this accessory should not be part of the supply. Kindly confirm this assumption.	We would like to point out that as there is no necessity to remove the schablon cylinders from our machine these items are not required. Please confirm your understanding	The addition of the Micro-Perforation module will necessarily increase the height of the machine. Kindly confirm your understanding.	ation mo the mach of the M kindly req	For the recently supplied machines, Koenig & Bauer has supplied 4 data fetch methods based on the XML data format to allow the SPMCIL IT department to fetch data from the machines. Please advise if this meets the current tender requirements or, if not, please supply more detailed specifications on the data formats required.
Bouring Bring		point no. I will be as per tender. The hidders' understanding is correct.	3		The link of the track & trace tender is as below: Tender document https://bnpdewas.spmcil.com/UploadDocument/Track% 20and%20Trace-Final%20tender.1e3307d9-e9f5-4030- a956-a5324bb13764.pdf Financial bid https://bnpdewas.spmcil.com/UploadDocument/Financial%20Bid-Track%20and%20trace.63756278- 4bae-4a20-90ba-c6fdbd4b5344.pdf

L		target APIs required.		
_		not, please supply more detailed specifications on the types and		
-		Please advise if this meets the current tender requirements or, if		
		SPM (IL IT department to tetch data from the machines.	requirement."	
		data fetch methods based on the XML data format to allow the	no. 9.1 point no. x "Documents	
		For the recently supplied machines, Koenig & Bauer has supplied 4	Specifications page no. 36 clause	
	As per tender.	Complete API documentation along with examples	Section VII – Technical	33.
		Kindly confirm the above.		
		not considered.		
		separate system. We assume the supply of fresh wiping solution is		
		operation of the machine. The water processing system is a		
		are not supplied. Fresh wiping solution is required for the	ŧ	,
		The circulating pump for cooling water of 3 bars and 114 liters/min	1	
		Thermoregulation unit		
		Welding press		
		Pneuma Fill		
		 Auxiliary tank for wiping solution 		
	buyer.	Membrane pumps group		
	riest wibilig solution will be supplied by	Water Chiller	air pumps."	
	requirement.	be supplied.	no. 8 point no. g "Auxiliaries -	
-	supply of chilled water as per	equipment for a smooth operation with the Intaglio press and will	Specifications page no. 35 clause	
	Successful bidder shall ensure enough	For the "Other auxiliaries", the following items are the necessary	Section VII - Technical	32.
٠	machine shall be provided	technology.	air pumps."	
<u> </u>	One spare air compressor for 02 intaglio	Kindly confirm your acceptance of the use of the PIAB	no. 8 point no. C, D "Auxiliaries -	
	However, a better system/technology		Specifications page no. 35 clause	
-	The tender conditions shall prevail.	The machine we will propose uses PIAB technology and as such, air	Section VII - Technical	31.
				8 :
<u> </u>	Reply of BNP, Dewas	Query of M/s. Koenig & Bauer Banknote Solution	Reference in tender document	?

BIDDERS REPRESENTATIVES: Just MAN Ducary 17.7. 4A De CNP Members: Why Six Oronaregan Hill Wesley Francis De Milliamin Sur

Sr.	Reference in tender document	Query of M/s. Koenig & Bauer Banknote Solution	Reply of BNP, Dewas
No.		- Line Book bolidays and weekends	Bidder understanding is correct.
34.	Section VII – Technical Specifications page no. 36 FAT Conditions	The working week has 6 working days. Bank holidays and weekenus are not counted. During FAT there will be one shift of 8 hours with no break time. Places confirm that our understanding is correct.	Holidays means holidays declared by the buyer.
35.	Section VII – Technical Specifications page no. 36 FAT Conditions	ried out with any der to optimize advise Suppliers FAT purposes.	It will be provided to the successful bidder.
		Please advise.	
36.	Section VII – Technical Specifications page no. 36 Position of Security Thread	We kindly request SPMCIL to explain what is meant by this clause.	As per tender.
Bidd	Bidders Representatives:-		The state of the s
BNP	BNP members:- Not 315	Jeg . Taylor Millin word was	Burrow B
CNP	CNP Member	Auth Hols	

BNP members:-	Bidders R	Sch	6. SE			SEC	5. SEC	4. SEC	Op	3. SEC	2. 350	_	SEC	1. SEC	<u> </u>	Sr Refe
ENP members:	intatives:-	IVE Y	SECTION VI-List of Requirement		ŧ.	SECTION XI Note: 1	SECTION V-SCC, S.No.3	SECTION III-SIT, S. No. 7	Opening of Tender	SECTION III-SIT, Sr. No. 6, 24.4, -	SECTION +, 12	of tender	SECTION III, S. No 4: Submission	for receipt of tenders		Reference in tender document
Milania do Bo	The sound the state of the stat	2nd machine within 38 weeks ⇒ 54 weeks ↑ ↑ ↑ ↑ ↑ ↑ ↑	We request to change the schedule as follows.	the cost and include it in our offer (We are not in position to take the risk of increase of TDS percentage by Indian government). • Also please confirm that GST is borne by purchaser (except for LD).	 Please indicate the percentage of TDS otherwise we cannot calculate 	in INDIA" is borne by the tenderer and the tenderer does not need to consider TDS for "Training Charges at manufacturer's site" and any other	Please confirm that TDS for only "Installation, commissioning and training	Please clarify the meaning of "Landed cost basis" which is mentioned at the last paragraph.	"Hinancial bios shall be given to acceptable teriories to enable them to attend the technical and financial bid opening, if they so desire."	Kindly explain the last paragraph:	the amount, if any.	There is no mention about the applicable Tender fees? Please advise us of	period. Therefore, may we kindly request your good offices to extend	Japan and we will not be able to prepare the documents during this	Our office is closed from 20 April to 8 May due to the public holiday in	Query of M/s. Komori Corporation Japan
	A CONTRACTOR		As per tender	3. Bidder's understanding is correct	releasing payment needs to be	2. Presently TDS is 20%. However,	1. TDS shall be applicable for the	Clarified and as per tender		Clarified and as per tender		Tender fee is not applicable		extended suitably	Tender opening date will be	Reply of BNP, Dewas

Sr. No.	Reference in tender document SECTION VI-List of Requirement
7.	SECTION VI-List of Requirement Clause no. 3. b) Delivery Schedule
, io	SECTION VI-List of Requirement Clause no. 3. c) Delivery Schedule
. 9	SECTION VI-List of Requirement Clause no. 3. c) Delivery
10.	SECTION VI-List of Requirement Clause no. 3. d) Delivery Schedule

BIDDERS REpresentatives: July 31 Depropriet pone Williams 127. 4.2 22 **CNP Member** Muran de

	requirement.	point no. 1.12	
	will consult and offer quotations if required after we receive your	No. 1: Brief Description	
successful bidder	without knowing the facility required for new security features. We	Specification Page 20 Serial	
Shall be provided to the	Please delete this clause, as we do not know how to prepare	Section VII: Technical	16.
	Please advise us on this.		
	Status" is for local bidder and not applicable for foreign bidder?	**	
Bidders understanding is correct	Can we understand that "1. MSMEs status" and "2.Make in India	SECTION X: Tender form	15.
7	to avoid any misunderstanding and confusion.	Requirement, Sr. No 19	
Tender conditions shall prevail.	Please specify the items of "the other expenses" born by Purchaser	SECTION VI-List of	14.
	Purchaser to avoid any misunderstanding and confusion	Requirement, Sr. No 18	
Tender conditions shall prevail.	Please specify the items of "the other expenses" borne by Tender conditions shall prevail.	SECTION VI-List of	13.
	guarantee test supplies banknote paper and ink.	Requirement, Sr. No 15	
Bidders understanding is correct	Please kindly confirm that purchaser for the performance	SECTION VI-List of	12.
	confirm.		
	with pit(s)", etc. shall be arranged and done by CNP. Kindly		
	understand that "Civil Works" such as "Foundation preparation		
	by CNP and insurance is provided by CNP accordingly. We also		
	transportation of all the units to the Installation site are arranged	Requirement, Sr. No 8	
Bidders understanding is correct	We understand that unloading of the cargo, unpacking and	SECTION VI-List of	11.
			No.
Reply of BNP, Dewas	Reference in tender document Query of M/s. Komori Corporation Japan	Reference in tender document	Sr.

Bidders Representatives: July 9. O'billy Duadurf 77 Na An BNP members:-Less and the water of the first the last the first that

CNP Member

Refe	Reference in tender document	Query of M/s. Komori Corporation Japan	Reply of BNP, Dewas
17.	Section VII: Technical	We need your clarification what is the pile breaking/jogger. Our	Clarified and as per tender.
	Specification Page 21 Serial No.	standard Pile jogger is as the following picture (made by KIDA	
	2: Essential General Specification	IRON WORKS). If you need the machine have to separate even	
	point no. 2.3	sticky sheets by setoff, we have to choose different machine.	
		The state of the s	
	₹.		
18.	Section VII: Technical Specification Page 21 Serial No. 2: Essential General Specification	Please clarify the details of "consumables". We understand that "consumables" are blanket, top sheet, under packing, oil, grease,	Tender conditions shall prevail.
	point no. 2.19		
19.	Section VII: Technical Specification	The sensor at feeder and register unit cannot detect paper Notch	As per tender.
	Page 22 Serial No 3.1 Feeder &	as sheets are overlapped and keep on moving at feeder and	
	Register Unit point no. 3.1.7 ii)	register unit. Notch position can be detected only by online	
		inspection camera.	

BID BLOCK TO THE TOWN BLOCKET TT VA DE MENTERS HID. VOLUME. BANDAN HID. VOLUME. BANDAN HID. VOLUME. BANDAN HID. VOLUME. BANDAN DELLE MILLER BANDAN HID. VOLUME. BANDAN HID. VOLUME. BANDAN HID. DELLE MILLER BANDAN HID. VOLUME. BANDAN HID. VOLUME. BANDAN HID. DELLE MILLER BANDAN HID. VOLUME. BANDAN HID. DELLE MILLER BANDAN HID. VOLUME. BANDAN HID. DELLE MILLER BANDAN HID. VOLUME. BANDAN HID. VOLUME. BANDAN HID. DELLE MILLER BANDAN HID. VOLUME. BANDAN HID. DELLE BANDAN HID. VOLUME. BANDAN HID. DELLE BANDAN HID. VOLUME. BANDAN HID. VOLUME. BANDAN HID. VOLUME. BANDAN HID. DELLE BANDAN HID. BANDAN HID. DELLE BANDAN HID. BANDAN HID. DELLE BANDAN HID. BANDAN HID. BANDAN HID. DELLE BANDAN HID. BA

	Joce C. Tologo Street		
	speed rate of 10 000 sheets per hour.		
up-81 adation.	printed sheet using appropriate lights at a continuous rullilling		
in-gradation			
IR inspection as a retro fitment for future	The system shall have the capability to online inspect the entire		-
Carpino Contract Cont	be reworded to:-		
Supplier should confirm the provision for	A		
	to satisfy the tender requirements. Therefore, we request that this		
	treedom and responsibility to choose the best type of lights require		
using suitable lights".	The state of the state of lights required	System point no. Side of	
online hispect the entire printed shock	running speed rate of 10,000 sheets per hour." Kindly give us the	system point no 3 8 7 h)	-
in in the parties printed sheet	printed sneet using rejected and transmitted name at a continuous	3.8 Online Vision inspection	-
"The system shall have the capability to	Simple of the second state of the second sec	Occident and about	
It is a typographical error. Clarified that	"The system shall have the capability to online inspect the entire	Section VII: Page 28 Serial No	27
	of various cylinders of offset machine".		
C	"controlling the nearing / couling	3.7 Thermoregulation Unit	
read as "Intaglio Machine". Clarified	()	Section Air 1 age 57 Serial 140	20.
It is a typographical error. Needs to be	Please clarify the meaning of "compatible with the offset press" and	Section VIII: Page 27 Serial No	36
	delivery systems:"	8,	
	"Two regular delivery piles shall have Multi-pile trolley with locks for	3.6 Delivery Unit point no. 3.6.6	
machine as per the tender conditions.	rlease change as lonows.	Section VII: Page 27 Serial No	25.
Requirement has to be made in the	Place change as follows:		T
machine as bei the tenaci congressions.	shall have the capacity to hold at least 40 delivery Boards."	3.6 Delivery Unit point no. 3.6.3	_
Requirement has to be made in the	Please change as follows: "Magazine for two regular delivery piles	Section VII: Page 27 Serial No	24.
Description to the made in the	facility for automatic Board Insertion.	3.6 Delivery Unit point no. 3.6.2	
machine as per the tender conditions.	Please charge as follows. Two regular actively price strain mare and	Section VII: Page 27 Serial No	23.
Requirement has to be made in the	place share as follows: "Two regular delivery niles shall have the		I
machine as per the tender conditions.	system cannot be equipped on the reject pile.	Unit point no. 3.6.1	
nequilettetta to be made conditions	3.6.1 Please kindly delete since automatic pile poard insertion	Page 27 Serial No 3.6 Delivery	22.
Deministrate has to be made in the	-	3.3.4 a) Plate Cylinder	
	plates on the Press shall be provided. Kindly explain Hole rulicillily	3.3 :Printing Unit	
Continue side is 5 place provide side is 5	"Hole punching devices and related items to accurately illount tile	Section VII: Page 25	21.
Clarified that it is plate nunching device.	Please confirm.	3.1.7 iv)	
this requirement.	edge and sheet tall.	Feeder & Register Unit point no.	Ċ,
sheet detector. The supplier has to ensure		Section VII: Page 22 Serial No 3.1	20.
The requirement as per tender is for full	the detection folded corner concer at leading		No.
	Query of M/s. Romori Corporation Japan	Reference in tender document	Sr.
Reniv of RNP. Dewas			

Bidders Representatives: Like Down Dronanger My vasual. Honsing of the CNP Members: My William & &

Sr.	Reference in tender document	Query of M/s. Komori Corporation Japan	Reply of birr, bewas
28.	Section VII: Page28 Serial No 3.8 Online Vision inspection system point no. 3.8.2 j)	We can inspect and detect the intensity variation in Optical Variable lnk/Color Shift lnk. We understand that this requirement does not require for inspecting the color shifting properties of the lnk, which is not possible. Please confirm that our understanding is correct.	Bidder's understanding is correct.
29.	Section VII: Page28 Serial No 3.8 Online Vision inspection system point no. 3.8.2 r)	We can detect the presence/absence and continuity of windowed color shift security thread. Without knowing the specific design of the motion security thread, it would not be possible to confirm the inspection of such a thread. However, we can state that motion threads similar to that found in current USD 100 denomination can be inspected for presence/absence and continuity. We cannot detect presence/absence of completely embedded security thread. Kindly confirm the above.	It is clarified and s per the tender conditions.
30.	Section VII: Page 32 Serial No. 4 Maintenance point no. e):	We need your clarification of each following spares "First wiring spares, General Spares, Rarely use spare parts". We understand "Spare parts" as follow: First wiring spares: Parts should be replaced regularly (Consumable Parts) General Spares: General parts should be hold as spares Rarely use spare parts: Parts are not required to be replaced often but recommended to be kept in stock due to the long delivery time.	Typographical error. "First Wiring" to be read as "Fast wearing". For rest, a bidder understanding is correct.

CNP Member

BIDDER REPRESENTATIVES: July Dip Dam Arapan Hill Westerly 377. M-a Ar

	Please define the one still fillouis and production voluntes in one since	Social VIII Dara 34 Serial No 7	2
Tender condition stati prevail	Please define the one shift hours and production volumes in one shift	Section VII: Page 34 Serial No 7.	7
Tondor condition shall prevail	h:6.	point no. 7.1 u)	ľ
Total 07		Accessories Required per Machine	
system.		Section vii. rage of serial iso	4.
Clarified that it is oz dilits of ilik pullp	We prepare ink feed system for two colours. Please confirm.	Soction VIII Dage 34 Serial No 7	2
ממוות להו לה בלווור בסייה להו היו החו	plate puncher.	point no. 7.1 t)	
machine per machine.	type of puncher should be supplied, illiaging place pariation of security	Accessories Required per Machine	
i.e. Intaglio & schablon plate punching	Do you need one plate puncher bei indcilitie: Flease specify willen		33
It is clarified that it is required for both	Please delete K).		
	ochabibit cyllider is removable:	Accessories Required per Machine	
together.	abolio edindor is removable		.70
Clarified that point J & K to be redu	We understand it should read as Schablon roller: 1 Nos., in case where	Section VIII Page 34 Serial No 7.	3
	Total 15 15 15		
	2 Sets of Spares 10 10 10		
available on the machine to be supplied.	I AZ	point no. 7.1 e)	
rubber rollers in addition to the set		Accessories Required per Machine	
clarified that 02 sets of each variety of	As show in the table below, we will supply two sets of A1, A2, 8 i abbei		31.
Tender conditions shall prevail and	The second of th		No.

Bidders Representatives: Little J. Duch Dronger 77 4.a Dr. CNP Member Wy Sign Dronger Lidivative. Francis 1971 Dr. CNP Member

	have to be repeated from beginning.		
	extend "Installation Period" defined in LD term in case of the test		
	"seller's responsibility" or "customer's responsibility". We request to		
	since it is too strict. Sometimes it is difficult to define if it belongs to		
	responsible, seller shall repeat the test in whole from beginning	10. Fat Period:	
Tender condition shall prevail.	Please delete the requirement "If for reasons for which the seller is	2. Segtion VII: Page 36 Serial No	42.
	on this requirement.		
	paper causing frequent feeder stoppages. We wish to discuss		
	is also dependent upon the quality of	Sr. No.8 of the table	
snall prevall.	Here we would like to mention that the required demonstration	10. Fat Conditions	
Clarified and tender condition	Machine Speed Demonstration:	L. Section VII: Page 36 Serial No	41.
	again mentioned in Serial No. 9.2. Does it mean 2 Service laptops?	no. 9.1 ix	
With each machine is required	S	Documents Requirement point	
It is clarified that o'll laptop	. e	Section VII: Serial No 9.	40
		no. 9.1 iii	
	We request to clarify what should be mentioned in the document.	Documents Requirement point	
Clarified and as per tender.	pictorial form of error finding of all possible errors	Section VII: Serial No 9.	39.
	drawing is A4.) Please confirm.	no. 9.1 i	
	We will provide the drawing in A3 size. (Our normal size of electrical	Documents Requirement point	
Tender conditions snall prevail	and two separates enlarge electrical drawing and error list	Section VII: Serial No 9.	38.
			No.
vebil or pier , present	Query of M/s. Komori Corporation Japan	Reference in tender document	Sr.

BIDDER REPRESENTATIVES: When Digital Danker port individual. Somming I have the

CNP Member

9