

## Bid Document

Bid Details	
<b>Bid End Date/Time</b>	12-11-2021 15:00:00
<b>Bid Opening Date/Time</b>	12-11-2021 15:30:00
<b>Bid Life Cycle (From Publish Date)</b>	90 (Days)
<b>Bid Offer Validity (From End Date)</b>	65 (Days)
<b>Ministry/State Name</b>	Ministry Of Finance
<b>Department Name</b>	Department Of Economic Affairs
<b>Organisation Name</b>	Security Printing And Minting Corporation Of India Limited (spmci)
<b>Office Name</b>	Janpath
<b>Total Quantity</b>	31
<b>Item Category</b>	Almirah Steel-IS:3312 , Metal Shelving Racks-IS:1883
<b>Years of Past Experience required</b>	1 Year (s)
<b>MSE Exemption for Years Of Experience</b>	Yes
<b>Startup Exemption for Years Of Experience</b>	Yes
<b>Document required from seller</b>	Experience Criteria *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Bid to RA enabled</b>	No
<b>Primary product category</b>	Metal Shelving Racks-IS:1883
<b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
<b>Estimated Bid Value</b>	378500
<b>Evaluation Method</b>	Total value wise evaluation

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### MII Purchase Preference

MII Purchase Preference	No
-------------------------	----

### Reserved for MSE

Reserved for MSE	Yes
------------------	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Procurement under this bid is reserved for purchase from Micro and Small Enterprises whose credentials are validated online through Udyog Aadhaar for that product category. If the bidder wants to avail the reservation benefit, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

### Almirah Steel-IS:3312 ( 4 pieces )

Brand Type	Registered Brand
------------	------------------

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Material</b>	M.S sheet conforming to commercial quality CR-1, Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	<b>Material of Almirah Doors</b>	M S Sheet
	<b>Sheet Thickness of Locker</b>	N.A
	<b>Length of Glass Sheet (+/- 10 mm)</b>	N.A

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Width of Glass Sheet (+/- 10 mm)</b>	N.A
	<b>Sheet Thickness of door</b>	1.24 mm
	<b>Sheet Thickness of sides,back , Top and Bottom</b>	1.0 mm
	<b>Sheet Thickness of Shelves</b>	1.0 mm
	<b>Sheet Thickness of Pedestal in mm</b>	1.0 mm
	<b>Material of Lock</b>	steel
	<b>Material of Keys</b>	steel
GENERIC	<b>Conformity to Indian Standard IS:3312 latest</b>	Yes
	<b>No of shelves (Nos)</b>	4
	<b>Type of Shelves</b>	Adjustable
	<b>Locker Provided</b>	No
	<b>Locking System with the locker</b>	NO
	<b>Number of Doors (Nos)</b>	2
	<b>Door Stiffner upto full door height Provided with the almirah doors</b>	Yes
	<b>Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement</b>	3
	<b>Number of Glass Sheet fixed in each Almirah door (Nos)</b>	N.A
	<b>Construction</b>	Welded
	<b>Lock</b>	Three Way bolting device controlled by 6 lever lock
DIMENSION	<b>Height (Without Pedestal) (in mm) (+/- 10 mm)</b>	2000
	<b>Width (+/- 7 mm)</b>	910.0
	<b>Depth (+/- 5 mm)</b>	486.0
	<b>Inside Height of Locker (+/- 5 mm)</b>	N.A
	<b>Inside Width of Locker (+/- 5 mm)</b>	N.A
	<b>Inside Depth of Locker (+/- 5 mm)</b>	N.A
	<b>Width of Stiffner (+/- 5 mm)</b>	140 mm

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Thickness of MS Sheet of Stiffner</b>	0.9 mm
	<b>Stiffened Pedestal height in mm (±2 mm)</b>	120
	<b>Pedestal Width in mm (±2 mm)</b>	80
COLOUR & FINISH	<b>Finish</b>	powder coated
	Colour of Paint	AS PER BUYER CHOICE
WARRANTY	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	1

#### Additional Specification Parameters - Almirah Steel-IS:3312 ( 4 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
i) Material ii)Construction: ii) Type of Shelves	i)CRCA Steel; ii)Durable CRCA Steel Construct ii) Fixed
i) Material of Lock ii) Material of Keys	i) lock having made of steel with zinc plated finish having brass levers and MAZAK/ZAMAK bolts having zinc plated finish along with MAZAK/ZAMAK handle ii) Keys made of MAZAK/ZAMAK having Nickle plated finish
i) Height (Without Pedestal) X Width X Depth ii) Pedestal Type	i) 1950 X 900 X 50500 (in mm); ii) Closed
i) Color of Paint ii) Style	i) AS PER BUYER CHOICE ii) Contemporary cum Modern

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ashok Ramdas Varma	422101,Nashik Road Nashik , Maharashtra	4	45

#### Metal Shelving Racks-IS:1883 ( 20 pieces )

Brand Type	Registered Brand
------------	------------------

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	<b>Type</b>	OPEN TYPE

Specification	Specification Name	Bid Requirement (Allowed Values)
	Pigeon Holes	without
	<b>Number of Shelves/Compartments (Top / Ceiling Shelf - not to be counted)</b>	6
MATERIAL	<b>Shelves Material</b>	1.0 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513
	Sides, Back and Partition Wall Thickness (Minimum) (mm)	MS Sheet 1.0 mm, NA
DIMENSION	<b>Depth in mm (±5 mm)</b>	610
	<b>Width in mm (±5 mm)</b>	915
	<b>Height in mm (±5 mm)</b>	1830
	Bin Strip Height in mm (±1 mm)	Not Provided
CERTIFICATION	Conformity to Indian Standard	NOT AS PER IS
MISC	<b>Paint</b>	Powder coated
	Colour	OTHER
WARANTEE	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	1

#### Additional Specification Parameters - Metal Shelving Racks-IS:1883 ( 20 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Color of Paint	As per buyer's choice

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ashok Ramdas Varma	422101,Nashik Road Nashik , Maharashtra	20	45

#### Almirah Steel-IS:3312 ( 6 pieces )

Brand Type	Registered Brand

#### Technical Specifications

\* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Material</b>	M.S sheet conforming to commercial quality CR-1, Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	<b>Material of Almirah Doors</b>	M S Sheet
	<b>Sheet Thickness of Locker</b>	N.A
	<b>Length of Glass Sheet (+/- 10 mm)</b>	N.A
	<b>Width of Glass Sheet (+/- 10 mm)</b>	N.A
	<b>Sheet Thickness of door</b>	0.9 mm
	<b>Sheet Thickness of sides,back , Top and Bottom</b>	0.9 mm
	<b>Sheet Thickness of Shelves</b>	0.9 mm
	<b>Sheet Thickness of Pedestal in mm</b>	NA
	<b>Material of Lock</b>	steel
	<b>Material of Keys</b>	steel
	GENERIC	<b>Conformity to Indian Standard IS:3312 latest</b>
<b>No of shelves (Nos)</b>		3
<b>Type of Shelves</b>		Adjustable
<b>Locker Provided</b>		No
<b>Locking System with the locker</b>		NO
<b>Number of Doors (Nos)</b>		2
<b>Door Stiffner upto full door height Provided with the almirah doors</b>		No
<b>Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement</b>		3
<b>Number of Glass Sheet fixed in each Almirah door (Nos)</b>		N.A
<b>Construction</b>		Welded
<b>Lock</b>		Three Way bolting device controlled by lock
DIMENSION	<b>Height (Without Pedestal) (in mm) (+/- 10 mm)</b>	850
	<b>Width (+/- 7 mm)</b>	700.0
	<b>Depth (+/- 5 mm)</b>	370.0

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Inside Height of Locker (+/- 5 mm)</b>	N.A
	<b>Inside Width of Locker (+/- 5 mm)</b>	N.A
	<b>Inside Depth of Locker (+/- 5 mm)</b>	N.A
	<b>Width of Stiffner (+/- 5 mm)</b>	N.A
	<b>Thickness of MS Sheet of Stiffner</b>	N.A
	<b>Stiffened Pedestal height in mm (<math>\pm 2</math> mm)</b>	NA
	<b>Pedestal Width in mm (<math>\pm 2</math> mm)</b>	NA
COLOUR & FINISH	<b>Finish</b>	Synthetic enamel
	Colour of Paint	steel gray
WARRANTY	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	2

**Additional Specification Parameters - Almirah Steel-IS:3312 ( 6 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
i) Sheet Thickness of Pedestal in mm ii) Pedestal Type:	i) 1.0 mm ii) Closed
i) Material:	i) MS Sheet conforming to IS 3312 (Latest)
Door Stiffner upto full door height Provided with the almirah doors	Yes
i) Height (With Pedestal) X Width X Depth ii) Width of Stiffner (+/- 5mm) iii) Thickness of MS Sheet of Stiffner iv) Stiffened Pedestal height in mm ( $\pm 2$ mm) v) Pedestal Width in mm ( $\pm 2$ mm)	i) 1320 x 1160 x 700 (in mm) ii) 115 mm iii) 0.8 mm iv) 120 mm v) 70 mm
i) Color of Paint ii) Finish	i) As per Buyer's Choice ii) Powder Coated

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ashok Ramdas Varma	422101,Nashik Road Nashik , Maharashtra	6	45

### Almirah Steel-IS:3312 ( 1 pieces )

Brand Type	Registered Brand
------------	------------------

#### Technical Specifications

\* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Material</b>	M.S sheet conforming to commercial quality CR-1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	<b>Material of Almirah Doors</b>	5 mm thick Transparent Glass Sheet fixed in the MS sheet frame
	<b>Sheet Thickness of Locker</b>	N.A
	<b>Length of Glass Sheet (+/- 10 mm)</b>	780 mm
	<b>Width of Glass Sheet (+/- 10 mm)</b>	305 mm
	<b>Sheet Thickness of door</b>	0.8 mm (Minimum)
	<b>Sheet Thickness of sides,back , Top and Bottom</b>	0.8 mm (Minimum)
	<b>Sheet Thickness of Shelves</b>	0.7 mm
	<b>Sheet Thickness of Pedestal in mm</b>	1.0 mm
	<b>Material of Lock</b>	lock having made of steel with zinc plated finish having brass levers and MAZAK / ZAMAK bolts having zinc plated finish along with MAZAK / ZAMAK handle
	<b>Material of Keys</b>	keys made of MAZAK / ZAMAK having nickle plated finish
GENERIC	<b>Conformity to Indian Standard IS:3312 latest</b>	No
	<b>No of shelves (Nos)</b>	4
	<b>Type of Shelves</b>	Adjustable
	<b>Locker Provided</b>	No
	<b>Locking System with the locker</b>	NA
	<b>Number of Doors (Nos)</b>	2
	<b>Door Stiffner upto full door height Provided with the almirah doors</b>	Yes



Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement</b>	3
	<b>Number of Glass Sheet fixed in each Almirah door (Nos)</b>	4
	<b>Construction</b>	Welded
	<b>Lock</b>	Three Way bolting device controlled by 6 lever lock
DIMENSION	<b>Height (Without Pedestal) (in mm) (+/- 10 mm)</b>	1855
	<b>Width (+/- 7 mm)</b>	910.0
	<b>Depth (+/- 5 mm)</b>	486.0
	<b>Inside Height of Locker (+/- 5 mm)</b>	N.A
	<b>Inside Width of Locker (+/- 5 mm)</b>	N.A
	<b>Inside Depth of Locker (+/- 5 mm)</b>	N.A
	<b>Width of Stiffner (+/- 5 mm)</b>	N.A
	<b>Thickness of MS Sheet of Stiffner</b>	N.A
	<b>Stiffened Pedestal height in mm (±2 mm)</b>	125
	<b>Pedestal Width in mm (±2 mm)</b>	75
COLOUR & FINISH	<b>Finish</b>	powder coated
	Colour of Paint	steel gray
WARRANTY	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	1

**Additional Specification Parameters - Almirah Steel-IS:3312 ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Sheet Thickness of Shelves	0.8 mm
Color of Paint	As per Buyer's Choice
Material	MS Sheet Conforming to Indian Standard IS 513: 2008

Specification Parameter Name	Bid Requirement (Allowed Values)
Pedestal Type	Closed

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ashok Ramdas Varma	422101,Nashik Road Nashik , Maharashtra	1	45

### Buyer Added Bid Specific Additional Terms and Conditions

1. After award of contract - Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 5 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 5 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing- the delivery period shall be refixed without LD for the period of delay in approval of Drawing.
2. Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address CURRENCY NOTE PRESS JAIL ROAD NASHIK ROAD NASHIK 422101.
3. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
4. Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.
5. Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 1 year before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
6. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
7. Procurement under this bid is reserved for purchase from Micro and Small Enterprises whose credentials are validated online through Udyog Aadhaar for that product category. If the bidder wants to avail the reservation benefit, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service.
8. Scope of supply (Bid price to include all cost components) : Only supply of Goods
9. **NET WORTH:** Net Worth of the OEM should be positive as per the last audited financial statement.

### Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and

conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---Thank You---**