

## Bid Document

Bid Details	
<b>Bid End Date/Time</b>	15-04-2022 17:00:00
<b>Bid Opening Date/Time</b>	15-04-2022 17:30:00
<b>Bid Life Cycle (From Publish Date)</b>	90 (Days)
<b>Bid Offer Validity (From End Date)</b>	75 (Days)
<b>Ministry/State Name</b>	Ministry Of Finance
<b>Department Name</b>	Department Of Economic Affairs
<b>Organisation Name</b>	Security Printing And Minting Corporation Of India Limited (spmci)
<b>Office Name</b>	Janpath
<b>Total Quantity</b>	75
<b>Item Category</b>	Portable Fire extinguishers as per IS 15683 (2018) (Q2)
<b>Years of Past Experience required</b>	3 Year (s)
<b>MSE Exemption for Years Of Experience</b>	Yes
<b>Startup Exemption for Years Of Experience</b>	Yes
<b>Document required from seller</b>	Experience Criteria *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Bid to RA enabled</b>	No
<b>Primary product category</b>	Portable Fire extinguishers as per IS 15683 (2018)
<b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
<b>Evaluation Method</b>	Item wise evaluation

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

(a). The EMD % will be applicable for each schedule/group selected during Bid creation.

## Splitting

Bid splitting not applied.

## MII Purchase Preference

MI Purchase Preference	No
------------------------	----

## MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

## Evaluation Method ( Item Wise Evaluation Method )

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Portable Fire Extinguishers As Per Is 15683 (2018)	50
Schedule 2	Portable Fire Extinguishers As Per Is 15683 (2018)	10
Schedule 3	Portable Fire Extinguishers As Per Is 15683 (2018)	5

**Portable Fire Extinguishers As Per IS 15683 (2018) ( 50 pieces )**

Brand Type

Registered Brand

**Technical Specifications**[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Generic	<b>Type</b>	Stored Pressure
	<b>Extinguishing Media</b>	Powder Based (as per IS 4308 )
	<b>Expellant Medium</b>	N2 Based (Stored Pressure)
Constructional Material	<b>Type of Extinguisher</b>	High Pressure Extinguisher (Service Pressure >19 bar)
	<b>Material Specification for the body of High Pressure Extinguisher (Hint: Select NA Low Pressure Extinguisher)</b>	NA
	<b>Material Specification for the body of Low Pressure Extinguisher (Hint: Select NA High Pressure Extinguisher)</b>	NA
Construction	<b>Foam Based Extinguishing Media (Hint: Select NA for Extinguishing Media other than Foam Based)</b>	NA
	<b>Powder Based Extinguishing Media (Hint: Select NA for Extinguishing Media other than Powder Based)</b>	ABC
	<b>Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3) (HINT: Select NA for other Extinguishing Media)</b>	NA
	<b>Foam Based Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Foam Based)</b>	NA
	<b>Powder Based Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than Powder Based)</b>	6

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Carbon Dioxide Based Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than CO2 Based)</b>	NA
	<b>Water Based Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Water Based)</b>	NA
	<b>Clean Agents Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than Clean Agents Based)</b>	NA
	<b>Water Mist Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Water Mist Based)</b>	NA
	<b>Features of Fire Extinguisher</b>	Carrying Handle (Mandatory If Extinguisher having mass $\geq 1.5\text{Kg}$ or Cylinder diameter, Rechargeable, Hose Assemblies (Mandatory If mass or volume of Extinguishing medium $> 3\text{ Kg}$ or Litres), NA
	<b>Class of fire for which Fire Extinguisher is suitable</b>	Class -A
Performance	<b>Minimum Effective discharge time for Fire Extinguisher</b>	13.0
	<b>Fire Rating of different class of fires (Hint: Higher is better)</b>	89B

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ravikumar Dinavahi	500063, Security Printing Press(SPP) Mint Compound, Saifabad Hyderabad , Telangana	50	30

**Portable Fire Extinguishers As Per IS 15683 (2018) ( 10 pieces )**

Brand Type	Registered Brand
------------	------------------

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Generic	<b>Type</b>	Stored Pressure
	<b>Extinguishing Media</b>	Powder Based (as per IS 4308 )
	<b>Expellant Medium</b>	N2 Based (Stored Pressure)
Constructional Material	<b>Type of Extinguisher</b>	Low Pressure Extinguisher (Service Pressure ≤19 bar)
	<b>Material Specification for the body of High Pressure Extinguisher (Hint: Select NA Low Pressure Extinguisher)</b>	NA
	<b>Material Specification for the body of Low Pressure Extinguisher (Hint: Select NA High Pressure Extinguisher)</b>	Welded low carbon steel cylinders (as per Clause 9.2.5 of IS 15683)
Construction	<b>Foam Based Extinguishing Media (Hint: Select NA for Extinguishing Media other than Foam Based)</b>	NA
	<b>Powder Based Extinguishing Media (Hint: Select NA for Extinguishing Media other than Powder Based)</b>	ABC
	<b>Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3) (HINT: Select NA for other Extinguishing Media)</b>	NA
	<b>Foam Based Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Foam Based)</b>	NA
	<b>Powder Based Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than Powder Based)</b>	9
	<b>Carbon Dioxide Based Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than CO2 Based)</b>	NA

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Water Based Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Water Based)</b>	NA
	<b>Clean Agents Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than Clean Agents Based)</b>	NA
	<b>Water Mist Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Water Mist Based)</b>	NA
	<b>Features of Fire Extinguisher</b>	Carrying Handle (Mandatory If Extinguisher having mass $\geq 1.5\text{Kg}$ or Cylinder diameter, Rechargeable, Hose Assemblies (Mandatory If mass or volume of Extinguishing medium $> 3\text{ Kg}$ or Litres), NA
	<b>Class of fire for which Fire Extinguisher is suitable</b>	Class -B
Performance	<b>Minimum Effective discharge time for Fire Extinguisher</b>	8.0
	<b>Fire Rating of different class of fires (Hint: Higher is better)</b>	183B

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ravikumar Dinavahi	500063,Security Printing Press(SPP) Mint Compound, Saifabad Hyderabad , Telangana	10	30

#### Portable Fire Extinguishers As Per IS 15683 (2018) ( 5 pieces )

Brand Type	Registered Brand
------------	------------------

#### Technical Specifications

\* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Generic	<b>Type</b>	Stored Pressure
	<b>Extinguishing Media</b>	Foam Based (as per IS 4989)
	<b>Expellant Medium</b>	N2 Based (Stored Pressure)
Constructional Material	<b>Type of Extinguisher</b>	Low Pressure Extinguisher (Service Pressure ≤19 bar)
	<b>Material Specification for the body of High Pressure Extinguisher (Hint: Select NA Low Pressure Extinguisher)</b>	NA
	<b>Material Specification for the body of Low Pressure Extinguisher (Hint: Select NA High Pressure Extinguisher)</b>	Welded low carbon steel cylinders (as per Clause 9.2.5 of IS 15683)
Construction	<b>Foam Based Extinguishing Media (Hint: Select NA for Extinguishing Media other than Foam Based)</b>	NA
	<b>Powder Based Extinguishing Media (Hint: Select NA for Extinguishing Media other than Powder Based)</b>	NA
	<b>Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3) (HINT: Select NA for other Extinguishing Media)</b>	NA
	<b>Foam Based Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Foam Based)</b>	9
	<b>Powder Based Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than Powder Based)</b>	NA
	<b>Carbon Dioxide Based Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than CO2 Based)</b>	NA
	<b>Water Based Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Water Based)</b>	NA

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Clean Agents Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than Clean Agents Based)</b>	NA
	<b>Water Mist Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Water Mist Based)</b>	NA
	<b>Features of Fire Extinguisher</b>	Carrying Handle (Mandatory If Extinguisher having mass $\geq 1.5\text{Kg}$ or Cylinder diameter, Safety Devices (Mandatory for High Pressure Extinguisher), Rechargeable, Hose Assemblies (Mandatory If mass or volume of Extinguishing medium $> 3\text{ Kg}$ or Litres), NA
	<b>Class of fire for which Fire Extinguisher is suitable</b>	Class -B
Performance	<b>Minimum Effective discharge time for Fire Extinguisher</b>	8.0
	<b>Fire Rating of different class of fires (Hint: Higher is better)</b>	233B

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ravikumar Dinavahi	500063, Security Printing Press(SPP) Mint Compound, Saifabad Hyderabad , Telangana	5	30

#### Portable Fire Extinguishers As Per IS 15683 (2018) ( 10 pieces )

Brand Type	Registered Brand
------------	------------------

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Generic	Type	Stored Pressure



Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Extinguishing Media</b>	Water Based
	<b>Expellant Medium</b>	N2 Based (Stored Pressure)
Constructional Material	<b>Type of Extinguisher</b>	Low Pressure Extinguisher (Service Pressure $\leq$ 19 bar)
	<b>Material Specification for the body of High Pressure Extinguisher (Hint: Select NA Low Pressure Extinguisher)</b>	NA
	<b>Material Specification for the body of Low Pressure Extinguisher (Hint: Select NA High Pressure Extinguisher)</b>	Welded low carbon steel cylinders (as per Clause 9.2.5 of IS 15683)
Construction	<b>Foam Based Extinguishing Media (Hint: Select NA for Extinguishing Media other than Foam Based)</b>	NA
	<b>Powder Based Extinguishing Media (Hint: Select NA for Extinguishing Media other than Powder Based)</b>	NA
	<b>Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3) (HINT: Select NA for other Extinguishing Media)</b>	NA
	<b>Foam Based Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Foam Based)</b>	NA
	<b>Powder Based Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than Powder Based)</b>	NA
	<b>Carbon Dioxide Based Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than CO2 Based)</b>	NA
	<b>Water Based Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Water Based)</b>	9
	<b>Clean Agents Fire Extinguisher Capacity in Kg (Hint: Select NA for Extinguisher Capacity other than Clean Agents Based)</b>	NA

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Water Mist Fire Extinguisher Capacity in Liters (Hint: Select NA for Extinguisher Capacity other than Water Mist Based)</b>	NA
	<b>Features of Fire Extinguisher</b>	Carrying Handle (Mandatory If Extinguisher having mass $\geq 1.5$ Kg or Cylinder diameter, Safety Devices (Mandatory for High Pressure Extinguisher), Rechargeable, Hose Assemblies (Mandatory If mass or volume of Extinguishing medium > 3 Kg or Litres), NA
	<b>Class of fire for which Fire Extinguisher is suitable</b>	Class -A
Performance	<b>Minimum Effective discharge time for Fire Extinguisher</b>	13.0
	<b>Fire Rating of different class of fires (Hint: Higher is better)</b>	4A

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Ravikumar Dinavahi	500063,Security Printing Press(SPP) Mint Compound, Saifabad Hyderabad , Telangana	10	30

### Buyer Added Bid Specific Terms and Conditions

#### 1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

### Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample,

incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---Thank You---**